

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

n/a Confirmed

- ☐ ☒ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
- ☐ ☒ A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
- ☐ ☒ The statistical test(s) used AND whether they are one- or two-sided
Only common tests should be described solely by name; describe more complex techniques in the Methods section.
- ☐ ☒ A description of all covariates tested
- ☒ ☐ A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
- ☒ ☐ A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
- ☐ ☒ For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
Give P values as exact values whenever suitable.
- ☒ ☐ For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
- ☒ ☐ For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
- ☒ ☐ Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection Zen LITE, BD FACSdiva, QuantaSoft

Data analysis FlowJo, Prism, BioRad QuantaSoft Analysis Pro,

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The authors declare that all data supporting the findings of this study are available within the paper and its supplementary information files. Further information will be provided upon request.

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size	Sample size equals four. The sample size here was limited by availability of our repository samples.
Data exclusions	No data was excluded from the analysis.
Replication	Critical non-clinical experiments were run at least in triplicate if not higher.
Randomization	Not applicable.
Blinding	Not applicable.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

Methods

n/a	Involved in the study	n/a	Involved in the study
☐	☒ Antibodies	☒	☐ ChIP-seq
☐	☒ Eukaryotic cell lines	☐	☒ Flow cytometry
☒	☐ Palaeontology and archaeology	☒	☐ MRI-based neuroimaging
☒	☐ Animals and other organisms		
☐	☒ Human research participants		
☒	☐ Clinical data		
☒	☐ Dual use research of concern		

Antibodies

Antibodies used	pan-cytokeratin (CK; eBioscience, clone: AE1/AE), CD45 (Biolegend, clone:HI3), AF647-CD45(BioLegend, clone H130), PE-CD3 (BioLegend, clone HIT3a), AF488-CD19 (eBioscience, clone HIB19) and V450-CD14 (BD Horizon, clone MφP9)
Validation	Validated by manufacturer.

Eukaryotic cell lines

Policy information about [cell lines](#)

Cell line source(s)	A549, A375 and MCF7 purchased from ATCC. B16M-RFP generated by C. E. Gast. et al. (DOI: 10.1126/sciadv.aat7828, 2018)
Authentication	Authenticated by third party vendor
Mycoplasma contamination	Negative by Lonza MycoAlerta Detection Kit
Commonly misidentified lines (See ICLAC register)	Not applicable.

Human research participants

Policy information about [studies involving human research participants](#)

Population characteristics	Population information is described in Table 1.
Recruitment	<i>Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.</i>
Ethics oversight	Oregon Health & Science University, OHSU Brenden-Colson Center

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Flow Cytometry

Plots

Confirm that:

- ☐ The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- ☐ The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- ☐ All plots are contour plots with outliers or pseudocolor plots.
- ☐ A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

PBMCs were obtained from healthy participants via SepMate extraction. They were stained for common known markers such as CD45, CD14, CD19, and CD3. Cell lines were unstained as they expressed wither GFP or RFP/YFP.

Instrument

BD FACS Symphony

Software

BD FACSDiva and FlowJo

Cell population abundance

Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.

Gating strategy

Gating was straightforward were CD45+ cells are PBMCs, MCF7 cells are GFP+, and B16CHCs are RFP+/YFP+. For PBMCs unstained controls were used to set thresholds

- ☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.