

We included 24 reports (1–24) for objective 1:

1. Allen J, Hutchinson AM, Brown R, Livingston PM. User experience and care for older people transitioning from hospital to home: Patients' and carers' perspectives. *Health Expect Int J Public Particip Health Care Health Policy*. 2018;21(2):518–27.
2. Instituto Nacional de Cancerología E.S.E, Arias Rojas M, García-Vivar C, Universidad de Navarra. The transition of palliative care from the hospital to the home: a narrative review of experiences of patients and family caretakers. *Investig Educ En Enferm [Internet]*. 15. oktober 2015 [hentet 17. november 2022];33(3). Tilgængelig hos: <https://revistas.udea.edu.co/index.php/iee/article/view/24457>
3. Asif M, Cadel L, Kuluski K, Everall AC, Guilcher SJT. Patient and caregiver experiences on care transitions for adults with a hip fracture: a scoping review. *Disabil Rehabil*. 19. november 2020;42(24):3549–58.
4. Beattie M, Shepherd A, Howieson B. Do the Institute of Medicine's (IOM's) dimensions of quality capture the current meaning of quality in health care? – An integrative review. *J Res Nurs*. juni 2013;18(4):288–304.
5. Boye LK, Mogensen CB, Mechlenborg T, Waldorff FB, Andersen PT. Older multimorbid patients' experiences on integration of services: a systematic review. *BMC Health Serv Res*. december 2019;19(1):795.
6. Carpenter JG. Hospital Palliative Care Teams and Post-Acute Care in Nursing Facilities: An Integrative Review. *Res Gerontol Nurs*. januar 2017;10(1):25–34.
7. Davidson L, Scott J, Forster N. Patient experiences of integrated care within the United Kingdom: A systematic review. *Int J Care Coord*. juni 2021;24(2):39–56.
8. De Regge M, De Pourcq K, Meijboom B, Trybou J, Mortier E, Eeckloo K. The role of hospitals in bridging the care continuum: a systematic review of coordination of care and follow-up for adults with chronic conditions. *BMC Health Serv Res*. december 2017;17(1):550.
9. Foglino S, Bravi F, Carretta E, Fantini MP, Dobrow MJ, Brown AD. The relationship between integrated care and cancer patient experience: A scoping review of the evidence. *Health Policy*. januar 2016;120(1):55–63.
10. Hestevik CH, Molin M, Debesay J, Bergland A, Bye A. Older persons' experiences of adapting to daily life at home after hospital discharge: a qualitative metasummary. *BMC Health Serv Res*. december 2019;19(1):224.
11. Hohmann NS, McDaniel CC, Mason SW, Cheung WY, Williams MS, Salvador C, m.fl. Patient perspectives on primary care and oncology care coordination in the context of multiple chronic conditions: A systematic review. *Res Soc Adm Pharm*. august 2020;16(8):1003–16.
12. Lawless MT, Marshall A, Mittinty MM, Harvey G. What does integrated care mean from an older person's perspective? A scoping review. *BMJ Open*. januar 2020;10(1):e035157.
13. Mayo SJ, Ajaj R, Drury A. Survivors' preferences for the organization and delivery of supportive care after treatment: An integrative review. *Eur J Oncol Nurs*. oktober 2021;54:102040.

14. McMurray J, McNeil H, Lafortune C, Black S, Prorok J, Stolee P. Measuring Patients' Experience of Rehabilitation Services Across the Care Continuum. Part II: Key Dimensions. *Arch Phys Med Rehabil.* 2016;97(1):121–30.
15. Oishi A, Murtagh FE. The challenges of uncertainty and interprofessional collaboration in palliative care for non-cancer patients in the community: A systematic review of views from patients, carers and health-care professionals. *Palliat Med.* oktober 2014;28(9):1081–98.
16. Piccenna L, Lannin NA, Gruen R, Pattuwage L, Bragge P. The experience of discharge for patients with an acquired brain injury from the inpatient to the community setting: A qualitative review. *Brain Inj.* 23. februar 2016;30(3):241–51.
17. Sampson R, Cooper J, Barbour R, Polson R, Wilson P. Patients' perspectives on the medical primary–secondary care interface: systematic review and synthesis of qualitative research. *BMJ Open.* oktober 2015;5(10):e008708.
18. Scholl I, Zill JM, Härter M, Dirmaier J. An Integrative Model of Patient-Centeredness – A Systematic Review and Concept Analysis. *Wu WCH, redaktør. PLoS ONE.* 17. september 2014;9(9):e107828.
19. Segan JD, Briggs AM, Chou L, Connelly KL, Seneviwickrama M, Sullivan K, m.fl. Patient-perceived health service needs in inflammatory arthritis: A systematic scoping review. *Semin Arthritis Rheum.* juni 2018;47(6):765–77.
20. Sibounheuang P, Olson PS, Kittiboonyakun P. Patients' and healthcare providers' perspectives on diabetes management: A systematic review of qualitative studies. *Res Soc Adm Pharm.* juli 2020;16(7):854–74.
21. Staniszewska S, Boardman F, Gunn L, Roberts J, Clay D, Seers K, m.fl. The Warwick Patient Experiences Framework: patient-based evidence in clinical guidelines. *Int J Qual Health Care.* 1. april 2014;26(2):151–7.
22. van Servellen G, Fongwa M, Mockus D'Errico E. Continuity of care and quality care outcomes for people experiencing chronic conditions: A literature review. *Nurs Health Sci.* september 2006;8(3):185–95.
23. Waibel S, Henao D, Aller MB, Vargas I, Vazquez ML. What do we know about patients' perceptions of continuity of care? A meta-synthesis of qualitative studies. *Int J Qual Health Care.* 1. februar 2012;24(1):39–48.
24. Youssef A, Chaudhary ZK, Wiljer D, Mylopoulos M, Sockalingam S. Mapping Evidence of Patients' Experiences in Integrated Care: A Scoping Review. *Gen Hosp Psychiatry.* november 2019;61:1–9.

We included 113 (25–137) reports for objective 2:

25. Vrijhoef HJM, Berbee R, Wagner EH, Steuten LMG. Quality of integrated chronic care measured by patient survey: identification, selection and application of most appropriate instruments. *Health Expect.* december 2009;12(4):417–29.
26. Black D, Held ML, Skeesick J, Peters T. Measures Evaluating Patient Satisfaction in Integrated Health Care Settings: A Systematic Review. *Community Ment Health J.* november 2021;57(8):1464–77.
27. Weaver N, Coffey M, Hewitt J. Concepts, models and measurement of continuity of care in mental health services: A systematic appraisal of the literature. *J Psychiatr Ment Health Nurs.* august 2017;24(6):431–50.
28. Fiscella K, Ransom S, Jean-Pierre P, Cella D, Stein K, Bauer JE, m.fl. Patient-reported outcome measures suitable to assessment of patient navigation. *Cancer.* august 2011;117(15 Suppl):3603–17.
29. McMurray J, McNeil H, Lafortune C, Black S, Prorok J, Stolee P. Measuring Patients' Experience of Rehabilitation Services Across the Care Continuum. Part I: A Systematic Review of the Literature. *Arch Phys Med Rehabil.* januar 2016;97(1):104–20.
30. Quinn M, Robinson C, Forman J, Krein SL, Rosland AM. Survey Instruments to Assess Patient Experiences With Access and Coordination Across Health Care Settings: Available and Needed Measures. *Med Care.* juli 2017;55(Suppl 1):S84–91.
31. Fernandes S, Fond G, Zendjidjian XY, Baumstarck K, Lançon C, Berna F, m.fl. Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures. *Patient Prefer Adherence.* november 2020;Volume 14:2147–61.
32. Perriman N, Davis D. Measuring maternal satisfaction with maternity care: A systematic integrative review. *Women Birth.* juni 2016;29(3):293–9.
33. Willems LM, Kwakkenbos L, Bode C, van den Hoogen FHJ, van den Ende CHM. Health care use and patients' perceptions on quality of care in systemic sclerosis. *Clin Exp Rheumatol.* 2013;31(2 Suppl 76):64–70.
34. Wells R, Breckenridge ED, Siañez M, Tamayo L, Kum HC, Ohsfeldt RL. Self-Reported Quality, Health, and Cost-Related Outcomes of Care Coordination Among Patients with Complex Health Needs. *Popul Health Manag.* 1. februar 2020;23(1):59–67.
35. Weinberg DB, Gittell JH, Lusenhop RW, Kautz CM, Wright J. Beyond our walls: impact of patient and provider coordination across the continuum on outcomes for surgical patients. *Health Serv Res.* 2007;42(1 Pt 1):7–24.
36. Vargas I, Waibel S, Vazquez ML, Aller MB, Coderch J, Sanchez-Perez I, m.fl. A comprehensive analysis of patients' perceptions of continuity of care and their associated factors. *Int J Qual Health Care.* 2013;25(3):291–9.
37. Tremblay D, Roberge D, Touati N, Maunsell E, Berbiche D. Effects of interdisciplinary teamwork on patient-reported experience of cancer care. *BMC Health Serv Res.* december 2017;17(1):218.

38. Sisler JJ, Taylor-Brown J, Nugent Z, Bell D, Khawaja M, Czaykowski P, m.fl. Continuity of care of colorectal cancer survivors at the end of treatment: the oncology–primary care interface. *J Cancer Surviv.* december 2012;6(4):468–75.
39. Sequist TD, Von Glahn T, Li A, Rogers WH, Safran DG. Measuring chronic care delivery: patient experiences and clinical performance. *Int J Qual Health Care.* 1. juni 2012;24(3):206–13.
40. Riley DL, Stewart DE, Grace SL. Continuity of cardiac care: Cardiac rehabilitation participation and other correlates. *Int J Cardiol.* juli 2007;119(3):326–33.
41. O'Malley AS, Cunningham PJ. Patient experiences with coordination of care: the benefit of continuity and primary care physician as referral source. *J Gen Intern Med.* 2009;24(2):170–7.
42. Noel PH, Barnard JM, Barry FM, Simon A, Lee ML, Olmos-Ochoa TT, m.fl. Patient experience of health care system hassles: Dual-system vs single-system users. *Health Serv Res.* 2020;55(4):548–55.
43. Mosallam RA, Metwally S. Patients' views on the quality of transitional care at a health insurance hospital in Alexandria, Egypt. *J Egypt Public Health Assoc.* august 2014;89(2):74–80.
44. Mollica MA, Buckenmaier SS, Halpern MT, McNeel TS, Weaver SJ, Doose M, m.fl. Perceptions of care coordination among older adult cancer survivors: A SEER-CAHPS study. *J Geriatr Oncol.* april 2021;12(3):446–52.
45. Mohr DC, Benzer JK, Vimalananda VG, Singer SJ, Meterko M, McIntosh N, m.fl. Organizational Coordination and Patient Experiences of Specialty Care Integration. *J Gen Intern Med.* maj 2019;34(S1):30–6.
46. Kollen BJ, Groenier KH, Berendsen AJ. Patients' experiences with continuum of care across hospitals. A multilevel analysis of Consumer Quality Index Continuum of Care. *Patient Educ Couns.* maj 2011;83(2):269–72.
47. Kessing LV, Hansen HV, Ruggeri M, Bech P. Satisfaction with treatment among patients with depressive and bipolar disorders. *Soc Psychiatry Psychiatr Epidemiol.* februar 2006;41(2):148–55.
48. Karam M, Lambert AS, Macq J. Patients' perceptions of continuity of care across primary care level and emergency departments in Belgium: cross-sectional survey. *BMJ Open.* december 2019;9(12):e033188.
49. Ireson CL, Scutchfield FD, Slavova S, Steltenkamp CL. Bridgingf the care continuum: Patient information needs for specialist referrals. *BMC Health Serv Res.* 2009;9((Ireson, Scutchfield) College of Public Health, University of Kentucky, Lexington, KY, United States(Slavova) Office of Institutional Research, University of Kentucky, Lexington, KY, United States(Steltenkamp) College of Medicine, University of Kentucky,);163.
50. Hopstaken JS, van Dalen D, van der Kolk BM, van Geenen EJM, Hermans JJ, Gootjes EC, m.fl. Continuity of care experienced by patients in a multi-institutional pancreatic care network: a pilot study. *BMC Health Serv Res.* 2021;21(1):1–9.
51. Hod R, Maimon O, Zimlichman E. Does Care Transition Matter? Exploring the Newly Published HCAHPS Measure. *Am J Med Qual.* september 2020;35(5):380–7.

52. Hincapie AL, Slack M, Malone DC, MacKinnon NJ, Warholak TL. Relationship Between Patients' Perceptions of Care Quality and Health Care Errors in 11 Countries: A Secondary Data Analysis. *Qual Manag Health Care*. januar 2016;25(1):13–21.
53. Guilabert M, Martínez-García A, Sala-González M, Solas O, Mira JJ. Results of a Patient Reported Experience Measure (PREM) to measure the rare disease patients and caregivers experience: a Spanish cross-sectional study. *Orphanet J Rare Dis*. december 2021;16(1):67.
54. Fryer AK, Friedberg MW, Thompson RW, Singer SJ. Achieving care integration from the patients' perspective: Results from a care management program. *Healthcare*. marts 2016;4(1):36–44.
55. Den Herder-van Der Eerden M, Ebenau A, Payne S, Preston N, Radbruch L, Linge-Dahl L, m.fl. Integrated palliative care networks from the perspectives of patients: A cross-sectional explorative study in five European countries. *Palliat Med*. juni 2018;32(6):1103–13.
56. Cramm JM, Nieboer AP. High-quality chronic care delivery improves experiences of chronically ill patients receiving care. *Int J Qual Health Care*. 1. december 2013;25(6):689–95.
57. Collett GK, Durcinoska I, Rankin NM, Blinman P, Barnes DJ, Anderiesz C, m.fl. Patients' experience of lung cancer care coordination: a quantitative exploration. *Support Care Cancer*. februar 2019;27(2):485–93.
58. Carryer J, Doolan-Noble F, Gauld R, Budge C. New Zealand patients' perceptions of chronic care delivery. *J Integr Care*. 14. april 2014;22(2):71–80.
59. Carneiro C, Ellis J, Singh S, Cheung MC. Patient and Primary Care Practitioner Confidence in and Perceptions of Cancer Treatment Transition and the Shared Care Model of Cancer Care. *J Oncol Navig Surviv*. 2016;7(8):18–24.
60. Burgers JS, Voerman GE, Grol R, Faber MJ, Schneider EC. Quality and Coordination of Care for Patients With Multiple Conditions: Results From an International Survey of Patient Experience. *Eval Health Prof*. september 2010;33(3):343–64.
61. Breton M, Haggerty J, Roberge D, Freeman GK. Management continuity in local health networks. *Int J Integr Care* [Internet]. 13. april 2012 [hentet 25. juli 2023];12(2). Tilgængelig hos: <http://www.ijic.org/article/10.5334/ijic.682/>
62. Bravi F, Ruscio ED, Frassoldati A, Cavallresco GN, Valpiani G, Ferrozzi A, m.fl. Patient and Health Care Professional Perspectives: A Case Study of the Lung Cancer Integrated Care Pathway. *Int J Integr Care*. 31. oktober 2018;18(4):7.
63. Bower P, Reeves D, Sutton M, Lovell K, Blakemore A, Hann M, m.fl. Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. *Health Serv Deliv Res*. august 2018;6(31):1–188.
64. Bortoli A, Daperno M, Kohn A, Politi P, Marconi S, Monterubbianesi R, m.fl. Patient and physician views on the quality of care in inflammatory bowel disease: Results from SOLUTION-1, a prospective IG-IBD study. *J Crohns Colitis*. december 2014;8(12):1642–52.
65. Boele F, Harley C, Pini S, Kenyon L, Daffu-O'Reilly A, Velikova G. Cancer as a chronic illness: support needs and experiences. *BMJ Support Palliat Care*. 19. september 2019;bmjssc-2019-001882.

66. Benzer JK, Singer SJ, Mohr DC, McIntosh N, Meterko M, Vimalananda VG, m.fl. Survey of Patient-Centered Coordination of Care for Diabetes with Cardiovascular and Mental Health Comorbidities in the Department of Veterans Affairs. *J Gen Intern Med.* maj 2019;34(S1):43–9.
67. Bentler SE, Morgan RO, Virnig BA, Wolinsky FD. The Association of Longitudinal and Interpersonal Continuity of Care with Emergency Department Use, Hospitalization, and Mortality among Medicare Beneficiaries. Hernandez-Boussard T, redaktør. *PLoS ONE.* 22. december 2014;9(12):e115088.
68. Auerbach AD, Kripalani S, Vasilevskis EE, Sehgal N, Lindenauer PK, Metlay JP, m.fl. Preventability and Causes of Readmissions in a National Cohort of General Medicine Patients. *JAMA Intern Med.* 1. april 2016;176(4):484.
69. Andrew NE, Busingye D, Lannin NA, Kilkenny MF, Cadilhac DA. The Quality of Discharge Care Planning in Acute Stroke Care: Influencing Factors and Association with Postdischarge Outcomes. *J Stroke Cerebrovasc Dis Off J Natl Stroke Assoc.* 2018;27(3):583–90.
70. Alsayali MM, AlSharif K, Al-Sahafi A, Mandoura N, Shah HBU, Rashid OAA, m.fl. Patients' satisfaction after primary health care centers' integration with Ministry of Health Hospitals, Jeddah. *J Epidemiol Glob Health.* 2019;9(2):135–42.
71. Aller MB, Vargas I, Waibel S, Coderch-Lassaletta J, Sánchez-Pérez I, Llopart JR, m.fl. Factors associated to experienced continuity of care between primary and outpatient secondary care in the Catalan public healthcare system. *Gac Sanit.* maj 2013;27(3):207–13.
72. Acosta AM, Lima MADS, Marques GQ, Levandovski PF, Weber LAF. Brazilian version of the Care Transitions Measure: translation and validation. *Int Nurs Rev.* 2017;64(3):379–87.
73. Aller MB, Vargas I, Garcia I, Coderch J, Colomés L, Llopart JR, m.fl. A tool for assessing continuity of care across care levels: an extended psychometric validation of the CCAENA questionnaire. *Int J Integr Care [Internet].* 2. december 2013 [hentet 2. juni 2023];13(4). Tilgængelig hos: <http://www.ijic.org/article/10.5334/ijic.1160/>
74. Badri MA, Attia ST, Ustadi AM. Testing not-so-obvious models of healthcare quality. *Int J Health Care Qual Assur.* 2008;21(2):159–74.
75. Bakshi AB, Wee SL, Tay C, Wong LM, Leong IYO, Merchant RA, m.fl. Validation of the care transition measure in multi-ethnic South-East Asia in Singapore. *BMC Health Serv Res.* 2012;12(101088677):256.
76. Bentler SE, Morgan RO, Virnig BA, Wolinsky FD. Do claims-based continuity of care measures reflect the patient perspective?. *Med Care Res Rev MCRR.* 2014;71(2):156–73.
77. Bentler SE, Morgan RO, Virnig BA, Wolinsky FD. Evaluation of a patient-reported continuity of care model for older adults. *Qual Life Res Int J Qual Life Asp Treat Care Rehabil.* 2014;23(1):185–93.
78. Berendsen AJ, Groenier KH, de Jong GM, Meyboom-de Jong B, van der Veen WJ, Dekker J, m.fl. Assessment of patient's experiences across the interface between primary and secondary care: Consumer Quality Index Continuum of care. *Patient Educ Couns.* 2009;77(1):123–7.
79. Bull MJ, Luo D, Maruyama GM. Measuring continuity of elders' posthospital care. *J Nurs Meas.* 2000;8(1):41–60.

80. Castle N, Engberg J, Men A. Satisfaction of Discharged Nursing Home Residents. *J Appl Gerontol Off J South Gerontol Soc.* 2018;37(10):1225–43.
81. Chavez LM, Canino G, Shrout PE, Barrio C, Ware NC. Psychometric evaluation of the Spanish version of CONNECT: a measure of continuity of care in mental health services. *Int J Methods Psychiatr Res.* 2007;16(1):23–33.
82. Clark K, Beatty S, Reibel T. Maternity-care: measuring women's perceptions. *Int J Health Care Qual Assur.* 2016;29(1):89–99.
83. Cohen Castel O, Dagan E, Keinan-Boker L, Shadmi E. Reliability and validity of the Hebrew version of the Nijmegen Continuity Questionnaire for measuring patients' perceived continuity of care in oral anticancer therapy. *Eur J Cancer Care (Engl).* 2018;27(6):e12913.
84. Coleman EA, Mahoney E, Parry C. Assessing the quality of preparation for posthospital care from the patient's perspective: the care transitions measure. *Med Care.* 2005;43(3):246–55.
85. Crump H, King J, Graham C, Thorlby R, Raleigh V, Redding D, m.fl. Developing a User Reported Measure of Care Co-ordination. *Int J Integr Care.* 2017;17(1):4.
86. Dolovich LR, Nair KM, Ciliska DK, Lee HN, Birch S, Gafni A, m.fl. The Diabetes Continuity of Care Scale: the development and initial evaluation of a questionnaire that measures continuity of care from the patient perspective. *Health Soc Care Community.* 2004;12(6):475–87.
87. Drewes HW, de Jong-van Til JT, Struijs JN, Baan CA, Tekle FB, Meijboom BR, m.fl. Measuring chronic care management experience of patients with diabetes: PACIC and PACIC+ validation. *Int J Integr Care.* 2012;12(101214424):e194.
88. Eubank BH, Lafave MR, Mohtadi NG, Sheps DM, Wiley JP. Validation of a tool to assess patient satisfaction, waiting times, healthcare utilization, and cost. *Prim Health Care Res Dev.* 2019;20(100897390):e47.
89. Fulton BR, Sternke EA, Ayala L, Malott DLJ. Psychometric Testing of a Measure of Patient Experience in an Ambulatory Surgery Setting. *J Ambulatory Care Manage.* 2019;42(1):27–36.
90. Glasgow RE, Wagner EH, Schaefer J, Mahoney LD, Reid RJ, Greene SM. Development and validation of the Patient Assessment of Chronic Illness Care (PACIC). *Med Care.* maj 2005;43(5):436–44.
91. Graumlich JF, Novotny NL, Aldag JC. Brief scale measuring patient preparedness for hospital discharge to home: Psychometric properties. *J Hosp Med.* 2008;3(6):446–54.
92. Gulliford MC, Naithani S, Morgan M. Measuring continuity of care in diabetes mellitus: an experience-based measure. *Ann Fam Med.* 2006;4(6):548–55.
93. Hadjistavropoulos HD, Biem HJ, Kowalyk KM. Measurement of continuity of care in cardiac patients: reliability and validity of an in-person questionnaire. *Can J Cardiol.* 2004;20(9):883–91.
94. Hadjistavropoulos H, Biem H, Sharpe D, Bourgault-Fagnou M, Janzen J. Patient perceptions of hospital discharge: reliability and validity of a Patient Continuity of Care Questionnaire. *Int J Qual Health Care J Int Soc Qual Health Care.* oktober 2008;20(5):314–23.

95. Haggerty JL, Burge F, Pineault R, Beaulieu MD, Bouharaoui F, Beaulieu C, m.fl. Management continuity from the patient perspective: comparison of primary healthcare evaluation instruments. *Healthc Policy Polit Sante*. 2011;7(Spec Issue):139–53.
96. Haggerty JL, Roberge D, Freeman GK, Beaulieu C, Breton M. Validation of a generic measure of continuity of care: when patients encounter several clinicians. *Ann Fam Med*. 2012;10(5):443–51.
97. Hetlevik Ø, Hustoft M, Uijen A, Aßmus J, Gjesdal S. Patient perspectives on continuity of care: adaption and preliminary psychometric assessment of a Norwegian version of the Nijmegen Continuity Questionnaire (NCQ-N). *BMC Health Serv Res*. 21. november 2017;17(1):760.
98. Husain A, Barbera L, Howell D, Moineddin R, Bezjak A, Sussman J. Advanced lung cancer patients' experience with continuity of care and supportive care needs. *Support Care Cancer Off J Multinatl Assoc Support Care Cancer*. 2013;21(5):1351–8.
99. Hwang JI, Chung JH, Kim HK. Psychometric properties of transitional care instruments and their relationships with health literacy: Brief PREPARED and Care Transitions Measure. *Int J Qual Health Care J Int Soc Qual Health Care*. 31. december 2019;31(10):774–80.
100. Ignatyev Y, Timm J, Heinze M, Indefrey S, von Peter S. Development and Preliminary Validation of the Scale for Evaluation of Psychiatric Integrative and Continuous Care-Patient's Version. *Front Psychiatry*. 2017;8(101545006):162.
101. Joobar H, Chouinard MC, King J, Lambert M, Hudon E, Hudon C. The Patient Experience of Integrated Care Scale: A Validation Study among Patients with Chronic Conditions Seen in Primary Care. *Int J Integr Care*. 2018;18(4):1.
102. Joyce AS, Adair CE, Wild TC, McDougall GM, Gordon A, Costigan N, m.fl. Continuity of care: validation of a self-report measure to assess client perceptions of mental health service delivery. *Community Ment Health J*. april 2010;46(2):192–208.
103. Kiang MV, Singer SJ, Friedberg MW, Dunn T, Kuhn DM. Development and preliminary validation of the Patient Perceptions of Integrated Care survey. *Med Care Res Rev*. 2013;70(2):143–64.
104. Kowalyk KM, Hadjistavropoulos HD, Biem HJ. Measuring continuity of care for cardiac patients: development of a patient self-report questionnaire. *Can J Cardiol*. 2004;20(2):205–12.
105. Liu LM, Liu MT, Sun MJ, Wang JN, Lin BL, Wang P, m.fl. Validity and reliability of the Chinese version of the partners at care transitions measure. *BMC Health Serv Res*. 2021;21(1):1284.
106. Lloyd H, Fosh B, Whalley B, Byng R, Close J. Validation of the person-centred coordinated care experience questionnaire (P3CEQ). *Int J Qual Health Care J Int Soc Qual Health Care*. 2019;31(7):506–12.
107. Malik N, Alvaro C, Kuluski K, Wilkinson AJ. Measuring patient satisfaction in complex continuing care/rehabilitation care. *Int J Health Care Qual Assur*. 2016;29(3):324–36.
108. Masters S, Giles L, Halbert J, Crotty M. Development and testing of a questionnaire to measure older people's experience of the Transition Care Program in Australia. *Australas J Ageing*. 2010;29(4):172–8.



109. McAlister FA, Lin M, Bakal J, Kemp KA, Quan H. The Care Transitions Measure-3 Is Only Weakly Associated with Post-discharge Outcomes: a Retrospective Cohort Study in 48,384 Albertans. *J Gen Intern Med*. 2019;34(11):2497–504.
110. McGuinness C, Sibthorpe B. Development and initial validation of a measure of coordination of health care. *Int J Qual Health Care J Int Soc Qual Health Care*. august 2003;15(4):309–18.
111. Mira JJ, Nuno-Solinis R, Guilabert-Mora M, Solas-Gaspar O, Fernandez-Cano P, Gonzalez-Mestre MA, m.fl. Development and Validation of an Instrument for Assessing Patient Experience of Chronic Illness Care. *Int J Integr Care*. 2016;16(3):13.
112. Noest S, Ludt S, Klingenberg A, Glassen K, Heiss F, Ose D, m.fl. Involving patients in detecting quality gaps in a fragmented healthcare system: development of a questionnaire for Patients' Experiences Across Health Care Sectors (PEACS). *Int J Qual Health Care*. 1. juni 2014;26(3):240–9.
113. Oikonomou E, Page B, Lawton R, Murray J, Higham H, Vincent C. Validation of the Partners at Care Transitions Measure (PACT-M): assessing the quality and safety of care transitions for older people in the UK. *BMC Health Serv Res*. 2020;20(1):608.
114. Parra-Vega I, Marques-Sanchez P, Pelayo-Teran JM, Corral Gudino L. Development and validation of a questionnaire for assessing patients' perceptions of interprofessional integration in health care. *J Interprof Care*. 2021;(9205811):1–7.
115. Peabody M, Bradley KD, Custer M. Assessing the Validity of a Continuum-of-care Survey: A Rasch Measurement Approach. *J Appl Meas*. 2016;17(1):1–13.
116. Radwin LE, Cabral HJ, Seibert MN, Stolzmann K, Meterko M, Evans L, m.fl. Patient-Centered Care in Primary Care Scale: Pilot Development and Psychometric Assessment. *J Nurs Care Qual*. 2019;34(1):34–9.
117. Ramond-Roquin A, Stewart M, Ryan BL, Richards M, Sussman J, Brown JB, m.fl. The "Patient-centered coordination by a care team" questionnaire achieves satisfactory validity and reliability. *J Interprof Care*. 2019;33(5):558–69.
118. REYNOLDS J, GADSBY E, RIJKEN M, STOOP A, ESPALLARGUES M, LLOYD HM, m.fl. Measuring Older Peoples' Experiences of Person-Centred Coordinated Care: Experience and Methodological Reflections from Applying a Patient Reported Experience Measure in SUSTAIN. *Int J Integr Care IJIC*. 2021;21(3):1–17.
119. Rose D, Sweeney A, Leese M, Clement S, Jones IR, Burns T, m.fl. Developing a user-generated measure of continuity of care: brief report. *Acta Psychiatr Scand*. april 2009;119(4):320–4.
120. Rucci P, Foglino S, Bravi F, D'Avenia R, Altini M, Carradori T, m.fl. Validation of the Opportunity for Treatment In ONcology (OPTION) questionnaire measuring continuity of care. *Eur J Cancer Care (Engl)*. 2018;27(1).
121. Shadmi E, Zisberg A, Coleman EA. Translation and validation of the Care Transition Measure into Hebrew and Arabic. *Int J Qual Health Care J Int Soc Qual Health Care*. 2009;21(2):97–102.

122. Smith LFP. Postnatal care: development of a psychometric multidimensional satisfaction questionnaire (the WOMBPNSQ) to assess women's views. *Br J Gen Pract J R Coll Gen Pract.* 2011;61(591):e628-37.
123. Soares JB, Nogueira MC, Fernandes D, Goncalves BM, Goncalves R. Validation of the Portuguese version of a questionnaire to measure Quality of Care Through the Eyes of Patients with Inflammatory Bowel Disease (QUOTE-IBD). *Eur J Gastroenterol Hepatol.* 2015;27(12):1409–17.
124. Sorra J, Zebrak K, Carpenter D, Famolaro T, Rauch J, Li J, m.fl. Development and psychometric properties of surveys to assess patient and family caregiver experience with care transitions. *BMC Health Serv Res.* 2021;21(1):785.
125. Squitieri L, Tsangaris E, Klassen AF, van Haren ELWG, Poulsen L, Longmire NM, m.fl. Patient-reported experience measures are essential to improving quality of care for chronic wounds: An international qualitative study. *Int Wound J.* 2020;17(4):1052–61.
126. Sugavanam T, Fosh B, Close J, Byng R, Horrell J, Lloyd H. Codesigning a Measure of Person-Centred Coordinated Care to Capture the Experience of the Patient: The Development of the P3CEQ. *J Patient Exp.* 2018;5(3):201–11.
127. Teale EA, Young JB. A Patient Reported Experience Measure (PREM) for use by older people in community services. *Age Ageing.* 2015;44(4):667–72.
128. Thompson R, Stevens G, Elwyn G. Measuring Patient Experiences of Integration in Health Care Delivery: Psychometric Validation of IntegRATE Under Controlled Conditions. *J Patient Exp.* 2021;8(101688338):23743735211007344.
129. Uijen A, Schellevis F, Bosch W, Mokkink H, Weel C, Schers H. Nijmegen Continuity Questionnaire: Development and testing of a questionnaire that measures continuity of care. *J Clin Epidemiol.* 18. juni 2011;64:1391–9.
130. Uijen AA, Schers HJ, Schellevis FG, Mokkink HGA, van Weel C, van den Bosch WJ. Measuring continuity of care: psychometric properties of the Nijmegen Continuity Questionnaire. *Br J Gen Pract J R Coll Gen Pract.* 2012;62(600):e949-57.
131. Valaker I, Fridlund B, Wentzel-Larsen T, Hadjistavropoulos H, Nordrehaug JE, Rotevatn S, m.fl. Adaptation and psychometric properties of the Norwegian version of the heart continuity of care questionnaire (HCCQ). *BMC Med Res Methodol.* 2019;19(1):62.
132. van Melle MA, van Stel HF, Poldervaart JM, de Wit NJ, Zwart DLM. The transitional risk and incident questionnaire was valid and reliable for measuring transitional patient safety from the patients' perspective. *J Clin Epidemiol.* 2019;105(jce, 8801383):40–9.
133. Walker KO, Stewart AL, Grumbach K. Development of a survey instrument to measure patient experience of integrated care. *BMC Health Serv Res.* 2016;16(101088677):193.
134. Ware NC, Dickey B, Tugenberg T, McHorney CA. CONNECT: a measure of continuity of care in mental health services. *Ment Health Serv Res.* 2003;5(4):209–21.
135. Young JM, Walsh J, Butow PN, Solomon MJ, Shaw J. Measuring cancer care coordination: development and validation of a questionnaire for patients. *BMC Cancer.* 2011;11(100967800):298.

136. Fillion L, Cook S, Veillette AM, Aubin M, de Serres M, Rainville F, m.fl. Professional Navigation Framework: Elaboration and Validation in a Canadian Context. *Oncol Nurs Forum*. 1. januar 2012;39(1):E58–69.
137. Schick-Makaroff K, Karimi-Dehkordi M, Cuthbertson L, Dixon D, Cohen SR, Hilliard N, m.fl. Using Patient- and Family-Reported Outcome and Experience Measures Across Transitions of Care for Frail Older Adults Living at Home: A Meta-Narrative Synthesis. *The Gerontologist*. 16. januar 2020;61(3):e23–38.

