

Tables:

Parameter		Value
Gender	Male	9
	Female	11
Type of LP [n (%)]	Reticular	7 (35.0%)
	Atrophic	4 (20.0%)
	Bullous- Erosive	9 (45.0%)
Medically compromised [n (%)]	No	20 (100.0%)
	Yes	0 (0.0%)
Extra-oral lesions [n (%)]	No	17 (85.0%)
	Yes	3 (15.0%)
Lesion size [n (%)]	Mild white striae without erythematous or erosive	2 (10.0%)

Parameter		Value
Gender	Male	9
	Female	11
	White striae with atrophic area <1 cm ²	3 (15.0%)
	White striae with atrophic area >1 cm ²	4 (20.0%)
	white striae with erosive area <1 cm ²	3 (15.0%)
	white striae with erosive area >1 cm ²	8 (40.0%)
Lesion severity [n (%)]	Mild	6 (30.0%)
	Moderate	6 (30.0%)
	Severe	8 (40.0%)

Parameter		Value
Gender	Male	9
	Female	11
Pain score	Mean±SD	6.80±2.82
	Median (IQR)	7.00 (5.50)

Table.1 Demographic data of group 1

Parameter		Value
Gender	Male	15
	Female	5
Site of tumor [n (%)]	Maxilla	1 (5.0%)
	Hard palate	5 (25.0%)
	Mandible	3 (15.0%)
	Tongue	11 (55.0%)
Tumor grade [n (%)]	(I)	1 (5.0%)
	(II)	9 (45.0%)
	(III)	10 (50.0%)

Table.2 Demographic data of group III