

Table 1*Sociodemographics of the gatekeepers (N=512)*

Category	Total	t0	t1			
		n (%)		n (%)		
		Intervention		Control		
		n=88	n=221	n=69	n=134	
Gender						
Female	257	49	111	36	61	
	(50,9%)	(55,7%)	(50,7%)	(53,7%)	(46,6%)	
Male	247	39	108	30	70	
	(48,9%)	(44,3%)	(49,3%)	(44,8%)	(53,4%)	
Miscellaneous	1	0	0			
	(0,2%)					
Profession						
Psychiatrist	64	14	23	11	16	
	(12,5%)	(15,9%)	(10,5%)	(16,4%)	(12,2%)	
Neurologist	34	4	13	6	11	
	(6,6%)	(4,5%)	(5,9%)	(9,0%)	(8,4%)	
Neurology	8	0	3	1 (1,5%)	4 (3,1%)	
	(1,6%)		(1,4%)			
Family doctor/general practitioner/internist/practicing physician	379	66	172	45	96	
	(74,0%)	(75%)	(78,2%)	(67,2%)	(73,3%)	
Medical psychotherapist	41	4	13	11	13	
	(8,0%)	(4,5%)	(5,9%)	(16,4%)	(9,9%)	
Specialist in psychosomatic medicine and psychotherapy	11	1	8	0	2	
	(2,1%)	(1,1%)	(3,6%)		(1,5%)	

Miscellaneous	12	3	6	1	2
	(2,4%)	(3,4%)	(2,7%)	(1,5%)	(1,5%)

Type of practice

Individual practice	331	51	147	41	92
	(65,9%)	(58,6%)	(67,4%)	(62,1%)	(70,2%)
Joint practice	148	32	62	23	31
	(29,5%)	(36,8%)	(28,4%)	(34,8%)	(23,7%)
MVZ	23	4	9	2	8
	(4,6%)	(4,6%)	(4,1%)	(3,0%)	(6,1%)

Cash register seat

Legal	5	0	1	1 (1,5%)	3 (2,3%)
	(1,0%)		(0,5%)		
Private	0	0	0	0	0
Statutory & private	503	88	219	67	129
	(98,2%)	(100%)	(99,5%)	(98,5%)	(97,7%)

Category	Total	t0	t1		
	n (%)	M	(sd)	M	(sd)
		range		range	
		Intervention Control Intervention Control			
		n=88	n=221	n=69	n=134

Age	56,22	56,04	56,37	55,62	56,39
	(9,5)	(10,24)	(9,63)	(9,86)	(8,69)
	34 - 86	36 - 80	34 - 86	35 - 78	36 - 80
Duration of employment	26,4	26,07	26,31	25,98	26,98
	(10,6)	(10,88)	(11,06)	(10,21)	(10,01)
	2 - 60	3 - 51	2 - 60	4 - 50	3 - 55

Table 2:*Importance of certain assignment criteria (N=512)*

Assignment criteria	Missing	Total	t0		t1	
	n	M (sd)	M (sd)		M (sd)	
		range	range		range	
			Intervention	Control	Intervention	Control
			n=88	n=221	n=69	n=134
Severity of the current symptoms	11	4,90 (0,34) 1 - 5	(4,84 (0,40) 3 - 5	4,91 (0,28) 4 - 5	4,94 (0,24) 4 - 5	4,90 (0,43) 1 - 5
Course of the disease to date	13	4,17 (0,73) 1 - 5	(4,14 (0,72) 2 - 5	4,16 (0,70) 2 - 5	4,14 (0,89) 1 - 5	4,21 (0,69) 2 - 5
Medical history	14	3,98 (0,82) 2 - 5	(3,98 (0,85) 2 - 5	3,96 (0,79) 2 - 5	3,85 (0,90) 2 - 5	4,07 (0,82) 2 - 5
Patient request for inpatient treatment	10	3,83 (0,93) 1 - 5	(3,80 (0,96) 1 - 5	3,84 (0,92) 1 - 5	3,80 (0,96) 1 - 5	3,84 (0,94) 1 - 5
Minor children in the household	27	3,37 (1,03) 1 - 5	(3,43 (1,22) 1 - 5	(3,33 (1,03) 1 - 5	(3,45 (1,00) 1 - 5	3,35 (0,93) 1 - 5
Professional situation	22	2,83 (0,99) 1 - 5	(2,81 (1,10) 1 - 5	2,80 (0,94) 1 - 5	2,99 (0,99) 1 - 5	2,80 (1,01) 1 - 5

Marital status	19	2,40 (1,04) 1 - 5	2,41 1,08) 1 - 5	(2,33 0,99) 1 - 5	(2,45 (1,03) 1 - 5	2,49 (1,01) 1 - 5
Age of the patient	25	2,35 1,06) 1 - 5	(2,45 (1,15) 1 - 5	2,35 (0,98) 1 - 5	2,27 (1,12) 1 - 5	2,34 (1,10) 1 - 5

Table 3:

Influence of postual information dissemination on knowledge about the CHIMPS-Net

Variables in the Equation								
		B	S.E.	Wald		Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1a	Time(1)	0.307	0.343	0.8	0.371	1.359	0.694	2.663
	CG / IG	0.055	0.363	0.023	0.879	1.057	0.518	2.154
	Soma / Psych	1.404	0.343	16.756	<.001	4.071	2.079	7.972
	Constant	-3.174	0.306	107.305	<.001	0.042		

Note. Degrees of freedom were 1 for all Wald statistics.