

M-PoCUS

Reason of requesting examination

☐ dyspnea ☐ hypotension ☐ chest pain ☐ hypoxia ☐ others

1. Transthoracic echocardiography

Left ventricular systolic function

☐ hyperdynamic ☐ normal ☐ mild to moderate dysfunction

☐ severe dysfunction ☐ indeterminate

Regional wall motion abnormality: ☐ if present ()

Pericardial effusion: ☐ present ☐ absent ☐ indeterminate

Evidence of tamponade: ☐ present ☐ absent

If present -> ☐ IVC plethoric ☐ R atrial collapse ☐ R ventricular collapse

Right Ventricular Size: ☐ normal ☐ dilated ☐ indeterminate

Evidence of RV strain: ☐ none ☐ Paradoxical septal motion ☐ McConnell's Sign

Aorta: ☐ normal ☐ dilated ☐ indeterminate

IVC: ☐ normal ☐ dilated ☐ collapsed ☐ indeterminate

Diameter: Max () mm, Mini () mm, change () %

Other: ()

2. Lower extremity vein ultrasound

Right leg

Saphenofemoral junction: ☐ compressible ☐ NOT compressible ☐ indeterminate

Common femoral vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Femoral vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Popliteal vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Popliteal trifurcation: ☐ compressible ☐ NOT compressible ☐ indeterminate

Other: ()

Left leg

Saphenofemoral junction: ☐ compressible ☐ NOT compressible ☐ indeterminate

Common femoral vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Femoral vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Popliteal vein: ☐ compressible ☐ NOT compressible ☐ indeterminate

Popliteal trifurcation: ☐ compressible ☐ NOT compressible ☐ indeterminate

Other: ()

Interpretation

☐ No sonographic evidence of deep vein thrombosis

☐ DVT present

3. Lung ultrasound

Rt anterior/superior thorax

View: ☐ adequate ☐ limited ☐ not obtained

Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate

Lung point: ☐ present ☐ absent ☐ indeterminate

Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate

B-pattern: ☐ present ☐ absent ☐ indeterminate

Consolidation: ☐ present ☐ absent ☐ indeterminate

Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate

Effusion: ☐ present ☐ absent ☐ indeterminate

Rt anterior/inferior thorax

View: ☐ adequate ☐ limited ☐ not obtained

Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate

Lung point: ☐ present ☐ absent ☐ indeterminate

Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate

B-pattern: ☐ present ☐ absent ☐ indeterminate

Consolidation: ☐ present ☐ absent ☐ indeterminate

Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate

Effusion: ☐ present ☐ absent ☐ indeterminate

Rt posterolateral/superior thorax

View: ☐ adequate ☐ limited ☐ not obtained

Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate

Lung point: ☐ present ☐ absent ☐ indeterminate

Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate

B-pattern: ☐ present ☐ absent ☐ indeterminate

Consolidation: ☐ present ☐ absent ☐ indeterminate

Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate

Effusion: ☐ present ☐ absent ☐ indeterminate

Rt posterolateral/inferior thorax

View: ☐ adequate ☐ limited ☐ not obtained

Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate

Lung point: ☐ present ☐ absent ☐ indeterminate

Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate

B-pattern: ☐ present ☐ absent ☐ indeterminate

Consolidation: ☐ present ☐ absent ☐ indeterminate
Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate
Effusion: ☐ present ☐ absent ☐ indeterminate
If present: depth ()cm, ☐ anechoic ☐ echoic ☐ septation

Lt anterior/superior thorax

View: ☐ adequate ☐ limited ☐ not obtained
Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate
Lung point: ☐ present ☐ absent ☐ indeterminate
Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate
B-pattern: ☐ present ☐ absent ☐ indeterminate
Consolidation: ☐ present ☐ absent ☐ indeterminate
Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate
Effusion: ☐ present ☐ absent ☐ indeterminate

Lt anterior/inferior thorax

View: ☐ adequate ☐ limited ☐ not obtained
Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate
Lung point: ☐ present ☐ absent ☐ indeterminate
Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate
B-pattern: ☐ present ☐ absent ☐ indeterminate
Consolidation: ☐ present ☐ absent ☐ indeterminate
Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate
Effusion: ☐ present ☐ absent ☐ indeterminate

Lt posterolateral/superior thorax

View: ☐ adequate ☐ limited ☐ not obtained
Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate
Lung point: ☐ present ☐ absent ☐ indeterminate
Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate
B-pattern: ☐ present ☐ absent ☐ indeterminate
Consolidation: ☐ present ☐ absent ☐ indeterminate
Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate
Effusion: ☐ present ☐ absent ☐ indeterminate

Lt posterolateral/inferior thorax

View: ☐ adequate ☐ limited ☐ not obtained
Lung sliding: ☐ present ☐ absent ☐ decreased ☐ indeterminate
Lung point: ☐ present ☐ absent ☐ indeterminate

Pleural line abnormality: ☐ present ☐ absent ☐ indeterminate

B-pattern: ☐ present ☐ absent ☐ indeterminate

Consolidation: ☐ present ☐ absent ☐ indeterminate

Air bronchogram: ☐ static ☐ dynamic ☐ absent ☐ indeterminate

Effusion: ☐ present ☐ absent ☐ indeterminate

If present: depth ()cm, ☐ anechoic ☐ echoic ☐ septation

Interpretation

☐ Normal lung

☐ Pleural abnormality

☐ Pneumothorax ☐ left ☐ right ☐ bilateral

☐ Focal interstitial syndrome

☐ Diffuse interstitial syndrome

☐ Consolidation ☐ left ☐ right ☐ bilateral

☐ Pleural effusion ☐ left ☐ right ☐ bilateral ☐ simple ☐ complex

other: ()

4. Diagnosis

☐ Cardiogenic pulmonary edema

☐ Bilateral alveolar interstitial syndrome

☐ Unilateral alveolar interstitial syndrome

☐ Pleural effusion (moderate to large)

☐ Pulmonary thromboembolism

☐ Cardiac tamponade

☐ Pneumothorax

☐ Hypovolemia(distributive)

☐ Tumor progression (disease progression)

☐ Normal or no interval change or others