






MR Test


- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode




MR Method

- Inverse variance weighted
- MR Egger











MR Test

- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode




MR Method






MR leave-one-out sensitivity analysis for 'Chronic kidney disease II id:ieu-a-1102' on 'Lumbar spine bone mineral density II id:ieu-a-982'





MR Test

- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode



MR Method



rs13333226


rs2453533


rs7805747

rs3812035

All

MR leave-one-out sensitivity analysis for
'Chronic kidney disease II id:ieu-a-1102' on 'Femoral neck bone mineral density II id:ieu-a-980'






MR Test


- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode


SNP effect on Heel bone mineral density (BMD) II id:ukb-b-8875




MR Method

- Inverse variance weighted
- MR Egger









MR Test

- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode



MR Method

- Inverse variance weighted
- MR Egger



rs3812035

rs7805747

rs13333226

rs2453533

All


-0.05


0.00

0.05

0.10


MR leave-one-out sensitivity analysis for
'Chronic kidney disease II id:ieu-a-1102' on 'Total body bone mineral density II id:ebi-a-GCST005348'






MR Test


- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode




MR Method

- Inverse variance weighted
- MR Egger








MR Test


- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode





MR Method


Inverse variance weighted

MR Egger












MR Method

- Inverse variance weighted
- MR Egger










MR Test

- Inverse variance weighted
- MR Egger
- Weighted median
- Weighted mode



MR Method



rs3812035

rs2453533

rs13333226

rs7805747

All

-0.2

0.0

0.2

MR leave-one-out sensitivity analysis for
'Chronic kidney disease II id:ieu-a-1102' on 'Osteoporosis II id:finn-b-M13_OSTEOPOROSIS'

