

```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor
/STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
/ORDER=ANALYSIS.

```

Frequencies

Statistics

As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".
DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?

N	Valid	464
	Missing	0

**As defined by WHO, "the use of a medication without a
physician consultation or recommendation is self
medication".**

**DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF
PAINKILLERS?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	121	26.1	26.1	26.1
1	343	73.9	73.9	100.0
Total	464	100.0	100.0	

```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor Ye
arofstudy
/STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
/BARCHART FREQ
/ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultatio n or recommen dation is self medication ". DO YOU SELF MEDICATE YOURSEL F ON ANY SORT OF PAINKILLE RS?	Year of study
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a
physician consultation or recommendation is self
medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF
PAINKILLERS?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0


Year of study

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Final year	66	19.2	19.2	19.2
	First year	38	11.1	11.1	30.3
	Fourth year	102	29.7	29.7	60.1
	Second year	55	16.0	16.0	76.1
	Third year	82	23.9	23.9	100.0
	Total	343	100.0	100.0	

Bar Chart


As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor age
e
  /STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
  /BARCHART FREQ
  /ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultatio n or recommen dation is self medication ". DO YOU SELF MEDICATE YOURSEL F ON ANY SORT OF PAINKILLE RS?	age
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a
physician consultation or recommendation is self
medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF
PAINKILLERS?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0

age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-19	35	10.2	10.2	10.2
	20-21	126	36.7	36.7	46.9
	22-23	133	38.8	38.8	85.7
	24-25	49	14.3	14.3	100.0
	Total	343	100.0	100.0	

Bar Chart


As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



```

FREQUENCIES VARIABLES=age Yearofstudy
  /STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
  /BARCHART FREQ
  /ORDER=ANALYSIS.

```

Frequencies

Statistics

		age	Year of study
N	Valid	343	343
	Missing	0	0

Frequency Table


age


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-19	35	10.2	10.2	10.2
	20-21	126	36.7	36.7	46.9
	22-23	133	38.8	38.8	85.7
	24-25	49	14.3	14.3	100.0
	Total	343	100.0	100.0	

Year of study

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Final year	66	19.2	19.2	19.2
	First year	38	11.1	11.1	30.3
	Fourth year	102	29.7	29.7	60.1
	Second year	55	16.0	16.0	76.1
	Third year	82	23.9	23.9	100.0
	Total	343	100.0	100.0	

Bar Chart





```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor On
ascaleof15howgoodisyourknowledgeforpainkillers
  /STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
  /BARCHART FREQ
  /ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication". DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?	On a scale of 1-5 how good is your knowledge for painkillers?
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0

On a scale of 1-5 how good is your knowledge for painkillers?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 (hardly know about the use of any medicine)	16	4.7	4.7	4.7
	2 (know a few medicine and their uses)	88	25.7	25.7	30.3
	3 (know basic uses and difference about some medicine)	87	25.4	25.4	55.7
	4 (know details about usage but not doses and side effects)	67	19.5	19.5	75.2
	5 (know details about usage, dosage and side effects)	85	24.8	24.8	100.0
	Total	343	100.0	100.0	

Bar Chart


As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



On a scale of 1-5 how good is your knowledge for painkillers?

```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor Forhowlongyouhavebeenselfmedicatingyourselfwithpainkillers
/STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
/ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".	
		DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?	For how long you have been self medicating yourself with pain killers?
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0

For how long you have been self medicating yourself with pain killers?

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1-3 months	71	20.7	20.7	20.7
1-3 months, 3-6 months	1	.3	.3	21.0
1-3 months, 3-6 months, Over a year	1	.3	.3	21.3
1-3 months, 6-9 months	1	.3	.3	21.6
1-3 months, Over a year	4	1.2	1.2	22.7
3-6 months	7	2.0	2.0	24.8
3-6 months, 9-12 months	1	.3	.3	25.1
6-9 months	19	5.5	5.5	30.6
6-9 months, 9-12 months	1	.3	.3	30.9
6-9 months, Over a year	1	.3	.3	31.2
9-12 months	16	4.7	4.7	35.9
9-12 months, Over a year	2	.6	.6	36.4
Over a year	218	63.6	63.6	100.0
Total	343	100.0	100.0	

```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor Forhowlongyouhavebeenselfmedicatingyourselfwithpainkillers
/STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
/ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".	
		DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?	For how long you have been self medicating yourself with pain killers?
N	Valid	344	344
	Missing	0	0

Frequency Table

```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor Howdoyougettoknowaboutthesepainkillers
  /STATISTICS=STDDEV SE MEAN MEAN MEDIAN MODE
  /PIECHART=FREQ
  /ORDER=ANALYSIS.

```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication". DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?	How do you get to know about these pain killers?
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0

How do you get to know about these pain killers?


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Advertisement	4	1.2	1.2	1.2
	Doctor prescription to someone else who had same symptoms like you.	24	7.0	7.0	8.2
	Leftover medicine from previous prescription	15	4.4	4.4	12.5
	Suggested by a friend/family	102	29.7	29.7	42.3
	Suggested by Pharmacist	85	24.8	24.8	67.1
	You, Yourself used it when you had pain	113	32.9	32.9	100.0
	Total	343	100.0	100.0	

Pie Chart

**As defined by WHO, "the use of a medication without a physician consultation
or recommendation is self medication".
DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?**



How do you get to know about these pain killers?



```

FREQUENCIES VARIABLES=AsdefinedbyWHOtheuseofamedicationwithoutaphysicianconsultationor
wdoyougettoknowaboutthesepainkillers
  /STATISTICS=STDDEV SEMEAN MEAN MEDIAN MODE
  /PIECHART FREQ
  /ORDER=ANALYSIS.
  
```

Frequencies

Statistics

		As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication". DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?	How do you get to know about these pain killers?
N	Valid	343	343
	Missing	0	0

Frequency Table

As defined by WHO, "the use of a medication without a physician consultation or recommendation is self medication".

DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	343	100.0	100.0	100.0

How do you get to know about these pain killers?


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Advertisement	4	1.2	1.2	1.2
	Doctor prescription to someone else who had same symptoms like you.	24	7.0	7.0	8.2
	Leftover medicine from previous prescription	15	4.4	4.4	12.5
	Suggested by a friend/family	102	29.7	29.7	42.3
	Suggested by Pharmacist	85	24.8	24.8	67.1
	You, Yourself used it when you had pain	113	32.9	32.9	100.0
	Total	343	100.0	100.0	

Pie Chart

As defined by WHO, "the use of a medication without a physician consultation
or recommendation is self medication".
DO YOU SELF MEDICATE YOURSELF ON ANY SORT OF PAINKILLERS?



How do you get to know about these pain killers?



```
SAVE OUTFILE='C:\Users\fatim\Desktop\Untitled3.sav 123.sav'  
/COMPRESSED.
```