



Supplementary Figures to Meta-Analysis


Supplementary Figure 1: Bleeding Volume




Supplementary Figure 2: Funnel plot for last follow-up Mortality




Supplementary Figure 3: Early Mortality




Supplementary Figure 4: Leave one out sensitivity analysis for mean mRS




Supplementary Figure 5: Patients with mRS score equal or smaller than 3




Supplementary Figure 6: Stress ulcers events




Supplementary Figure 7: Leave one out sensitivity analysis of GOS score




Supplementary Figure 8: Hospitalization duration (days)




Supplementary Figure 9: Leave one out sensitivity analysis of hospitalization duration (days)




Supplementary Figure 10: Pulmonary infection.




Supplementary Figure 11: Leave one out sensitivity analysis of pulmonary infection.




Supplementary Figure 12: Digestive Track Hemorrhage




Supplementary Figure 13: Renal dysfunction




Supplementary Figure 14: Ion balance disturbance




Supplementary Figure 15: Mean GCS score



Supplementary Figure 16: Intracranial infection




Supplementary Figure 17: Leave one out sensitivity analysis of intracranial infection






Supplementary Figure 18: Hydrocephalus incidence



Supplementary Figure 19: Hospitalization costs



Supplementary Figure 20: ICU stay (days)

