

code	sex	age	woundtype	ward	duration	cause	antibioticsused	agen
1	F	35	Surgical		3 days	Surgical	Cipro, metro	35
2	M	15	Burn	Medical	10 days	Burns	Amoxl, honey	15
3	M	20	Surgical	Medical	4 days	Surgical	Cef, metro,	20
4	F	21	Surgical	Medical	3 days	Surgical	Cef, metro	21
5	M	22	Surgical	SHDU	7 days	Surgical	Cef, metro, amoxl	22
6	M	40	Surgical	Medical	4 days	Medical	Clindamycin, metro	40
7	F	23	Surgical	Medical	6 days	Medical	Augmentin, levofloxacin	23
8	F	8	SURGICAL	PEDI	4 days	surgical	Amoxyl, cef	8
9	M	1	BURN	PEDI	7 days	Burns	Augmentin, metro, amoxyl	1
10	M	23	Surgical	Medical	3 days	Surgical	Genta, cef, metro	23
11	F	19	Surgical	Medical	3 days	Surgical	Levofloxacin, metro, Amoxyl	19
12	M	34	Open wound	OPD	3 days	accident	Amoxyl	34
13	M	29	Surgical	Medical	3 days	surgical	Amoxyl, genta,	29
14	F	2	Surgical	Medical	3 days	Surgical	Augmentin, cef	2
15	F	8	Surgical	Medical	4 days	Surgical	Amoxyl gentamycin	8
16	F	9	surgical	4 and 5	3 days	surgical	Genta and cef	9
17	F	3	Surgical	Medical	4 days	Surgical	Amoxyl gentamycin	3
18	M	26	Open wound	OPD	3 DAYS	Stick prick	amoxyl	26
19	m	45	Open wound	OPD	4 days	Bite	Amoxyl	45
20	F	34	surgical	SURGICAL	5 Days	Surgical	ampiclox	34
21	M	30	surgical	SURGICAL HDU	3 days	Surgical	Gentamicin	30
							levofloxacin	
22	F	25	surgical	MEDICAL	3 days	Surgical		25
23	M	27	surgical	Surgical ward (6&7)	4 days	Surgical	amoxl	27
24	M	36	surgical	Surgical ward	7 days	surgical	ampiclox	36
25	M	33	surgical	Surgical ward (6&7)	10 days	Surgical	Ceftraxane	33
26	M	22	surgical	Surgical ward (6&7)	4 days	Surgical	Cotrimaxazole	22
							Levofloxacin	
27	M	12	surgical	Surgical ward (6&7)		Surgical	Cotrimaxazole	12
							Levofloxacin	
28	M		surgical	4&5 Clitropedic ward		Surgical	amoxyl	
29	M		surgical	Acute		Surgical	amoxyl	
30	F		surgical	Surgical ward 6&7	4 days	Surgical	Amoxycillin	
							Ciprofloxacin	
31	F		surgical	Surgical ward 4&5	3 days	Surgical	Cef and ampicillin	
32	M		surgical	Causality	4 days	Surgical	Cef and genta	
33			bite		3 days	bite	ampicloxy	
34	F		surgical	Mat1	3 days	Surgical	cef	
35	F	33	surgical	Causality	3 days	Surgical	cef and Genta	33
36	M	54	surgical	Causality	4 days	Surgical	cef and ampicillin	54
37	M	19	surgical	Surgical 6&7	3 days	Surgical	cef and ampicillin	19
38	M	22	surgical	Maternity	3 days	Surgical	amoxylin	22
39	M	23	surgical	Surgical 6&7	4 days	Surgical	ampicillin and gentamycin	23
40	F	18	surgical	Surgical 4&5	4 days	Surgical	ampicloxy	18
41	F	12		IDC	5 days	surgical	amoxylin and gentamycin	12
42	M	24		Surgical ward 6&7			ampicillin and gentamycin	24
43	F	16		Surgical ward 6&7			gentamycin	16
44	M	18		Surgical ward 6&7			amoxyline	18
45	F	65		Surgical ward 4&5			amoxyline	65
46	M	13		Surgical HDU			Ceftraxane	13
47	M	73		8&9 medical ward			Ceftraxane	73
48	F	2		Surgical ward 6&7			ampicillin and gentamycin	2
49	M	40		Surgical ward 4&5			gentamycin	40
50	M	45		TB ward II			Ciprofloxacin	45
51	F	48		Surgical ward 4&5			amoxyline	48
52	F	25		Mat1			amoxyline	25
53	F	12-Jun		Surgical HDU 6&7			ampicillin and gentamycin	16
54	M	28		Surgical ward 6&7			Ceftraxane	28
55	F	4		Surgical ward 6&7			Ceftraxane	4
56	M	80		Surgical ward HDU			Ceftraxane	80

code	sex	age	woundtype	ward	duration	cause	antibioticsused	agen
57	M	61		Surgical ward HDU			gentamycin	61
58	M	42		Medical ward 8&9			ampicilin and gentamycin	42
59	M	50		8&9 Medical ward			ampicilin and gentamycin	50
60	F	18		Surgical ward 6&7			amoxylene	18
61	M	42		Surgical ward6&7			Ceftraxane	42
62	F			Surgical ward 4&5			ceftraxane	
63	F			Mat1			ciproflaxine	
64	F			Surgical ward 4&5			ciproflaxine	
65	F	9 weeks		ENT Clinic			tetracycline	13
66	M			Surgical ward 6&7			Ceftraxane	
67	F	19		Surgical HDU 6&7			ampicilin and gentamycin	19
68	F			Surgical ward 6&7			Ceftraxane	
69	M	25		Surgical ward 6&7			Ceftraxane	25
70	M			Surgical ward 4&5			Ceftraxane	
71	F	24		Surgical ward 6&7			Ceftraxane	24
72	M	23		Surgical ward 6&7			Ceftraxane and gentamyciline	23
73	M	25		Surgical ward 6&7			Ceftraxane and gentamyciline	25
74	F	30		OPD			amoxylene	30
75	M	30		Surgical ward 6&7			ampicilin and gentamycin	30
76	M	36		Surgical ward 6&7			ampicilin and gentamycin	36
77	M	39		Medical ward 8&9			ampicilin and gentamycin	39
78	M			Surgical ward			ampicilin and gentamycin	
79	M	45		Surgical ward 6&7			Ceftraxane and gentamyciline	45
80	M			Surgical ward 4&5			ampicilin and gentamycin	
81	M			6&7 Surgical ward			Ceftraxane and gentamyciline	
82	M	29		4&5 Surgical ward			Ceftraxane and gentamyciline	29
83	M	15		Casuality			amoxylene	15
84	M	30		Surgical ward 6&7			ampicilin and gentamycin	30
85	M			Surgical ward 6&7			ampicilin and gentamycin	
86	F			Surgical HDU 6&7			ampicilin and gentamycin	
87	F			Surgical HDU			ampicilin and gentamycin	
88	M			Medical ward 8&9			ceftraxane	
89	F	12		ENT ward			amoxylene	12
90	F			Surgical ward 6&7			ceftraxane	
91	M	28		Medical ward 8&9			amoxylene	28
92	M	5		Surgical HDU 6&7	5days	Accident	ampicilin and gentamycin	5
93	M	24		Surgical ward 6&7			ceftraxane	24
94	F	29		Surgical ward 4&5			ceftraxane	29
95	M	42		4&5 SURGICAL WARD / Orthopedics			ceftraxane and gentamycin	42
k096	M			Surgical ward 6&7			amoxylene	
97	M	17		Surgical HDU 6&7			amoxylene	17
98	F	12		ENT ward			amoxylene	12
99	F	21		Medical 8&9			amoxylene	21
100	F	26		Surgical HDU 6&7			ampicilin and gentamycin	26
101	F	16		Surgical ward 6&7			ampicilin and gentamycin	16
102	M			Medical ward 8&9			ceftraxane	
103							Ciprofloxacin	
104	M			Surgical ward 6&7			Ciprofloxacin	
105	M			Surgical ward 6&7			ampicilin and gentamycin	
106	M	6		OPD			Ciprofloxacin	6
107							Ciprofloxacin	
108	M	15		Surgical ward 6&7			Metronidazole	15
109	F	20		Maternity ward			Metronidazole	20
110	M	26		Surgical ward 6&7			Metronidazole	26
111	F	29		Surgical ward 4&5			Ciprofloxacin	29
112	F	29		Surgical ward			Gentamycin	29
113	M	19		Surgical	4days	Burns	Ciprofloxacin	19
114	M	16		Surgical	3days	Burn	Gentamycin	16
115	F	26		Maternity	4days	Surgical	Gentamycin	26

[illegible]

code	sex	age	woundtype	ward	duration	cause	antibioticsused	agen
160	F	28		Mat	3days	Surgical	Cof	28
							Amoxicillin	
161	M	32		Surgical	2days	Surgical	Ampicillin	32
162	M	40		Surgical	3days	Surgical	Ampicillin	40
							Gentamycin	
163	M	38		Surgical	3days	Surgical	Amoxicillin	38
							Ciprofloxacin	
164	F	30		Mat	1day	Surgical	Ciprofloxacin	30
							Gentamycin	
165	F	31		Mat	2days	Surgical	Gentamycin	31
166	F	29		Mat	3days	Surgical	Metronidazole	29
167	M	37		Surgical	3days	Surgical	Ampicillin	37
168	F	20		Surgical	4days	Surgical	Ampicillin	20
							Gentamycin	
169	F	28		Mat	3days	Surgical	Cof	28
							ciprofloxacin	
170	M	85		Surgical	3days	Surgical	Ampicillin	85
171	F	28		Mat	3dayds	Surgical	Cof	28
							Ciprofloxacin	
172	M	18		Surgical	3days	Surgical	Penicillin	18
173	F	29		Mat	3days	Surgical	Gentamycin	29
							Metronidazole	
174	F	19		Mat	2days	Surgical	Cof	19
175	M	29		Surgical	2days	Surgical	Ampicillin	29
							Gentamycin	
176	M	20		Surgical	3days	Surgical	penicillin	20
177	F	22		Surgical	1day	Surgical	Ciprofloxacin	22
							Gentamycin	
178	M	30		Surgical	2day	Surgical	Cof	30
							Gentamycin	
179	F	25		Maternity	1day	Surgical	Gentamycin	25
							Ciprofloxacin	
180	F	35		Mat		Surgical	Gentamycin	35
							Ciprofloxacin	
181	F	28		Mat	3days	Surgical	Gentamycin	28
							cof	
182	F	32		Mat	3days	Surgical	Ciprofloxacin	32
							Gentamycin	
183	M	37		Surgical	1day	Surgical	Penicillin	37
							Gentamycin	
184	M	27		Surgical	1day	Surgical	Gentamycin	27
							Ampicillin	
185	M	37		Surgical	2day	Surgical	Ampicillin	37
							cof	
186	F	38		Mat		Surgical	Cof	38
							Ciprofloxacin	
187	F	22		Mat	3days	Surgical	Gentamycin	22
							cof	
188	M	22		Surgical	2days	Surgical	Ampicillin	22
189	M	33		Surgical	1day	Surgical	Penicillin	33
190	F	31		Mat	1day	Surgical	Gentamycin	31
							cof	
191	M	29		Surgical	1day	Surgical	Penicillin	29
192	M	32		Surgical	2days	Surgical	Ampicillin	32
193	M	26		Surgical	3days	Surgical	Surgical	26
194	F	30		Mat	4days	Surgical	Cof	30
							Gentamycin	
195	M	40		Surgical	1day	Surgical	Doxycycline	40
							Chlorophencol	
196	F	30		Mat	7days	Surgical	Levofloxacin	30

[illegible]