



**Notice:** Undefined index: landing\_url in **/var/www/fuji.net/inc\_test.php** on line **40**

**Notice:** Undefined index: landing\_url in **/var/www/fuji.net/inc\_test.php** on line **46**

# FAIR assessment

## Disclaimer:

The test results shown here are based on preliminary data and code which still is under development.  
F-UJI is rapidly evolving and not yet available in a productive environment.

[↗ Click here to assess another data set](#)

## Assessment Results:


## Evaluated Resource:

Atlas Brasileiro Online de Doenças Raras

✓ Save

↓ {JSON}

↗ New

<b>FAIR level:</b> 	<b>moderate</b>
<b>Resource PID/URL:</b>	<a href="https://raras.org.br/">https://raras.org.br/</a>
<b>DataCite support:</b>	enabled
<b>Metric Version:</b>	metrics_v0.5
<b>Metric Specification:</b>	<a href="https://doi.org/10.5281/zenodo.6461229">https://doi.org/10.5281/zenodo.6461229</a>
<b>Software version:</b>	3.4.0
<b>Download assessment results:</b>	<a href="#">{JSON}</a>
<b>Save and share assessment results:</b>	
Showing cached or saved response. <a href="#">Click here to rerun the assessment</a>	

## Summary:



Report:

*Findable*

FsF-F1-01D - Data is assigned a globally unique identifier.	
FsF-F1-02D - Data is assigned a persistent identifier.	
FsF-F2-01M - Metadata includes descriptive core elements (creator, title, data identifier, publisher, publication date, summary and keywords) to support data findability.	
FsF-F3-01M - Metadata includes the identifier of the data it describes.	

FsF-F4-01M - Metadata is offered in such a way that it can be retrieved programmatically.



## *Accessible*

FsF-A1-01M - Metadata contains access level and access conditions of the data.



FsF-A1-02M - Metadata is accessible through a standardized communication protocol.



FsF-A1-03D - Data is accessible through a standardized communication protocol.



## *Interoperable*

FsF-I1-01M - Metadata is represented using a formal knowledge representation language.



FsF-I2-01M - Metadata uses semantic resources



FsF-I3-01M - Metadata includes links between the data and its related entities.



## *Reusable*

FsF-R1-01MD - Metadata specifies the content of the data.



FsF-R1.1-01M - Metadata includes license information under which data can be reused.



FsF-R1.2-01M - Metadata includes provenance information about data creation or generation.



FsF-R1.3-01M - Metadata follows a standard recommended by the target research community of the data.



FsF-R1.3-02D - Data is available in a file format recommended by the target research community.

[About](#)[Feedback](#)[Privacy Policy](#)[Terms of Use](#)[Legal Notice](#)

F-UJI is a result of the [FAIRsFAIR](#) "Fostering FAIR Data Practices In Europe" project which received funding from the European Union's Horizon 2020 project call H2020-INFRAEOSC-2018-2020 (grant agreement 831558).