Investigate the effect of an empowerment program based on the information, motivation, and
behavioral skills model on adherence to treatment regimen among tuberculosis patients

Dear patients;

Thank you for taking the time to answer the questions carefully and do not leave any unanswered. Your answers will be kept strictly confidential and the results of this study will be published in medical and health journals, so the information obtained will not be used to identify you in any way. We thank you for your effort in completing the questionnaire.

Demographic and contextual variables

Group:	Intervention	I	control	
Age:				
Gender:	Male		Female	
Occupation:	Housekeeper		Employed	Jobless
Marital status:	Single	Married	Widowed	Divorced
Education:	Reading and writ	ing	Junior high school and	above
Place of residence:	City	Vilaage	Suburb	

Row	<u>Information</u>	Strongly	Somehow	Neutral	Somehow	Strongly
		disagree	disagree		agree	agree
1	I know about the effectiveness of drugs against tuberculosis					
2	When my cough subsided after taking anti-TB drugs and I felt healthy, I don't need to take anti-TB drugs					
3	I know what possible side effects each of the anti-TB drugs has for me					
4	I know what to do if anti-TB drugs interact with alcohol, drugs, or other medications					
5	I have to take anti-tuberculosis drugs for at least 6 months					

Row	<u>Individual motivation</u>	Strongly	Somehow	Neutral	Somehow	Strongly
		disagree	disagree		agree	agree
1	Anti-TB drugs shorten my lifespan					
1	Anti-1B drugs shorten my mespan					
2	The relatively long use of anti-					
	tuberculosis drugs has made me					
	hopeless					
3	Belief in God has led me to always					
	take anti-tuberculosis medication					
4	Side effects of medications, such as					
	joint pain and dark urine, have					
	reduced my desire to take them					
5	Anti-TB drugs help control my					

	disease			
6	I live a normal life like the rest of			
	society, despite taking medication			
	for a relatively long time			

Social motivation	Strongly	Somehow	Neutral	Somehow	Strongly
	disagree	disagree		agree	agree
I am not willing to take anti-TB					
drugs because if people around me					
see me in a TB treatment center,					
they will avoid me					
Free counseling and medication					
services have created incentives to					
take medication					
I feel bad for the TB treatment					
center staff because, like at the					
police station, I have to answer to					
them					
I do not go to a TB treatment center					
because of the travel costs and lack					
of time to follow up on the disease					
Hidden feelings about tuberculosis					
and unmet confidential needs have					
made me desperate to take					
medication					
People around me prevent me from					
visiting the center for follow-up					
care					
	I am not willing to take anti-TB drugs because if people around me see me in a TB treatment center, they will avoid me Free counseling and medication services have created incentives to take medication I feel bad for the TB treatment center staff because, like at the police station, I have to answer to them I do not go to a TB treatment center because of the travel costs and lack of time to follow up on the disease Hidden feelings about tuberculosis and unmet confidential needs have made me desperate to take medication People around me prevent me from visiting the center for follow-up	I am not willing to take anti-TB drugs because if people around me see me in a TB treatment center, they will avoid me Free counseling and medication services have created incentives to take medication I feel bad for the TB treatment center staff because, like at the police station, I have to answer to them I do not go to a TB treatment center because of the travel costs and lack of time to follow up on the disease Hidden feelings about tuberculosis and unmet confidential needs have made me desperate to take medication People around me prevent me from visiting the center for follow-up	I am not willing to take anti-TB drugs because if people around me see me in a TB treatment center, they will avoid me Free counseling and medication services have created incentives to take medication I feel bad for the TB treatment center staff because, like at the police station, I have to answer to them I do not go to a TB treatment center because of the travel costs and lack of time to follow up on the disease Hidden feelings about tuberculosis and unmet confidential needs have made me desperate to take medication People around me prevent me from visiting the center for follow-up	I am not willing to take anti-TB drugs because if people around me see me in a TB treatment center, they will avoid me Free counseling and medication services have created incentives to take medication I feel bad for the TB treatment center staff because, like at the police station, I have to answer to them I do not go to a TB treatment center because of the travel costs and lack of time to follow up on the disease Hidden feelings about tuberculosis and unmet confidential needs have made me desperate to take medication People around me prevent me from visiting the center for follow-up	I am not willing to take anti-TB drugs because if people around me see me in a TB treatment center, they will avoid me Free counseling and medication services have created incentives to take medication I feel bad for the TB treatment center staff because, like at the police station, I have to answer to them I do not go to a TB treatment center because of the travel costs and lack of time to follow up on the disease Hidden feelings about tuberculosis and unmet confidential needs have made me desperate to take medication People around me prevent me from visiting the center for follow-up

Row	Risk perception	Strongly	Somehow	Neutral	Somehow	Strongly
		disagree	disagree		agree	agree
1	Not taking my medications on time makes my body weak					
2	If I don't take anti-tuberculosis drugs on time, the complications of tuberculosis will worsen					
3	If I take anti-tuberculosis drugs on time, my life expectancy will be shortened					
4	Tobacco and drug use make anti- tuberculosis drugs ineffective					

Row	<u>Self-efficacy</u>	Always	Usually	Sometimes	Rarely	Never
1	I can take anti-TB medications regularly while traveling					
2	I have the ability to remember to take my anti-tuberculosis medication even during celebrations					
3	I can take my medications without help from others					
4	I can repeat the skills of taking and administering medications several times to be successful					
5	I am able to take medications even though they taste bad					
6	I can still take my medications despite pressure from friends and family to stop taking them					

Row	<u>Behavior</u>	Always	Usually	Sometimes	Rarely	Never
1	I am well versed in the side effects					
	of medications and take anti-TB					
	medications every day, despite the					
	mild side effects and bad taste					
2	I store medications at a temperature					
	(below 33 degrees Celsius)					
3	I don't take my pills when others are					
	around me so they don't know about					
	my illness					
4	I take my pills according to my					
	schedule, no matter what (travel,					
	illness, fatigue, busy work)					
5	I am constantly doing my tests to					
	check the status of the disease					