Additional BUSCO Genes Predicted by ANNEVO and Fully Supported by RNA-Seq

Missing BUSCO Gene in Ensembl

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

Incomplete Gene in Ensembl



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.
The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

Erroneous Gene Fusion in Ensembl



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.

Erroneous Gene Break in Ensembl



The red box represents the errors in Ensembl annotation. The aligned green dashed lines represent the corrected splice sites.

The genomic region is displayed in the upper left corner of the image, automatically generated by the IGV screenshot command.