

# Evaluation of the Language Model Prototype for Postpartum Hemorrhage Care

## Instructions:

Please rate each AI-generated response using a scale from 1 (very poor) to 10 (excellent) according to the following criteria. Feel free to add comments if needed.

## Evaluation criteria:

- *Accuracy*: Is the information correct?
- *Relevance*: Is it pertinent, and does it cover key points?
- *Clarity*: Is it easy to understand?
- *Coherence*: Is the sequence logical and human-like?
- *Clinical Usefulness*: Is it applicable in a real clinical setting?

## ◆ Question 1

What are my alternatives if oxytocin is not available for managing postpartum hemorrhage?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

## ◆ Question 2

Are there any drug interactions I should consider before administering uterotronics?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

## ◆ Question 3

What are the signs of toxicity or serious side effects of drugs used to manage hemorrhage?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

## ◆ Question 4

How should tranexamic acid be administered correctly in cases of severe hemorrhage?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

#### ◆ Question 5

What protocols should I follow if the patient has known allergies to common hemorrhage medications?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

#### ◆ Question 6

What precautions should I take when administering IV medications in a rural setting?

(Model response: "I don't know")

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

#### ◆ Question 7

Are there strategies to optimize using limited pharmacological resources during a postpartum hemorrhage emergency?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

#### ◆ Question 8

What are the first signs of postpartum hemorrhage I should monitor?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)

Clinical Usefulness	<input type="checkbox"/> (1-10)
 Comment:	

### ◆ Question 9

What protocol should I follow immediately after identifying postpartum hemorrhage?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

### ◆ Question 10

How can I differentiate between uterine atony and other types of hemorrhage?

Accuracy	<input type="checkbox"/> (1-10)
Relevance	<input type="checkbox"/> (1-10)
Clarity	<input type="checkbox"/> (1-10)
Coherence	<input type="checkbox"/> (1-10)
Clinical Usefulness	<input type="checkbox"/> (1-10)

 Comment:

### 📋 Evaluator Background

Based on your experience, how would you classify yourself in obstetric emergency care?

Novice  Beginner  Competent  Proficient  Expert

Years of experience in obstetric patient care:

0-3 years  3-6 years  6-10 years  More than 10 years

 Brief description of your experience: