nature portfolio

Corresponding author(s):	Marie-Pierre Bousquet
Last updated by author(s):	May 28, 2025

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

_			
Sτ	2+	ict	icc

n/a	Cor	nfirmed
	x	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	x	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	x	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
x		A description of all covariates tested
x		A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	X	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
x		For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
x		For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
×		For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
×		Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
,		Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection

Provide a description of all commercial, open source and custom code used to collect the data in this study, specifying the version used OR state that no software was used.

Data analysis

The softwares used are all commercial or open source (and described in the litterature): CryoSPARC 4.5.3, DeepEMhancer, Proline, PHENIX suite, DIA-NN 1.9, GraphPad Prism10, DiscoverMP 1.2, Topaz picker

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

Statement included at the end of the methods section:

- The mass spectrometry proteomics data concerning A549/H1299 PA200 KO cells and TGF-β treated phLF have been deposited to the ProteomeXchange

Consortium via the PRIDE partner rep deposited with the dataset identifier	pository with the dataset identifier PXD061729. The anti-PA200 and anti- α 2 CoIP proteomics data in testes were previously PXD027436.
Reviewer access details	
Log in to the PRIDE website using the	following details:
Project accession: PXD061729	
Token: JJi5I2H8yZks	
-	e dataset by logging in to the PRIDE website using the following account details:
Username: reviewer_pxd061729@e	oi.ac.uk
Password: mb6tD9RuJUDi	
	nodel (.pdb) files and their description have been deposited in the Nature Comm. system via the FigShare tool (Figshare private 1270b85dd9dba; Figshare DOI: https://doi.org/10.6084/m9.figshare.29155379) and are currently in the process of being 1DB).
	man participants, their data, or biological material vith human participants or human data. See also policy information about sex, gender (identity/presentation),
and sexual orientation and race, e	
Reporting on sex and gender	Information on the sex of the donors for the primary human cells was not available
Reporting on race, ethnicity, or other socially relevant groupings	Not available and relevant
Population characteristics	Not applicable

Note that full information on the approval of the study protocol must also be provided in the manuscript.

was obtained in written form from each subject

Organ donors

Field-specific reporting

Recruitment

Ethics oversight

Randomization

Blinding

n.a.

n.a.

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.		
x Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences	
For a reference copy of the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf		
Life sciences study design		
All studies must disclose on these points even when the disclosure is negative.		
Sample size	No sample size calculation, use of 3-5 cell lines isolated from different donors based on previous data (Welk et al., 2019)	
Data exclusions	No exclusion	
Replication	Standardized SOP based cell culture methods, same cell numbers, incubation times, same protocols and reagents.	
riephodelo	Colonial allegation and a colonial and a colonial and a colonial processors and a colonial	

All lung tissue samples were collected within the European IPF registry (eurIPFreg) and provided

by the UGMLC Giessen Biobank (member of the DZL Platform Biobanking). The study protocol was a by the Ethics Committee of the Justus-Liebig-University Giessen (No. 111/08 and 58/15), and informe

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experime	ental s	ystems Methods
n/a Involved in the study n/a		n/a Involved in the study
Antibodies [ChIP-seq
Eukaryotic cell lines		Flow cytometry
Palaeontology and	archaeol	ogy MRI-based neuroimaging
Animals and other	organism	IS .
Clinical data		
Dual use research o	of concer	n
Plants		
Antibodies		
Polyclonal Proteasome 20S PSN (ab183506, Abcam), Mouse mo (14C10, Cell Signaling), Rabbit p		ercial antibodies: Rabbit Recombinant Monoclonal Proteasome 20S PSMB9/LMP2 antibody (ab242061, Abcam), Rabbit snal Proteasome 20S PSMB8/LMP7 antibody (ab3329, Abcam), Rabbit Recombinant Monoclonal PSMB10/MECL1 antibody (506, Abcam), Mouse monoclonal turboGFP antibody (TA150041, OriGene), Rabbit Recombinant monoclonal anti-GAPDH (506, Abcam), Rabbit polyclonal PA200 antibody (NBP1-22236, Novus Biologicals). ti-PSMA2 antibody is a mouse IgG1 monoclonal antibody and was produced from the MCP21 hybridoma (European Collection Cultures).
Validation	Validation of anti-LMP2, LMP7, MECL1 and PA200 on KO cells and published previously (Welk et al., 2019 doi: 10.1038/s41598-019-51665-0). Validation of anti-PSMA2 (MCP21 antibody) has been published earlier (Hendil KB et al, 1995 doi: 10.1042/bj3050245).	
Eukaryotic cell lin	ies.	
•		and Sex and Gender in Research
Cell line source(s)	en mies	Primary mouse and lung cells, A549, H1299 purchased from ATCC. HEK293-EBNA cells, expressing either i20S or s20S, were
cen inic source(s)		obtained and grown as described elsewhere (Guillaume et al, 2010; Fabre et al, 2015).
Authentication		ATCC certificate, cell lines were authenticated by company
Mycoplasma contamination not tested		not tested
Commonly misidentified lines (See ICLAC register)		n.a.
Palaeontology an	d Ard	chaeology
Specimen provenance	Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.	
Specimen deposition	Indicate where the specimens have been deposited to permit free access by other researchers.	
Dating methods	If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.	
Tick this box to confir	m that	the raw and calibrated dates are available in the paper or in Supplementary Information.
Ethics oversight	Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.	
Note that full information on t	the appro	oval of the study protocol must also be provided in the manuscript.
Animals and othe	er res	earch organisms
Policy information about st Research	olicy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research, and Sex and Gender in lesearch	
Laboratory animals	C3HeB/FeJ mice	
Wild animals	d animals n.a.	

Reporting on sex	was not taken into account, information missing	
Field-collected samples	n.a.	
Ethics oversight	Ethical approval was obtained, see above	
Note that full information on t	he approval of the study protocol must also be provided in the manuscript.	
Clinical data		
Policy information about <u>cl</u>	inical studies with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.	
Clinical trial registration	Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.	
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.	
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.	
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.	
Dual use research	of concorn	
olicy information about <u>du</u>	ual use research of concern	
Hazards		
Could the accidental, deli in the manuscript, pose a	berate or reckless misuse of agents or technologies generated in the work, or the application of information presented	
No Yes	Timeat to.	
Public health		
National security		
Crops and/or livest	LOCK	
	nt area	
Any other significant area		
Experiments of concer	rn	
Does the work involve any of these experiments of concern:		
No Yes		
Demonstrate how	to render a vaccine ineffective	
Confer resistance to therapeutically useful antibiotics or antiviral agents		
Enhance the virulence of a pathogen or render a nonpathogen virulent		
Increase transmissibility of a pathogen		
Alter the host range of a pathogen		
Enable evasion of a	diagnostic/detection modalities	
Enable the weapor	nization of a biological agent or toxin	
Any other potentia	ally harmful combination of experiments and agents	

Plants

Seed stocks

Report on the source of all seed stocks or other plant material used. If applicable, state the seed stock centre and catalogue number. If plant specimens were collected from the field, describe the collection location, date and sampling procedures.

Novel plant genotypes

Describe the methods by which all novel plant genotypes were produced. This includes those generated by transgenic approaches, gene editing, chemical/radiation-based mutagenesis and hybridization. For transgenic lines, describe the transformation method, the number of independent lines analyzed and the generation upon which experiments were performed. For gene-edited lines, describe the editor used, the endogenous sequence targeted for editing, the targeting guide RNA sequence (if applicable) and how the editor

Authentication

Describe any authentication procedures for each seed stock used or novel genotype generated. Describe any experiments used to assess the effect of a mutation and, where applicable, how potential secondary effects (e.g. second site T-DNA insertions, mosiacism, off-target gene editing) were examined.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument

Identify the instrument used for data collection, specifying make and model number.

Software

Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.

Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.		
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.		
Tick this box to confirm that	Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.		
Magnetic resonance i	imaging		
Experimental design			
Design type	Indicate task or resting state; event-related or block design.		
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.		
Behavioral performance measu	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).		
Acquisition			
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.		
Field strength	Specify in Tesla		
Sequence & imaging parameter	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used Not used			
Diffusion MRI Used	☐ Not used		
Diffusion MRI Used Preprocessing	☐ Not used		
□ Oseu	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).		
Preprocessing	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction,		
Preprocessing Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for		
Preprocessing Preprocessing software Normalization	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g.		
Preprocessing Preprocessing software Normalization Normalization template	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal Volume censoring	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal Volume censoring Statistical modeling & infer	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal Volume censoring Statistical modeling & infermation to the second section of the second sect	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. Pence Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal Volume censoring Statistical modeling & infermation in the second section is second section.	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. Perce Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.		
Preprocessing Preprocessing software Normalization Normalization template Noise and artifact removal Volume censoring Statistical modeling & infermation model type and settings Effect(s) tested Specify type of analysis:	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. Provide detail on software endofficed in the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used. Whole brain ROI-based Both		

Models & analysis

n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analys	is	
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).	
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).	
Multivariate modeling and predictive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation	