

Title: ‘Cervified’: a method for the morphometric identification of red deer (*Cervus elaphus*), fallow deer (*Dama dama*), and roe deer (*Capreolus capreolus*) archaeological bones.

Journal name: Journal of Archaeological Method and Theory

Authors: Veronica Aniceti^{1*}, Mauro Rizzetto^{2*}, Francesco Giacalone³

¹ Corresponding author. Consejo Superior de Investigaciones Científicas, Institució Milà i Fontanals (CSIC-IMF), Barcelona, Spain; veronica.aniceti@imf.csic.es

² Corresponding author. Vrije Universiteit Brussel, Interdisciplinary Historical Food Studies research group (VUB-FOST), Brussels, Belgium; mauro.rizzetto@vub.be

³ Ludwig.guru, Palermo, Italy

* These authors contributed equally to this work.

Online Resource 4

Mann-Whitney U test result graphs. Graphical representation of p values of the Mann-Whitney U tests, organised by element and species comparisons.




Fig 1. Scapula: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 2. Humerus: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 3. Radius: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 4. Metacarpus: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 5. Tibia: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 6. Astragalus: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 7. Calcaneum: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 8. Metatarsus: graphical representation of p values of the Mann-Whitney U tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.