nature portfolio

| Corresponding author(s): | DAPR NCOMMS-25-36888 |
|----------------------------|----------------------|
| Last updated by author(s): | lun 1 2025 |

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

| - . | | | |
|------------|-----|-----|-----|
| St | ·at | ารป | ICS |

| For all s | atistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section. | | | | | |
|-----------|--|--|--|--|--|--|
| n/a Co | firmed | | | | | |
| x | The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement | | | | | |
| x | A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly | | | | | |
| x | The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section. | | | | | |
| x | A description of all covariates tested | | | | | |
| | A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons | | | | | |
| x | A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) | | | | | |
| x | For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i> | | | | | |
| × | For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings | | | | | |
| x | For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes | | | | | |
| x | Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated | | | | | |
| , | Our web collection on <u>statistics for biologists</u> contains articles on many of the points above. | | | | | |
| Softv | are and code | | | | | |
| Policy ir | ormation about <u>availability of computer code</u> | | | | | |
| Data c | lection All data collection details were reported in the Materials and methods / or the Supplementary information. | | | | | |
| Data a | The analyses were run in MATLAB (version 2022b), R (version 4.4.2). | | | | | |
| | ripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and | | | | | |

Data

Policy information about <u>availability of data</u>

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The data used in the current study are available in the Figshare repository: https://doi.org/10.6084/m9.figshare.28877072.v2.

| | A CONTRACTOR | 1 | | The second second | 1000 | 10.0 | | the second second |
|------------|--------------|---------|------------|-------------------|--------|----------|--------|-------------------|
| Research | involving | human | narticinar | nts their | · data | or hio | logica | l material |
| 11C3Carcii | HIVOIVING | Hullian | participar | ito, tileli | uata | , OI DIO | IUSICA | i illatella |

| Reporting on sex and gender | n/a | | | | |
|--|--|--|--|--|--|
| Reporting on race, ethnicity, or other socially relevant groupings | n/a | | | | |
| Population characteristics | n/a | | | | |
| Recruitment | n/a | | | | |
| Ethics oversight | n/a | | | | |
| te that full information on the app | proval of the study protocol must also be provided in the manuscript. | | | | |
| ield-specific re | eporting t is the best fit for your research. If you are not sure, read the appropriate sections before making your selection. | | | | |
| | Behavioural & social sciences | | | | |
| | th all sections, see nature.com/documents/nr-reporting-summary-flat.pdf | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| cological, evo | lutionary & environmental sciences study design | | | | |
| | lutionary & environmental sciences study design se points even when the disclosure is negative. | | | | |
| studies must disclose on thes Study description We p from famil marg | · | | | | |
| studies must disclose on thes Study description We p from fami marg freez Research sample Using freez Thro | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog a 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 5-lies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future | | | | |
| studies must disclose on thes Study description We p from fami marg freez Research sample Using freez Thro | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 clies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bough geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using | | | | |
| studies must disclose on thes Study description We p from famil marg freez Research sample Using freez Thro ancil Sampling strategy Data collection We of from famil Marg freez Thro ancil Sampling strategy Data collection | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 clies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bough geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using | | | | |
| studies must disclose on thes Study description We p from from marg freez Research sample Using freez Thro ancil Sampling strategy Data collection We c Mate | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 cilies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bough geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using such coordinates and searched for journal articles on the ISI Web of Science and the China National Knowledge Infrastructure, see | | | | |
| studies must disclose on thes Study description We p from from marg freez Research sample Using freez Thro ancil Sampling strategy Data collection We c Mate Separate of the separate o | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 lies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bush geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using llary climate variables. Collected data and searched for journal articles on the ISI Web of Science and the China National Knowledge Infrastructure, see erials and methods / Supplementary information for key word combinations and criteria. Creviewed articles published from 1982 to 2024, ancillary climate data from WorldClim and CRU TS (Version 4.06; 1° resolution; 1-2021; at a monthly interval), and future climate projections from four CMIP6 models across three SSP scenarios (SSP1-2.6, | | | | |
| studies must disclose on thes study description We p from fami marg freez Research sample Using freez Thro ancil Sampling strategy Data collection We c Mate Timing and spatial scale Peer 1981 SSP2 Data exclusions n/a | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 lies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bush geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using llary climate variables. Collected data and searched for journal articles on the ISI Web of Science and the China National Knowledge Infrastructure, see erials and methods / Supplementary information for key word combinations and criteria. Creviewed articles published from 1982 to 2024, ancillary climate data from WorldClim and CRU TS (Version 4.06; 1° resolution; 1-2021; at a monthly interval), and future climate projections from four CMIP6 models across three SSP scenarios (SSP1-2.6, | | | | |
| studies must disclose on thes Study description We proposed from family marger freez Research sample Using freez Thro ancil Sampling strategy Data collection We compare the collection with the collection firming and spatial scale Peer 1981 SSP2 Data exclusions n/a | present a global meta-analysis of plant freezing resistance and the corresponding freezing safety margin during spring phenolog in 88 peer-reviewed articles published prior to September 1st, 2024, encompassing 193 plant species belonging to 336 orders, 50 lies, and 122 genera across 126 sites, and identify key environmental drivers of both freezing resistance and freezing safety gin. In addition, we use four process-based phenological model in predicting future spirng phenology, and uncover the future zing safety margin through three Shared Socioeconomic Pathways (SSPs). If a global synthesis dataset, we extracted plant freezing resistance during spring phenology, and computed corresponding zing safety margins by comparing these values with site-specific daily minimum temperatures derived from climate databases. Bush geospatial analysis of study site coordinates, we identified key environmental drivers of freezing tolerance patterns using llary climate variables. Collected data and searched for journal articles on the ISI Web of Science and the China National Knowledge Infrastructure, see erials and methods / Supplementary information for key word combinations and criteria. Creviewed articles published from 1982 to 2024, ancillary climate data from WorldClim and CRU TS (Version 4.06; 1° resolution; 1-2021; at a monthly interval), and future climate projections from four CMIP6 models across three SSP scenarios (SSP1-2.6, | | | | |

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

| Materials & ex | xperimental systems | Methods |
|----------------------|-----------------------|---------------------------|
| n/a Involved in t | the study | n/a Involved in the study |
| X Antibodie | es | ChIP-seq |
| x Eukaryoti | ic cell lines | Flow cytometry |
| ✗ ☐ Palaeonto | ology and archaeology | MRI-based neuroimaging |
| X Animals a | and other organisms | • |
| Clinical da | ata | |
| Dual use | research of concern | |
| ✗ ☐ Plants | | |
| , | | |
| Plants | | |
| Seed stocks | n/a | |
| Novel plant genot | types n/a | |
| | | |
| Authentication | n/a | |