

Supplementary Information 1

Demographic Patterns and Immunophenotypic Characterization of Tumor–Immune Interactions in Canine Cutaneous Mast Cell Tumors

Sudchaya Bhanpattanakul¹, Theerawat Tharasanit^{2,3}, Achariya Sailasuta¹, Takayuki Nakagawa⁴,
Theerayuth Kaewamatawong^{1,5*}

¹ Department of Pathology, Faculty of Veterinary Science, Chulalongkorn University, Bangkok, Thailand

² Department of Obstetrics, Gynaecology and Reproduction, Faculty of Veterinary Science, Chulalongkorn University, Bangkok, Thailand

³ Veterinary Clinical Stem Cells and Bioengineering Research Unit, Chulalongkorn University, Bangkok, Thailand

⁴ Laboratory of Veterinary Surgery, Graduate School of Agricultural and Life Sciences, University of Tokyo, 1-1-1, Yayoi, Bunkyo-ku, Tokyo, 113-8657, Japan

⁵ Center of Excellence for Companion Animal Cancer (CE-CAC), Department of Pathology, Faculty of Veterinary Science, Chulalongkorn University, Bangkok, Thailand.

Corresponding Author:

Theerayuth Kaewamatawong^{1,5*}

Email address: theerayuth.k@chula.ac.th

Supplementary Table

Table S1 Primary antibodies utilized in this study.

	Antibody	Cat. No.	Vendor	Clone	Host	Clonality	Dilution
1	MHC I	NBP2-61003	Novus Biologicals	DG-H58A	mouse	monoclonal	1:200
2	MHC II	NCL-LN3	Novocastra	LN3	mouse	monoclonal	1:300
3	CD4	104R-16	Cell Marque	SP35	rabbit	monoclonal	1:200
4	CD8	108M-96	Cell Marque	C8/144B	mouse	monoclonal	1:300
5	CD25	14-0251-82	eBioscience (Thermo Fisher Scientific)	PC61.5	Rat	monoclonal	1:100

6	CD57	ab203730	Abcam	NK-1	Mouse	Monoclonal	1:100
7	Mast cell tryptase	M7052	Dako	AA1	Mouse	Monoclonal	1:200
8	PD-1	ab52587	Abcam	NAT105	Mouse	Monoclonal	1:200
9	PD-L1	ab205921	Abcam	28-8	Rabbit	Monoclonal	1:200
