



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 19, 2024 – 10:41 am GMT

PDB ID : 9HG0
Title : Crystal structure of *M. smegmatis* GMP reductase with XMP* intermediate in complex with NADP⁺ and IMP.
Deposited on : 2024-11-18
Resolution : 2.10 Å (reported)

This wwPDB validation report is for manuscript review

This is a Full wwPDB X-ray Structure Validation Report.

This report is produced by the wwPDB biocuration pipeline after annotation of the structure.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)




The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	<div> <div>5%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>5%</div> </div> </div>
1	B	496	<div> <div>4%</div> <div> <div></div> <div>91%</div> <div>•</div> <div>5%</div> </div> </div>
1	C	496	<div> <div>6%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>5%</div> </div> </div>

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.39

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	496	
1	E	496	
1	F	496	
1	G	496	
1	H	496	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 28877 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GMP reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	473	Total	C	N	O	S	0	0	0
			3422	2132	613	663	14			
1	B	473	Total	C	N	O	S	0	0	0
			3425	2133	613	665	14			
1	C	473	Total	C	N	O	S	0	0	0
			3426	2135	614	663	14			
1	D	473	Total	C	N	O	S	0	0	0
			3423	2133	613	663	14			
1	E	473	Total	C	N	O	S	0	0	0
			3423	2133	613	663	14			
1	F	473	Total	C	N	O	S	0	0	0
			3426	2136	615	661	14			
1	G	473	Total	C	N	O	S	0	0	0
			3422	2133	614	661	14			
1	H	473	Total	C	N	O	S	0	0	0
			3417	2129	613	661	14			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	VAL	-	insertion	UNP A0QYE8
A	480	THR	-	expression tag	UNP A0QYE8
A	481	ALA	-	expression tag	UNP A0QYE8
A	482	ALA	-	expression tag	UNP A0QYE8
A	483	ALA	-	expression tag	UNP A0QYE8
A	484	LYS	-	expression tag	UNP A0QYE8
A	485	GLU	-	expression tag	UNP A0QYE8
A	486	ASP	-	expression tag	UNP A0QYE8
A	487	LEU	-	expression tag	UNP A0QYE8
A	488	GLU	-	expression tag	UNP A0QYE8
A	489	HIS	-	expression tag	UNP A0QYE8
A	490	HIS	-	expression tag	UNP A0QYE8
A	491	HIS	-	expression tag	UNP A0QYE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	492	HIS	-	expression tag	UNP A0QYE8
A	493	HIS	-	expression tag	UNP A0QYE8
A	494	HIS	-	expression tag	UNP A0QYE8
A	495	HIS	-	expression tag	UNP A0QYE8
A	496	HIS	-	expression tag	UNP A0QYE8
B	2	VAL	-	insertion	UNP A0QYE8
B	480	THR	-	expression tag	UNP A0QYE8
B	481	ALA	-	expression tag	UNP A0QYE8
B	482	ALA	-	expression tag	UNP A0QYE8
B	483	ALA	-	expression tag	UNP A0QYE8
B	484	LYS	-	expression tag	UNP A0QYE8
B	485	GLU	-	expression tag	UNP A0QYE8
B	486	ASP	-	expression tag	UNP A0QYE8
B	487	LEU	-	expression tag	UNP A0QYE8
B	488	GLU	-	expression tag	UNP A0QYE8
B	489	HIS	-	expression tag	UNP A0QYE8
B	490	HIS	-	expression tag	UNP A0QYE8
B	491	HIS	-	expression tag	UNP A0QYE8
B	492	HIS	-	expression tag	UNP A0QYE8
B	493	HIS	-	expression tag	UNP A0QYE8
B	494	HIS	-	expression tag	UNP A0QYE8
B	495	HIS	-	expression tag	UNP A0QYE8
B	496	HIS	-	expression tag	UNP A0QYE8
C	2	VAL	-	insertion	UNP A0QYE8
C	480	THR	-	expression tag	UNP A0QYE8
C	481	ALA	-	expression tag	UNP A0QYE8
C	482	ALA	-	expression tag	UNP A0QYE8
C	483	ALA	-	expression tag	UNP A0QYE8
C	484	LYS	-	expression tag	UNP A0QYE8
C	485	GLU	-	expression tag	UNP A0QYE8
C	486	ASP	-	expression tag	UNP A0QYE8
C	487	LEU	-	expression tag	UNP A0QYE8
C	488	GLU	-	expression tag	UNP A0QYE8
C	489	HIS	-	expression tag	UNP A0QYE8
C	490	HIS	-	expression tag	UNP A0QYE8
C	491	HIS	-	expression tag	UNP A0QYE8
C	492	HIS	-	expression tag	UNP A0QYE8
C	493	HIS	-	expression tag	UNP A0QYE8
C	494	HIS	-	expression tag	UNP A0QYE8
C	495	HIS	-	expression tag	UNP A0QYE8
C	496	HIS	-	expression tag	UNP A0QYE8
D	2	VAL	-	insertion	UNP A0QYE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	480	THR	-	expression tag	UNP A0QYE8
D	481	ALA	-	expression tag	UNP A0QYE8
D	482	ALA	-	expression tag	UNP A0QYE8
D	483	ALA	-	expression tag	UNP A0QYE8
D	484	LYS	-	expression tag	UNP A0QYE8
D	485	GLU	-	expression tag	UNP A0QYE8
D	486	ASP	-	expression tag	UNP A0QYE8
D	487	LEU	-	expression tag	UNP A0QYE8
D	488	GLU	-	expression tag	UNP A0QYE8
D	489	HIS	-	expression tag	UNP A0QYE8
D	490	HIS	-	expression tag	UNP A0QYE8
D	491	HIS	-	expression tag	UNP A0QYE8
D	492	HIS	-	expression tag	UNP A0QYE8
D	493	HIS	-	expression tag	UNP A0QYE8
D	494	HIS	-	expression tag	UNP A0QYE8
D	495	HIS	-	expression tag	UNP A0QYE8
D	496	HIS	-	expression tag	UNP A0QYE8
E	2	VAL	-	insertion	UNP A0QYE8
E	480	THR	-	expression tag	UNP A0QYE8
E	481	ALA	-	expression tag	UNP A0QYE8
E	482	ALA	-	expression tag	UNP A0QYE8
E	483	ALA	-	expression tag	UNP A0QYE8
E	484	LYS	-	expression tag	UNP A0QYE8
E	485	GLU	-	expression tag	UNP A0QYE8
E	486	ASP	-	expression tag	UNP A0QYE8
E	487	LEU	-	expression tag	UNP A0QYE8
E	488	GLU	-	expression tag	UNP A0QYE8
E	489	HIS	-	expression tag	UNP A0QYE8
E	490	HIS	-	expression tag	UNP A0QYE8
E	491	HIS	-	expression tag	UNP A0QYE8
E	492	HIS	-	expression tag	UNP A0QYE8
E	493	HIS	-	expression tag	UNP A0QYE8
E	494	HIS	-	expression tag	UNP A0QYE8
E	495	HIS	-	expression tag	UNP A0QYE8
E	496	HIS	-	expression tag	UNP A0QYE8
F	2	VAL	-	insertion	UNP A0QYE8
F	480	THR	-	expression tag	UNP A0QYE8
F	481	ALA	-	expression tag	UNP A0QYE8
F	482	ALA	-	expression tag	UNP A0QYE8
F	483	ALA	-	expression tag	UNP A0QYE8
F	484	LYS	-	expression tag	UNP A0QYE8
F	485	GLU	-	expression tag	UNP A0QYE8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	486	ASP	-	expression tag	UNP A0QYE8
F	487	LEU	-	expression tag	UNP A0QYE8
F	488	GLU	-	expression tag	UNP A0QYE8
F	489	HIS	-	expression tag	UNP A0QYE8
F	490	HIS	-	expression tag	UNP A0QYE8
F	491	HIS	-	expression tag	UNP A0QYE8
F	492	HIS	-	expression tag	UNP A0QYE8
F	493	HIS	-	expression tag	UNP A0QYE8
F	494	HIS	-	expression tag	UNP A0QYE8
F	495	HIS	-	expression tag	UNP A0QYE8
F	496	HIS	-	expression tag	UNP A0QYE8
G	2	VAL	-	insertion	UNP A0QYE8
G	480	THR	-	expression tag	UNP A0QYE8
G	481	ALA	-	expression tag	UNP A0QYE8
G	482	ALA	-	expression tag	UNP A0QYE8
G	483	ALA	-	expression tag	UNP A0QYE8
G	484	LYS	-	expression tag	UNP A0QYE8
G	485	GLU	-	expression tag	UNP A0QYE8
G	486	ASP	-	expression tag	UNP A0QYE8
G	487	LEU	-	expression tag	UNP A0QYE8
G	488	GLU	-	expression tag	UNP A0QYE8
G	489	HIS	-	expression tag	UNP A0QYE8
G	490	HIS	-	expression tag	UNP A0QYE8
G	491	HIS	-	expression tag	UNP A0QYE8
G	492	HIS	-	expression tag	UNP A0QYE8
G	493	HIS	-	expression tag	UNP A0QYE8
G	494	HIS	-	expression tag	UNP A0QYE8
G	495	HIS	-	expression tag	UNP A0QYE8
G	496	HIS	-	expression tag	UNP A0QYE8
H	2	VAL	-	insertion	UNP A0QYE8
H	480	THR	-	expression tag	UNP A0QYE8
H	481	ALA	-	expression tag	UNP A0QYE8
H	482	ALA	-	expression tag	UNP A0QYE8
H	483	ALA	-	expression tag	UNP A0QYE8
H	484	LYS	-	expression tag	UNP A0QYE8
H	485	GLU	-	expression tag	UNP A0QYE8
H	486	ASP	-	expression tag	UNP A0QYE8
H	487	LEU	-	expression tag	UNP A0QYE8
H	488	GLU	-	expression tag	UNP A0QYE8
H	489	HIS	-	expression tag	UNP A0QYE8
H	490	HIS	-	expression tag	UNP A0QYE8
H	491	HIS	-	expression tag	UNP A0QYE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	492	HIS	-	expression tag	UNP A0QYE8
H	493	HIS	-	expression tag	UNP A0QYE8
H	494	HIS	-	expression tag	UNP A0QYE8
H	495	HIS	-	expression tag	UNP A0QYE8
H	496	HIS	-	expression tag	UNP A0QYE8

- Molecule 2 is INOSINIC ACID (three-letter code: IMP) (formula: $C_{10}H_{13}N_4O_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	A	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	4	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	E	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	E	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	G	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	G	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	H	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	H	1	Total	C	N	O	P	0	0
			23	10	4	8	1		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	
			48	21	7	17	3	
3	E	1	Total	C	N	O	P	
			48	21	7	17	3	
3	F	1	Total	C	N	O	P	
			48	21	7	17	3	
3	G	1	Total	C	N	O	P	
			48	21	7	17	3	
3	G	1	Total	C	N	O	P	
			48	21	7	17	3	


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	122	Total	O		
			122	122	0	0
4	B	100	Total	O		
			100	100	0	0
4	C	117	Total	O		
			117	117	0	0
4	D	119	Total	O		
			119	119	0	0
4	E	68	Total	O		
			68	68	0	0
4	F	83	Total	O		
			83	83	0	0
4	G	72	Total	O		
			72	72	0	0
4	H	60	Total	O		
			60	60	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GMP reductase




• Molecule 1: GMP reductase



• Molecule 1: GMP reductase





• Molecule 1: GMP reductase








- Molecule 1: GMP reductase





- Molecule 1: GMP reductase



- Molecule 1: GMP reductase



- Molecule 1: GMP reductase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	204.80Å 204.91Å 116.15Å 90.00° 102.31° 90.00°	Depositor
Resolution (Å)	42.55 – 2.10 42.55 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.3 (42.55-2.10) 99.4 (42.55-2.10)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.21_5204	Depositor
R, R_{free}	0.218 , 0.248 0.216 , 0.246	Depositor DCC
R_{free} test set	13480 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	49.5	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28877	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.76 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9187e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, IMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3479	0.51	0/4741
1	B	0.25	0/3482	0.52	0/4745
1	C	0.25	0/3483	0.52	0/4745
1	D	0.25	0/3480	0.52	0/4742
1	E	0.25	0/3480	0.52	0/4742
1	F	0.24	0/3483	0.51	0/4744
1	G	0.24	0/3479	0.51	0/4740
1	H	0.24	0/3474	0.51	0/4735
All	All	0.25	0/27840	0.51	0/37934

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3422	0	3394	17	0
1	B	3425	0	3396	14	0
1	C	3426	0	3405	15	0
1	D	3423	0	3396	13	0
1	E	3423	0	3396	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3426	0	3412	13	0
1	G	3422	0	3401	18	0
1	H	3417	0	3388	20	0
2	A	46	0	21	1	0
2	B	46	0	21	0	0
2	C	46	0	21	0	0
2	D	46	0	21	0	0
2	E	46	0	21	0	0
2	F	46	0	21	0	0
2	G	46	0	21	0	0
2	H	46	0	21	0	0
3	A	48	0	25	1	0
3	B	48	0	25	2	0
3	C	48	0	25	1	0
3	D	48	0	25	1	0
3	E	48	0	25	3	0
3	F	48	0	25	2	0
3	G	96	0	50	1	0
4	A	122	0	0	0	0
4	B	100	0	0	0	0
4	C	117	0	0	0	0
4	D	119	0	0	0	0
4	E	68	0	0	0	0
4	F	83	0	0	0	0
4	G	72	0	0	0	0
4	H	60	0	0	1	0
All	All	28877	0	27556	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:298:GLY:HA3	1:C:306:ARG:HE	1.43	0.83
1:D:110:SER:HB2	1:D:146:ARG:HB3	1.76	0.65
1:D:298:GLY:HA3	1:D:306:ARG:HE	1.62	0.64
1:B:272:VAL:HG22	1:B:292:ILE:HB	1.82	0.61
1:A:340:ARG:NH2	2:A:501:IMP:O2P	2.33	0.61
1:A:110:SER:HB2	1:A:146:ARG:HB3	1.84	0.59
1:C:175:GLU:OE1	1:C:197:ARG:NH1	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:146:ARG:N	1:C:146:ARG:HD2	2.17	0.58
1:A:298:GLY:HA3	1:A:306:ARG:HE	1.69	0.57
1:D:272:VAL:HG22	1:D:292:ILE:HB	1.87	0.57
1:G:166:ASP:OD2	1:G:168:ARG:HB3	2.05	0.56
1:F:272:VAL:HG22	1:F:292:ILE:HB	1.86	0.56
1:E:272:VAL:HG22	1:E:292:ILE:HB	1.88	0.56
1:G:272:VAL:HG22	1:G:292:ILE:HB	1.87	0.55
1:G:144:VAL:HG21	1:G:153:ILE:HG21	1.89	0.55
1:H:272:VAL:HG22	1:H:292:ILE:HB	1.88	0.55
1:D:426:ARG:HB2	1:D:431:ASP:HB3	1.89	0.55
1:H:246:ASP:OD1	1:H:294:LYS:NZ	2.34	0.55
1:E:423:ASP:OD2	1:E:426:ARG:HB2	2.07	0.54
1:H:298:GLY:HA3	1:H:306:ARG:HE	1.72	0.54
1:C:272:VAL:HG22	1:C:292:ILE:HB	1.88	0.53
1:A:123:ALA:HB3	1:A:181:VAL:HG21	1.91	0.52
1:A:272:VAL:HG22	1:A:292:ILE:HB	1.92	0.52
1:B:426:ARG:HB2	1:B:431:ASP:HB3	1.91	0.52
1:H:98:ASP:OD2	1:H:99:THR:N	2.43	0.51
1:H:426:ARG:HB2	1:H:431:ASP:HB3	1.92	0.51
1:E:388:ALA:HB2	3:E:502:NAP:H6N	1.93	0.51
1:G:213:LYS:HE3	1:G:215:ARG:NH2	2.26	0.50
1:G:298:GLY:HA3	1:G:306:ARG:HE	1.76	0.50
1:H:59:ARG:HB2	1:H:86:THR:HG23	1.94	0.50
1:A:144:VAL:HG21	1:A:153:ILE:HG21	1.93	0.50
1:B:388:ALA:HB2	3:B:502:NAP:H6N	1.93	0.50
1:B:298:GLY:HA3	1:B:306:ARG:HE	1.76	0.50
1:A:144:VAL:O	1:A:146:ARG:NH2	2.45	0.50
1:A:426:ARG:HB2	1:A:431:ASP:HB3	1.94	0.50
1:D:10:PRO:HG3	1:D:14:LEU:HD21	1.93	0.50
1:B:50:VAL:HB	1:B:72:VAL:HG22	1.94	0.50
1:F:388:ALA:HB2	3:F:502:NAP:H6N	1.95	0.49
1:H:426:ARG:HB2	1:H:431:ASP:CB	2.43	0.49
1:E:298:GLY:HA3	1:E:306:ARG:HE	1.78	0.48
1:G:388:ALA:HB2	3:G:502:NAP:H6N	1.95	0.48
1:H:255:MET:O	1:H:258:ALA:N	2.44	0.48
1:C:388:ALA:HB2	3:C:502:NAP:H6N	1.96	0.48
1:A:401:SER:OG	1:A:404:ASP:OD1	2.32	0.48
3:E:502:NAP:N3A	3:E:502:NAP:H51A	2.29	0.48
1:G:50:VAL:HB	1:G:72:VAL:HG22	1.96	0.48
1:B:144:VAL:O	1:B:146:ARG:NH2	2.45	0.47
1:E:175:GLU:HG2	1:E:176:HIS:CE1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:327:ARG:NH2	1:E:352:GLY:O	2.47	0.47
1:C:274:GLY:HA3	1:C:294:LYS:HB3	1.96	0.47
1:D:50:VAL:HB	1:D:72:VAL:HG22	1.95	0.47
1:D:136:VAL:HG21	1:D:150:VAL:HG13	1.97	0.47
1:H:298:GLY:HA3	1:H:306:ARG:NE	2.29	0.47
1:G:97:VAL:HG21	1:G:163:VAL:HG23	1.97	0.47
1:G:97:VAL:HG22	1:G:184:MET:HG3	1.96	0.47
1:A:279:ALA:O	1:A:283:ARG:HG3	2.15	0.47
1:D:388:ALA:HB2	3:D:502:NAP:H6N	1.97	0.47
1:A:388:ALA:HB2	3:A:502:NAP:H6N	1.97	0.47
1:A:298:GLY:HA3	1:A:306:ARG:NE	2.28	0.47
1:H:255:MET:SD	1:H:259:ILE:HD11	2.55	0.47
1:G:186:ALA:HB3	1:G:190:THR:HG22	1.97	0.46
1:C:228:VAL:HG11	1:C:258:ALA:HB1	1.98	0.46
1:B:228:VAL:HG11	1:B:258:ALA:HB1	1.98	0.45
1:H:244:VAL:HG22	1:H:272:VAL:HB	1.99	0.45
1:D:298:GLY:HA3	1:D:306:ARG:NE	2.29	0.45
1:C:106:GLU:OE1	1:C:151:ARG:NH2	2.45	0.45
1:B:426:ARG:HB2	1:B:431:ASP:CB	2.46	0.45
1:E:244:VAL:HG22	1:E:272:VAL:HB	1.98	0.45
1:G:298:GLY:HA3	1:G:306:ARG:NE	2.31	0.45
1:D:169:GLU:O	1:D:173:LEU:HG	2.17	0.45
1:G:261:ALA:O	1:G:265:LEU:HD13	2.16	0.45
1:E:246:ASP:OD2	3:E:502:NAP:H3D	2.17	0.45
1:B:246:ASP:OD2	3:B:502:NAP:H3D	2.16	0.44
1:G:27:ASP:OD1	1:G:27:ASP:N	2.50	0.44
1:D:206:TYR:OH	1:D:434:ASP:OD1	2.28	0.44
1:F:473:HIS:CG	1:F:474:PRO:HD2	2.52	0.44
1:B:179:ILE:HG22	1:B:181:VAL:HG12	2.00	0.44
1:C:302:MET:SD	1:C:415:ILE:HD11	2.58	0.44
1:F:244:VAL:HG22	1:F:272:VAL:HB	1.99	0.44
1:H:302:MET:SD	1:H:415:ILE:HD11	2.58	0.44
1:C:426:ARG:HB2	1:C:431:ASP:HB3	2.00	0.43
1:F:128:PHE:CE1	1:F:129:GLU:HG3	2.53	0.43
1:H:333:VAL:HG23	1:H:353:ALA:HA	2.00	0.43
1:H:316:PHE:HZ	1:H:461:LEU:HD13	1.83	0.43
1:C:113:ASN:HD22	1:C:146:ARG:NH2	2.17	0.43
1:B:298:GLY:HA3	1:B:306:ARG:NE	2.33	0.43
1:E:261:ALA:O	1:E:265:LEU:HD13	2.19	0.43
1:E:298:GLY:HA3	1:E:306:ARG:NE	2.33	0.43
1:H:245:ILE:HD11	1:H:271:LEU:HD22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:GLY:HA3	1:B:294:LYS:HB3	2.00	0.43
1:G:383:GLU:OE2	1:G:391:ARG:NH2	2.47	0.43
1:H:10:PRO:HG3	1:H:14:LEU:HD21	2.01	0.43
1:C:367:GLU:N	1:C:367:GLU:OE1	2.52	0.43
1:C:423:ASP:OD2	1:C:426:ARG:HG2	2.19	0.43
1:G:274:GLY:HA3	1:G:294:LYS:HB3	2.01	0.43
1:A:50:VAL:HB	1:A:72:VAL:HG22	2.01	0.42
1:E:27:ASP:OD1	1:E:27:ASP:N	2.53	0.42
1:H:396:ARG:NH1	4:H:601:HOH:O	2.36	0.42
1:G:91:LYS:NZ	1:G:241:ASP:OD2	2.53	0.42
1:E:446:TYR:CG	1:F:311:VAL:HG11	2.55	0.42
1:E:271:LEU:HD12	1:E:271:LEU:HA	1.90	0.42
1:G:91:LYS:HE2	1:G:211:ASP:OD2	2.20	0.42
1:H:255:MET:HG3	1:H:259:ILE:HD11	2.02	0.42
1:B:58:GLY:HA3	1:B:369:PRO:HG3	2.01	0.42
1:C:426:ARG:HB2	1:C:431:ASP:CB	2.50	0.42
1:E:233:GLN:O	1:E:237:GLU:HG3	2.20	0.41
1:C:170:VAL:HG11	1:C:195:LEU:HD23	2.02	0.41
1:F:306:ARG:NE	1:F:312:GLY:HA3	2.36	0.41
1:H:228:VAL:HG11	1:H:258:ALA:HB1	2.03	0.41
1:A:334:TRP:CD1	1:A:355:ASN:HB2	2.55	0.41
1:F:383:GLU:OE2	1:F:417:THR:HG23	2.20	0.41
1:D:274:GLY:HA3	1:D:294:LYS:HB3	2.03	0.41
1:F:261:ALA:O	1:F:265:LEU:HG	2.20	0.41
1:F:298:GLY:HA3	1:F:306:ARG:NE	2.35	0.41
1:E:144:VAL:HG21	1:E:153:ILE:HG21	2.03	0.41
1:F:106:GLU:OE1	1:F:151:ARG:NH1	2.52	0.41
1:F:390:LYS:HA	1:F:393:VAL:HG22	2.03	0.41
1:F:206:TYR:OH	1:F:434:ASP:OD1	2.30	0.40
1:A:306:ARG:NE	1:A:312:GLY:HA3	2.36	0.40
1:A:426:ARG:HB2	1:A:431:ASP:CB	2.51	0.40
1:A:166:ASP:OD2	1:A:168:ARG:N	2.47	0.40
1:D:246:ASP:OD1	1:D:294:LYS:NZ	2.48	0.40
1:E:316:PHE:HZ	1:E:461:LEU:HD13	1.85	0.40
1:G:175:GLU:HG2	1:G:176:HIS:CE1	2.56	0.40
1:B:110:SER:HB2	1:B:146:ARG:HB3	2.03	0.40
3:F:502:NAP:N3A	3:F:502:NAP:H51A	2.36	0.40
1:H:473:HIS:CG	1:H:474:PRO:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	471/496 (95%)	463 (98%)	8 (2%)	0	100	100
1	B	471/496 (95%)	461 (98%)	10 (2%)	0	100	100
1	C	471/496 (95%)	461 (98%)	10 (2%)	0	100	100
1	D	471/496 (95%)	461 (98%)	10 (2%)	0	100	100
1	E	471/496 (95%)	463 (98%)	8 (2%)	0	100	100
1	F	471/496 (95%)	461 (98%)	10 (2%)	0	100	100
1	G	471/496 (95%)	458 (97%)	13 (3%)	0	100	100
1	H	471/496 (95%)	458 (97%)	13 (3%)	0	100	100
All	All	3768/3968 (95%)	3686 (98%)	82 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/372 (94%)	347 (99%)	2 (1%)	84	89
1	B	350/372 (94%)	347 (99%)	3 (1%)	75	82
1	C	350/372 (94%)	346 (99%)	4 (1%)	70	77
1	D	349/372 (94%)	345 (99%)	4 (1%)	70	77
1	E	349/372 (94%)	344 (99%)	5 (1%)	62	70
1	F	350/372 (94%)	342 (98%)	8 (2%)	45	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	349/372 (94%)	346 (99%)	3 (1%)	75	82
1	H	348/372 (94%)	345 (99%)	3 (1%)	75	82
All	All	2794/2976 (94%)	2762 (99%)	32 (1%)	70	77

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	168	ARG
1	A	303	CYS
1	B	303	CYS
1	B	378	ASP
1	B	426	ARG
1	C	146	ARG
1	C	166	ASP
1	C	303	CYS
1	C	378	ASP
1	D	3	ARG
1	D	175	GLU
1	D	303	CYS
1	D	328	GLN
1	E	6	ASP
1	E	113	ASN
1	E	133	ILE
1	E	254	LYS
1	E	303	CYS
1	F	25	ARG
1	F	113	ASN
1	F	145	ASP
1	F	175	GLU
1	F	303	CYS
1	F	371	ASP
1	F	378	ASP
1	F	426	ARG
1	G	91	LYS
1	G	113	ASN
1	G	303	CYS
1	H	59	ARG
1	H	113	ASN
1	H	303	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	473	HIS
1	C	113	ASN
1	F	328	GLN
1	H	113	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	IMP	C	503	-	21,25,25	0.61	0	24,38,38	0.77	0
3	NAP	D	502	-	45,52,52	0.64	1 (2%)	56,80,80	0.62	1 (1%)
2	IMP	E	503	-	21,25,25	0.61	0	24,38,38	0.78	0
2	IMP	E	501	1	21,25,25	0.68	0	24,38,38	0.80	0
2	IMP	F	501	1	21,25,25	0.69	0	24,38,38	0.82	0
2	IMP	H	502	-	21,25,25	0.62	0	24,38,38	0.76	0
2	IMP	F	503	-	21,25,25	0.63	0	24,38,38	0.76	0
3	NAP	E	502	-	45,52,52	0.64	1 (2%)	56,80,80	0.63	1 (1%)
2	IMP	D	501	1	21,25,25	0.67	0	24,38,38	0.81	0
2	IMP	C	501	1	21,25,25	0.68	0	24,38,38	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAP	C	502	-	45,52,52	0.64	0	56,80,80	0.64	1 (1%)
2	IMP	G	501	1	21,25,25	0.67	0	24,38,38	0.80	0
3	NAP	A	502	-	45,52,52	0.64	1 (2%)	56,80,80	0.61	1 (1%)
2	IMP	A	501	1	21,25,25	0.67	0	24,38,38	0.83	0
3	NAP	F	502	-	45,52,52	0.65	0	56,80,80	0.62	1 (1%)
3	NAP	G	504	-	45,52,52	0.64	0	56,80,80	0.61	1 (1%)
2	IMP	D	503	-	21,25,25	0.60	0	24,38,38	0.76	0
2	IMP	B	501	1	21,25,25	0.70	0	24,38,38	0.81	0
2	IMP	A	503	-	21,25,25	0.63	0	24,38,38	0.76	0
2	IMP	G	503	-	21,25,25	0.62	0	24,38,38	0.76	0
3	NAP	B	502	-	45,52,52	0.64	0	56,80,80	0.60	1 (1%)
2	IMP	B	503	-	21,25,25	0.63	0	24,38,38	0.78	0
3	NAP	G	502	-	45,52,52	0.65	1 (2%)	56,80,80	0.61	1 (1%)
2	IMP	H	501	1	21,25,25	0.67	0	24,38,38	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMP	C	503	-	-	0/6/26/26	0/3/3/3
3	NAP	D	502	-	-	12/31/67/67	0/5/5/5
2	IMP	E	503	-	-	0/6/26/26	0/3/3/3
2	IMP	E	501	1	-	0/6/26/26	0/3/3/3
2	IMP	F	501	1	-	0/6/26/26	0/3/3/3
2	IMP	H	502	-	-	0/6/26/26	0/3/3/3
2	IMP	F	503	-	-	0/6/26/26	0/3/3/3
3	NAP	E	502	-	-	11/31/67/67	0/5/5/5
2	IMP	D	501	1	-	0/6/26/26	0/3/3/3
2	IMP	C	501	1	-	0/6/26/26	0/3/3/3
3	NAP	C	502	-	-	11/31/67/67	0/5/5/5
2	IMP	G	501	1	-	0/6/26/26	0/3/3/3
3	NAP	A	502	-	-	10/31/67/67	0/5/5/5
2	IMP	A	501	1	-	0/6/26/26	0/3/3/3
3	NAP	F	502	-	-	10/31/67/67	0/5/5/5
3	NAP	G	504	-	-	10/31/67/67	0/5/5/5
2	IMP	D	503	-	-	0/6/26/26	0/3/3/3
2	IMP	B	501	1	-	0/6/26/26	0/3/3/3
2	IMP	A	503	-	-	0/6/26/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMP	G	503	-	-	0/6/26/26	0/3/3/3
3	NAP	B	502	-	-	9/31/67/67	0/5/5/5
2	IMP	B	503	-	-	0/6/26/26	0/3/3/3
3	NAP	G	502	-	-	10/31/67/67	0/5/5/5
2	IMP	H	501	1	-	0/6/26/26	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	NAP	P2B-O2B	2.02	1.63	1.59
3	E	502	NAP	P2B-O2B	2.01	1.63	1.59
3	G	502	NAP	P2B-O2B	2.00	1.63	1.59
3	D	502	NAP	P2B-O2B	2.00	1.63	1.59

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	NAP	C5A-C6A-N6A	2.36	123.94	120.35
3	G	504	NAP	C5A-C6A-N6A	2.35	123.92	120.35
3	E	502	NAP	C5A-C6A-N6A	2.33	123.89	120.35
3	F	502	NAP	C5A-C6A-N6A	2.33	123.89	120.35
3	C	502	NAP	C5A-C6A-N6A	2.32	123.87	120.35
3	G	502	NAP	C5A-C6A-N6A	2.32	123.87	120.35
3	D	502	NAP	C5A-C6A-N6A	2.31	123.86	120.35
3	A	502	NAP	C5A-C6A-N6A	2.31	123.86	120.35

There are no chirality outliers.

All (83) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	NAP	C5B-O5B-PA-O1A
3	A	502	NAP	C2D-C1D-N1N-C2N
3	A	502	NAP	C2D-C1D-N1N-C6N
3	B	502	NAP	C5B-O5B-PA-O1A
3	B	502	NAP	C2D-C1D-N1N-C2N
3	B	502	NAP	C2D-C1D-N1N-C6N
3	C	502	NAP	C5B-O5B-PA-O1A
3	C	502	NAP	C5B-O5B-PA-O3
3	C	502	NAP	PA-O3-PN-O5D
3	C	502	NAP	C2D-C1D-N1N-C2N
3	C	502	NAP	C2D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	502	NAP	C5B-O5B-PA-O1A
3	D	502	NAP	C5B-O5B-PA-O3
3	D	502	NAP	C2D-C1D-N1N-C2N
3	D	502	NAP	C2D-C1D-N1N-C6N
3	E	502	NAP	C5B-O5B-PA-O1A
3	E	502	NAP	C2D-C1D-N1N-C2N
3	E	502	NAP	C2D-C1D-N1N-C6N
3	F	502	NAP	C5B-O5B-PA-O1A
3	F	502	NAP	C2D-C1D-N1N-C2N
3	F	502	NAP	C2D-C1D-N1N-C6N
3	G	502	NAP	C5B-O5B-PA-O1A
3	G	502	NAP	C2D-C1D-N1N-C2N
3	G	502	NAP	C2D-C1D-N1N-C6N
3	G	504	NAP	C5B-O5B-PA-O1A
3	G	504	NAP	C2D-C1D-N1N-C2N
3	G	504	NAP	C2D-C1D-N1N-C6N
3	E	502	NAP	O4D-C4D-C5D-O5D
3	E	502	NAP	C3D-C4D-C5D-O5D
3	C	502	NAP	O4D-C4D-C5D-O5D
3	C	502	NAP	C3D-C4D-C5D-O5D
3	D	502	NAP	PN-O3-PA-O1A
3	G	504	NAP	PN-O3-PA-O1A
3	A	502	NAP	PA-O3-PN-O5D
3	D	502	NAP	PA-O3-PN-O5D
3	E	502	NAP	PA-O3-PN-O5D
3	F	502	NAP	PA-O3-PN-O5D
3	G	502	NAP	PA-O3-PN-O5D
3	G	504	NAP	PA-O3-PN-O5D
3	A	502	NAP	C5B-O5B-PA-O3
3	B	502	NAP	C5B-O5B-PA-O3
3	E	502	NAP	C5B-O5B-PA-O3
3	F	502	NAP	C5B-O5B-PA-O3
3	G	502	NAP	C5B-O5B-PA-O3
3	G	504	NAP	C5B-O5B-PA-O3
3	G	502	NAP	O4D-C4D-C5D-O5D
3	G	502	NAP	C3D-C4D-C5D-O5D
3	A	502	NAP	PN-O3-PA-O1A
3	E	502	NAP	PN-O3-PA-O2A
3	A	502	NAP	C3D-C4D-C5D-O5D
3	F	502	NAP	O4D-C4D-C5D-O5D
3	F	502	NAP	C3D-C4D-C5D-O5D
3	A	502	NAP	O4D-C4D-C5D-O5D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	502	NAP	PN-O3-PA-O2A
3	F	502	NAP	PN-O3-PA-O1A
3	G	502	NAP	PN-O3-PA-O1A
3	G	504	NAP	PN-O3-PA-O2A
3	C	502	NAP	C4D-C5D-O5D-PN
3	E	502	NAP	C4D-C5D-O5D-PN
3	D	502	NAP	C3D-C4D-C5D-O5D
3	G	504	NAP	C3D-C4D-C5D-O5D
3	B	502	NAP	PN-O3-PA-O1A
3	C	502	NAP	PN-O3-PA-O1A
3	E	502	NAP	PN-O3-PA-O1A
3	F	502	NAP	PN-O3-PA-O2A
3	G	502	NAP	PN-O3-PA-O2A
3	D	502	NAP	O4D-C4D-C5D-O5D
3	G	504	NAP	O4D-C4D-C5D-O5D
3	B	502	NAP	C3D-C4D-C5D-O5D
3	D	502	NAP	C2B-O2B-P2B-O2X
3	A	502	NAP	O4B-C4B-C5B-O5B
3	B	502	NAP	O4D-C4D-C5D-O5D
3	D	502	NAP	O4B-C4B-C5B-O5B
3	F	502	NAP	O4B-C4B-C5B-O5B
3	A	502	NAP	PN-O3-PA-O2A
3	B	502	NAP	PN-O3-PA-O2A
3	C	502	NAP	PN-O3-PA-O2A
3	D	502	NAP	C5B-O5B-PA-O2A
3	B	502	NAP	O4B-C4B-C5B-O5B
3	C	502	NAP	O4B-C4B-C5B-O5B
3	E	502	NAP	O4B-C4B-C5B-O5B
3	G	502	NAP	O4B-C4B-C5B-O5B
3	G	504	NAP	O4B-C4B-C5B-O5B

There are no ring outliers.

8 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	502	NAP	1	0
3	E	502	NAP	3	0
3	C	502	NAP	1	0
3	A	502	NAP	1	0
2	A	501	IMP	1	0
3	F	502	NAP	2	0
3	B	502	NAP	2	0


Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	502	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























Ligand IMP G 501





Ligand NAP A 502



























5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

For Manuscript Review

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	473/496 (95%)	0.47	24 (5%)	34	36	32, 44, 69, 83	0
1	B	473/496 (95%)	0.46	21 (4%)	39	42	33, 45, 68, 83	0
1	C	473/496 (95%)	0.52	28 (5%)	29	31	33, 45, 71, 84	0
1	D	473/496 (95%)	0.43	28 (5%)	29	31	31, 43, 67, 87	0
1	E	473/496 (95%)	0.79	38 (8%)	20	21	37, 53, 73, 90	0
1	F	473/496 (95%)	0.72	27 (5%)	30	33	37, 49, 73, 89	0
1	G	473/496 (95%)	0.83	39 (8%)	19	21	38, 52, 74, 89	0
1	H	473/496 (95%)	0.83	38 (8%)	20	21	40, 54, 73, 87	0
All	All	3784/3968 (95%)	0.63	243 (6%)	27	29	31, 48, 72, 90	0

All (243) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	474	PRO	5.9
1	C	147	PHE	5.7
1	D	147	PHE	5.5
1	H	155	LEU	5.4
1	A	474	PRO	5.4
1	F	155	LEU	5.0
1	G	155	LEU	4.8
1	G	474	PRO	4.7
1	D	474	PRO	4.7
1	E	473	HIS	4.5
1	G	473	HIS	4.5
1	H	473	HIS	4.5
1	E	474	PRO	4.2
1	F	473	HIS	4.2
1	H	153	ILE	4.2
1	A	147	PHE	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	424	PRO	4.0
1	F	154	ALA	4.0
1	C	397	THR	4.0
1	G	133	ILE	4.0
1	H	154	ALA	3.9
1	F	474	PRO	3.9
1	B	147	PHE	3.8
1	H	474	PRO	3.8
1	E	153	ILE	3.8
1	E	155	LEU	3.8
1	C	426	ARG	3.7
1	D	426	ARG	3.7
1	D	397	THR	3.7
1	F	153	ILE	3.7
1	C	473	HIS	3.6
1	H	156	SER	3.6
1	H	426	ARG	3.6
1	B	474	PRO	3.5
1	H	472	GLY	3.5
1	B	470	ALA	3.5
1	E	194	VAL	3.4
1	H	403	PHE	3.4
1	G	154	ALA	3.4
1	E	403	PHE	3.3
1	D	141	CYS	3.2
1	E	424	PRO	3.2
1	D	398	ALA	3.2
1	H	2	VAL	3.2
1	E	154	ALA	3.2
1	D	473	HIS	3.2
1	C	141	CYS	3.2
1	G	158	PHE	3.1
1	A	413	GLU	3.1
1	A	473	HIS	3.1
1	A	144	VAL	3.1
1	E	156	SER	3.1
1	H	166	ASP	3.1
1	H	447	VAL	3.1
1	H	259	ILE	3.1
1	F	472	GLY	3.1
1	D	400	ASP	3.1
1	A	426	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	473	HIS	3.0
1	B	77	ASP	3.0
1	E	393	VAL	3.0
1	E	116	LEU	3.0
1	C	425	ALA	3.0
1	C	393	VAL	2.9
1	F	398	ALA	2.9
1	G	153	ILE	2.9
1	A	399	GLY	2.9
1	F	424	PRO	2.9
1	A	470	ALA	2.9
1	F	399	GLY	2.9
1	F	187	PRO	2.8
1	D	27	ASP	2.8
1	A	388	ALA	2.8
1	D	396	ARG	2.8
1	D	409	GLY	2.8
1	G	163	VAL	2.8
1	C	394	ALA	2.8
1	B	426	ARG	2.8
1	A	77	ASP	2.8
1	A	394	ALA	2.8
1	E	169	GLU	2.8
1	A	397	THR	2.8
1	F	116	LEU	2.8
1	B	388	ALA	2.7
1	E	398	ALA	2.7
1	G	165	THR	2.7
1	H	173	LEU	2.7
1	B	418	SER	2.7
1	B	425	ALA	2.7
1	C	406	ALA	2.7
1	E	80	ILE	2.7
1	A	395	ALA	2.7
1	G	187	PRO	2.7
1	C	388	ALA	2.7
1	D	406	ALA	2.7
1	E	395	ALA	2.7
1	E	134	GLY	2.7
1	G	134	GLY	2.7
1	G	426	ARG	2.6
1	E	158	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	418	SER	2.6
1	G	191	LEU	2.6
1	F	179	ILE	2.6
1	F	156	SER	2.6
1	G	156	SER	2.6
1	H	410	LEU	2.6
1	D	148	ALA	2.6
1	F	142	ALA	2.6
1	H	248	ALA	2.6
1	C	160	THR	2.6
1	E	165	THR	2.6
1	E	187	PRO	2.6
1	G	413	GLU	2.6
1	C	409	GLY	2.5
1	H	193	GLY	2.5
1	E	377	ASP	2.5
1	H	187	PRO	2.5
1	G	265	LEU	2.5
1	B	298	GLY	2.5
1	G	398	ALA	2.5
1	B	393	VAL	2.5
1	E	90	VAL	2.5
1	A	424	PRO	2.5
1	G	80	ILE	2.5
1	C	472	GLY	2.5
1	D	472	GLY	2.5
1	E	144	VAL	2.5
1	H	393	VAL	2.5
1	E	399	GLY	2.5
1	E	472	GLY	2.5
1	C	186	ALA	2.5
1	F	186	ALA	2.5
1	D	130	GLY	2.4
1	D	410	LEU	2.4
1	F	141	CYS	2.4
1	G	402	SER	2.4
1	B	409	GLY	2.4
1	C	396	ARG	2.4
1	F	152	ASP	2.4
1	G	116	LEU	2.4
1	A	425	ALA	2.4
1	F	117	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	425	ALA	2.4
1	F	165	THR	2.4
1	G	176	HIS	2.4
1	G	97	VAL	2.4
1	E	147	PHE	2.4
1	D	77	ASP	2.4
1	E	157	ASP	2.4
1	F	377	ASP	2.4
1	C	457	GLU	2.3
1	G	117	HIS	2.3
1	G	425	ALA	2.3
1	E	97	VAL	2.3
1	F	392	ALA	2.3
1	G	160	THR	2.3
1	H	397	THR	2.3
1	A	396	ARG	2.3
1	D	146	ARG	2.3
1	E	418	SER	2.3
1	H	128	PHE	2.3
1	H	176	HIS	2.3
1	C	398	ALA	2.3
1	E	81	THR	2.3
1	E	397	THR	2.3
1	G	424	PRO	2.3
1	F	393	VAL	2.3
1	F	176	HIS	2.3
1	G	173	LEU	2.3
1	D	388	ALA	2.3
1	G	395	ALA	2.3
1	B	424	PRO	2.2
1	H	178	PRO	2.2
1	B	404	ASP	2.2
1	H	246	ASP	2.2
1	H	194	VAL	2.2
1	G	472	GLY	2.2
1	H	80	ILE	2.2
1	C	410	LEU	2.2
1	C	54	THR	2.2
1	E	186	ALA	2.2
1	A	418	SER	2.2
1	B	303	CYS	2.2
1	H	101	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	469	PHE	2.2
1	G	179	ILE	2.2
1	G	410	LEU	2.2
1	G	190	THR	2.2
1	A	398	ALA	2.2
1	B	394	ALA	2.2
1	D	394	ALA	2.2
1	E	145	ASP	2.2
1	E	298	GLY	2.2
1	F	374	PHE	2.2
1	B	410	LEU	2.2
1	H	378	ASP	2.2
1	D	303	CYS	2.2
1	A	393	VAL	2.2
1	F	39	VAL	2.2
1	C	411	PHE	2.1
1	E	422	LEU	2.1
1	D	425	ALA	2.1
1	H	234	ALA	2.1
1	D	399	GLY	2.1
1	A	141	CYS	2.1
1	H	181	VAL	2.1
1	D	469	PHE	2.1
1	G	327	ARG	2.1
1	G	391	ARG	2.1
1	H	152	ASP	2.1
1	A	406	ALA	2.1
1	G	142	ALA	2.1
1	G	263	ALA	2.1
1	H	117	HIS	2.1
1	C	105	PRO	2.1
1	H	312	GLY	2.1
1	A	97	VAL	2.1
1	B	144	VAL	2.1
1	C	2	VAL	2.1
1	E	2	VAL	2.1
1	D	401	SER	2.1
1	D	418	SER	2.1
1	E	179	ILE	2.1
1	H	160	THR	2.1
1	A	148	ALA	2.1
1	C	424	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	144	VAL	2.1
1	F	128	PHE	2.1
1	B	142	ALA	2.0
1	B	143	GLY	2.0
1	F	189	GLY	2.0
1	H	140	ASN	2.0
1	E	141	CYS	2.0
1	H	147	PHE	2.0
1	G	143	GLY	2.0
1	C	395	ALA	2.0
1	D	139	ALA	2.0
1	D	470	ALA	2.0
1	B	390	LYS	2.0
1	A	400	ASP	2.0
1	C	77	ASP	2.0
1	E	246	ASP	2.0
1	G	77	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAP	C	502	48/48	0.89	0.12	46,54,73,80	0
3	NAP	E	502	48/48	0.89	0.11	53,59,72,82	0
3	NAP	G	502	48/48	0.89	0.12	47,53,72,79	0
3	NAP	B	502	48/48	0.90	0.11	39,51,69,75	0
2	IMP	F	503	23/23	0.90	0.10	45,54,63,69	0
3	NAP	D	502	48/48	0.90	0.11	40,52,72,74	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	IMP	H	502	23/23	0.90	0.09	49,56,59,64	0
3	NAP	A	502	48/48	0.90	0.11	43,50,65,71	0
3	NAP	G	504	48/48	0.90	0.11	52,61,73,77	0
3	NAP	F	502	48/48	0.91	0.10	44,54,72,80	0
2	IMP	G	503	23/23	0.92	0.09	50,54,59,62	0
2	IMP	E	503	23/23	0.92	0.09	49,55,60,64	0
2	IMP	E	501	23/23	0.94	0.10	39,47,53,56	0
2	IMP	H	501	23/23	0.95	0.09	41,49,53,53	0
2	IMP	F	501	23/23	0.95	0.09	39,42,47,49	0
2	IMP	C	503	23/23	0.95	0.07	41,48,52,54	0
2	IMP	G	501	23/23	0.95	0.08	39,43,53,55	0
2	IMP	D	503	23/23	0.95	0.06	40,45,48,55	0
2	IMP	D	501	23/23	0.96	0.08	32,39,46,52	0
2	IMP	A	503	23/23	0.96	0.07	42,45,50,52	0
2	IMP	B	501	23/23	0.96	0.08	32,37,46,48	0
2	IMP	B	503	23/23	0.96	0.07	41,46,51,54	0
2	IMP	C	501	23/23	0.96	0.08	34,40,46,50	0
2	IMP	A	501	23/23	0.96	0.07	33,37,44,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around IMP F 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around IMP H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP G 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NAP F 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around IMP G 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



Electron density around IMP E 503:




$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review

Electron density around IMP E 501:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review

Electron density around IMP H 501:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review




Electron density around IMP F 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



Electron density around IMP C 503:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript

Electron density around IMP G 501:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review

Electron density around IMP D 503:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



For Manuscript

Electron density around IMP D 501:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review

Electron density around IMP A 503:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



For Manuscript Review




Electron density around IMP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around IMP B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around IMP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



Electron density around IMP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.

For Manuscript Review