

Title: Early Potatoes in Bangladesh: Morphological and Molecular Evaluation

Journal: Potato Research

Md Abdullah Yousuf Akhond¹ · Kamrun Nahar¹ · Muhammed Rezwan Kabir² · Alex Reid³

¹Biotechnology Division, Bangladesh Agricultural Research Institute, Gazipur-1701, Bangladesh

²School of Science & Technology, University of New England, Armidale NSW 2351, Australia

³Science & Advice for Scottish Agriculture, Roddinglaw Road, Edinburgh, EH12 9FJ, Scotland, UK

Corresponding author: Muhammed Rezwan Kabir

Email: mkabir6@une.edu.au

Supplementary Table 2 Variation in morphological characters of the tubers used in this study

Accession no.	Predominant tuber skin color	Sec. tuber skin color	Dist. of sec. tuber color	Tuber skin type	Predominant tuber flesh color	Sec. tuber flesh color	Dist. of sec tuber flesh color	General tuber shape	Unusual tuber shape	Depth of tuber eyes	No. of eyes per tuber	Dist. of tuber eyes
BD-02	Pink (5)	Absent (0)	Absent (0)	Smooth (1)	Cream (2)	Red (5)	Narrow vascular ring (3)	Elliptic (5)	Fusiform (4)	Shallow (2)	Few {<5} (1)	Evenly distributed (2)
BD-03	Yellow (2)	Absent (0)	Absent (0)	Smooth (1)	Yellow-cream (3)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Deep (4)	Intermediate (5)	Evenly distributed (2)
BD-04	Pink (5)	Absent (0)	Absent (0)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Oblong (6)	Concertina-shaped (8)	Deep (4)	Many {>20} (9)	Evenly distributed (2)
BD-05	Yellow (2)	Pink (5)	Eye brows (2)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-06	Yellow (2)	Absent (0)	Absent (0)	Smooth (1)	Yellow-cream (3)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-07	Purplish-red (7)	White-cream (1)	Splashed (3)	Smooth (1)	Yellow (4)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Very deep (5)	Intermediate (5)	Predominantly apical (1)
BD-08	White-cream (1)	Absent (0)	Absent (0)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Shallow (2)	Intermediate (5)	Predominantly apical (1)
Bd-10	Yellow (2)	Pink (5)	Eyes (1)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-12	Red (6)	Absent (0)	Absent (0)	Rough (flaky) (2)	Yellow-cream (3)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-13	Pink (5)	White-cream (1)	Scattered (4)	Rough (flaky) (2)	Yellow-cream (3)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-14	Yellow (2)	Absent (0)	Absent (0)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Shallow (2)	Intermediate (5)	Evenly distributed (2)

BD-15	Brownish (4)	Pink (5)	Eyes (1)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Deep (4)	Intermediate (5)	Predominantly apical (1)
BD-16	Red (6)	Absent (0)	Absent (0)	Smooth (1)	Cream (2)	Red (5)	Narrow vascular ring (3)	Elliptic (5)	Fusiform (4)	Shallow (2)	Few (1)	Evenly distributed (2)
BD-17	Pink (5)	White-cream (1)	Scattered (4)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Medium (3)	Intermediate (5)	Predominantly apical (1)
BD-18	Yellow (2)	Pink (5)	Spetacled (5)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Shallow (2)	Intermediate (5)	Evenly distributed (2)
BD-19	Yellow (2)	Pink (5)	Eyebrows (2)	Smooth (1)	Cream (2)	Absent (0)	Absent (0)	Round (2)	Absent (0)	Deep (4)	Intermediate (5)	Predominantly apical (1)
