

Supplementary References

1. Abbas T, Xu Z, Younus M, Qayyum A, Riaz MT. Seasonality in hospital admissions of Crimean-Congo hemorrhagic fever and its dependence on ambient temperature—empirical evidence from Pakistan. *International journal of biometeorology*. 2017;61:1893-7.
2. Abdiyeva K, Turebekov N, Yegemberdiyeva R, Dmitrovskiy A, Yeraliyeva L, Shapiyeva Z, et al. Vectors, molecular epidemiology and phylogeny of TBEV in Kazakhstan and central Asia. *Parasites & vectors*. 2020;13(1):504.
3. Aberle JH, Schwaiger J, Aberle SW, Stiasny K, Scheinost O, Kundi M, et al. Human CD4+ T Helper Cell Responses after Tick-Borne Encephalitis Vaccination and Infection. *PLoS One*. 2015;10(10):e0140545.
4. Abuova GN, Berdaliyeva FA, Polukchi TV, Aliyev DS, Raymkulov GS, Kulemin MV, et al. Seroprevalence of Crimean-Congo hemorrhagic fever virus in the population of Turkestan region. *Le infezioni in medicina*. 2024;32(1):83-9.
5. Achazi K, Růžek D, Donoso-Mantke O, Schlegel M, Ali HS, Wenk M, et al. Rodents as sentinels for the prevalence of tick-borne encephalitis virus. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2011;11(6):641-7.
6. Ackermann R, Krüger K, Roggendorf M, Rehse-Küpper B, Mörtter M, Schneider M, et al. [Spread of early-summer meningoencephalitis in the Federal Republic of Germany]. *Deutsche medizinische Wochenschrift (1946)*. 1986;111(24):927-33.
7. Ackermann-Gäumann R, Eyer C, Vock M, Gowland P, Tinguely C, Leib SL, et al. Prevalence of anti-tick-borne encephalitis virus (TBEV) antibodies in Swiss blood donors in 2014-2015. *Blood transfusion = Trasfusione del sangue*. 2023;21(2):100-9.
8. Adam IA, Mahmoud MA, Aradaib IE. A seroepidemiological survey of Crimean Congo hemorrhagic fever among cattle in North Kordufan State, Sudan. *Virol J*. 2013;10:178.
9. Adamek B, Ksiaiek A, Szczerba-Sachs A, Kasperczyk J, Wiczkowski A. [Tick-borne diseases exposure of forestry workers and preventive methods usage]. *Przegląd epidemiologiczny*. 2006;60 Suppl 1:11-5.
10. Adamu AM, Onoja AB, Ugobodu VE, Bala RS, Maina M, Salisu US, et al. Investigating Crimean-Congo haemorrhagic fever virus seropositivity in camels and human behavioural risks in an abattoir in Nigeria. *Epidemiology and infection*. 2024;152:e29.
11. Addo SO, Bentil RE, Addae CA, Baako BOA, Yartey KN, Ansah-Owusu J, et al. Molecular identification of Crimean-Congo haemorrhagic fever virus in *Hyalomma rufipes* and *Amblyomma variegatum* in the Upper East Region of Ghana. *Arch Virol*. 2024;169(3):62.
12. Adham D, Abazari M, Moradi-Asl E, Abbasi-Ghahramanloo A. Pattern of Crimean-Congo hemorrhagic fever related high risk behaviors among Iranian butchers and its relation to perceived self-efficacy. *BMC public health*. 2021;21(1):255.
13. Adjadj NR, Vervaeke M, Sohier C, Cargnel M, De Regge N. Tick-Borne Encephalitis Virus Prevalence in Sheep, Wild Boar and Ticks in Belgium. *Viruses*. 2022;14(11).
14. Aendekerk RP, Schrivvers AN, Koehler PJ. Tick-borne encephalitis complicated by a polio-like syndrome following a holiday in central Europe. *Clinical neurology and neurosurgery*. 1996;98(3):262-4.
15. Agergaard CN, Rosenstjerne MW, Bødker R, Rasmussen M, Andersen PHS, Fomsgaard A. New tick-borne encephalitis virus hot spot in Northern Zealand, Denmark, October 2019. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*. 2019;24(43).
16. Ahmed A, Elduma A, Magboul B, Higazi T, Ali Y. The First Outbreak of Dengue Fever in Greater Darfur, Western Sudan. *Tropical medicine and infectious disease*. 2019;4(1).
17. Ahmeti S, Ajazaj-Berisha L, Halili B, Shala A. Acute arthritis in Crimean-Congo hemorrhagic fever. *Journal of Global Infectious Diseases*. 2014;6(2):79-81.
18. Ahmeti S, Raka L. Crimean-Congo haemorrhagic fever in Kosova : a fatal case report. *Virol J*. 2006;3:85.
19. Ai J, Xie Z, Liu G, Chen Z, Yang Y, Li Y, et al. Etiology and prognosis of acute viral encephalitis and meningitis in Chinese children: a multicentre prospective study. *BMC Infect Dis*. 2017;17(1):494.
20. Aker S, Akıncı H, Kılıçoğlu C, Leblebicioğlu H. The geographic distribution of cases of Crimean-Congo hemorrhagic fever: Kastamonu, Turkey. *Ticks Tick Borne Dis*. 2015;6(6):730-6.
21. Aksoy D, Barut H, Duygu F, Çevik B, Kurt S, Sümbül O. Characteristics of headache and its relationship with disease severity in patients with Crimean-Congo hemorrhagic fever. *Agri : Agri*

- (Algoloji) Derneği'nin Yayın organidir = The journal of the Turkish Society of Algology. 2018;30(1):12-7.
22. Aksoy O, Parlak E, Parlak M, Aksoy H. Serum β -defensin-2 levels and their relationship with the clinical course and prognosis in patients with Crimean-Congo hemorrhagic fever. *Medical Principles and Practice*. 2016;25(2):163-8.
 23. Akuffo R, Brandful JA, Zayed A, Adjei A, Watany N, Fahmy NT, et al. Crimean-Congo hemorrhagic fever virus in livestock ticks and animal handler seroprevalence at an abattoir in Ghana. *BMC Infect Dis*. 2016;16:324.
 24. Akyildiz G, Bente D, Keles AG, Vatansever Z, Kar S. High prevalence and different genotypes of Crimean-Congo hemorrhagic fever virus genome in questing unfed adult *Hyalomma marginatum* in Thrace, Turkey. *Ticks Tick Borne Dis*. 2021;12(2):101622.
 25. Al Salihi KA, Younise H, Zuhair Mahmoud Z, Hussain T. The 2022 crimean-congo hemorrhagic fever outbreak in Iraq. *Austral journal of veterinary sciences*. 2024;56(1):35-40.
 26. Al-Abri SS, Hewson R, Al-Kindi H, Al-Abaidani I, Al-Jardani A, Al-Maani A, et al. Clinical and molecular epidemiology of Crimean-Congo hemorrhagic fever in Oman. *PLoS neglected tropical diseases*. 2019;13(4):e0007100.
 27. Alam MM, Khurshid A, Sharif S, Shaikat S, Rana MS, Angez M, et al. Genetic analysis and epidemiology of Crimean Congo Hemorrhagic fever viruses in Baluchistan province of Pakistan. *BMC Infect Dis*. 2013;13:201.
 28. Albayrak H, Ozan E, Kurt M. Serosurvey and molecular detection of Crimean-Congo hemorrhagic fever virus (CCHFV) in northern Turkey. *Tropical animal health and production*. 2012;44(7):1667-71.
 29. Albinsson B, Hoffman T, Kolstad L, Bergström T, Bogdanovic G, Heydecke A, et al. Seroprevalence of tick-borne encephalitis virus and vaccination coverage of tick-borne encephalitis, Sweden, 2018 to 2019. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*. 2024;29(2).
 30. Albinsson B, Jääskeläinen AE, Värvi K, Jelovšek M, GeurtsvanKessel C, Vene S, et al. Multi-laboratory evaluation of ReaScan TBE IgM rapid test, 2016 to 2017. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*. 2020;25(12).
 31. Alekseev AN, Dubinina HV, Jääskeläinen AE, Vapalahti O, Vaheri A. First report on tick-borne pathogens and exoskeletal anomalies in *Ixodes persulcatus* Schulze (Acari: Ixodidae) collected in Kokkola coastal region, Finland. *International Journal of Acarology*. 2007;33(3):253-8.
 32. Alfano N, Tagliapietra V, Rosso F, Ziegler U, Arnoldi D, Rizzoli A. Tick-borne encephalitis foci in northeast Italy revealed by combined virus detection in ticks, serosurvey on goats and human cases. *Emerg Microbes Infect*. 2020;9(1):474-84.
 33. Aliota MT, Dupuis AP, 2nd, Wilczek MP, Peters RJ, Ostfeld RS, Kramer LD. The prevalence of zoonotic tick-borne pathogens in *Ixodes scapularis* collected in the Hudson Valley, New York State. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(4):245-50.
 34. Allen SE, Jardine CM, Hooper-McGrevy K, Ambagala A, Bosco-Lauth AM, Kunkel MR, et al. Serologic Evidence of Arthropod-Borne Virus Infections in Wild and Captive Ruminants in Ontario, Canada. *The American journal of tropical medicine and hygiene*. 2020;103(5):2100-7.
 35. Alnefelt Y, Van Meervenne S, Varjonen K, Tidholm A, Rohdin C. Evaluation of antibodies in cerebrospinal fluid for the diagnosis of tick-borne encephalitis in dogs. *Acta veterinaria Scandinavica*. 2021;63(1):32.
 36. Alzahrani AG, Al Shaiban HM, Al Mazroa MA, Al-Hayani O, Macneil A, Rollin PE, et al. Alkhurma hemorrhagic fever in humans, Najran, Saudi Arabia. *Emerg Infect Dis*. 2010;16(12):1882-8.
 37. Amini W, Aman MI, Khader Y, Shaheen M. Epidemiological profile of Crimean Congo hemorrhagic fever (CCHF) in Afghanistan: a teaching-case study. *Pan Afr Med J*. 2019;33.
 38. Amoa-Bosompem M, Kobayashi D, Faizah AN, Kimura S, Antwi A, Agbosu E, et al. Screening for tick-borne and tick-associated viruses in ticks collected in Ghana. *Arch Virol*. 2022;167(1):123-30.
 39. Andayi F, Charrel RN, Kieffer A, Richet H, Pastorino B, Leparc-Goffart I, et al. A sero-epidemiological study of arboviral fevers in Djibouti, Horn of Africa. *PLoS neglected tropical diseases*. 2014;8(12):e3299.
 40. Anderson JF, Armstrong PM. Prevalence and genetic characterization of Powassan virus strains infecting *Ixodes scapularis* in Connecticut. *The American journal of tropical medicine and hygiene*. 2012;87(4):754-9.
 41. Andersson E, Kendall A, Url A, Auer A, Leschnik M. The first RT-qPCR confirmed case of tick-borne encephalitis in a dog in Scandinavia. *Acta veterinaria Scandinavica*. 2020;62(1):51.

42. Ando T, Nabeshima T, Inoue S, Tun MMN, Obata M, Hu W, et al. Severe Fever with Thrombocytopenia Syndrome in Cats and Its Prevalence among Veterinarian Staff Members in Nagasaki, Japan. *Viruses*. 2021;13(6).
43. Andreassen A, Jore S, Cuber P, Dudman S, Tengs T, Isaksen K, et al. Prevalence of tick borne encephalitis virus in tick nymphs in relation to climatic factors on the southern coast of Norway. *Parasites & vectors*. 2012;5:177.
44. Andriamandimby SF, Marianneau P, Rafisandratantsoa JT, Rollin PE, Heraud JM, Tordo N, et al. Crimean-Congo hemorrhagic fever serosurvey in at-risk professionals, Madagascar, 2008 and 2009. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2011;52(4):370-2.
45. Anıl İ, Çetin H. Molecular investigation of Crimean-Congo Hemorrhagic Fever virus in ticks. *Ankara Üniversitesi Veteriner Fakültesi Dergisi*. 2016;63(3):251-7.
46. Anis H, Basha Shaik A, Karabulut E, Uzun M, Tiwari A, Nazir A, et al. Upsurge of Powassan virus disease in northeastern United States: a public health concern-a short communication. *Annals of medicine and surgery* (2012). 2023;85(11):5823-6.
47. Ansari H, Shahbaz B, Izadi S, Zeinali M, Tabatabaee SM, Mahmoodi M, et al. Crimean-Congo hemorrhagic fever and its relationship with climate factors in southeast Iran: a 13-year experience. *Journal of infection in developing countries*. 2014;8(6):749-57.
48. Aradaib IE, Erickson BR, Karsany MS, Khristova ML, Elageb RM, Mohamed ME, et al. Multiple Crimean-Congo hemorrhagic fever virus strains are associated with disease outbreaks in Sudan, 2008-2009. *PLoS neglected tropical diseases*. 2011;5(5):e1159.
49. Aradaib IE, Erickson BR, Mustafa ME, Khristova ML, Saeed NS, Elageb RM, et al. Nosocomial outbreak of Crimean-Congo hemorrhagic fever, Sudan. *Emerg Infect Dis*. 2010;16(5):837-9.
50. Arnez M, Avšič-Županc T, Ružić-Sabljić E. Acute myositis associated with the initial phase of tick-borne encephalitis. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2011;51(4):276-8.
51. Arnez M, Luznik-Bufon T, Avsic-Zupanc T, Ruzic-Sabljić E, Petrovec M, Lotric-Furlan S, et al. Causes of febrile illnesses after a tick bite in Slovenian children. *The Pediatric infectious disease journal*. 2003;22(12):1078-83.
52. Arslan M, Yilmaz G, Mentese A, Yilmaz H, Karahan SC, Koksall I. Importance of endothelial dysfunction biomarkers in patients with Crimean-Congo hemorrhagic fever. *J Med Virol*. 2017;89(12):2084-91.
53. Arslan S, Engin A, Aydemir EI, Sahin NO, Bayyurt B, Sari I, et al. Identification of potential microRNA markers related to Crimean-Congo hemorrhagic fever disease. *Journal of cellular biochemistry*. 2019;120(9):15506-17.
54. Artsob H, Spence L. Imported arbovirus infections in Canada 1974-89. *The Canadian journal of infectious diseases = Journal canadien des maladies infectieuses*. 1991;2(3):95-100.
55. Artsob H, Spence L, Surgeoner G, McCreadie J, Thorsen J, Th'ng C, et al. Isolation of Francisella tularensis and Powassan virus from ticks (Acari: Ixodidae) in Ontario, Canada. *Journal of medical entomology*. 1984;21(2):165-8.
56. Artsob H, Spence L, Th'ng C, Lampotang V, Johnston D, MacInnes C, et al. Arbovirus infections in several Ontario mammals, 1975-1980. *Canadian journal of veterinary research = Revue canadienne de recherche veterinaire*. 1986;50(1):42-6.
57. Asghar N, Pettersson JH, Dinnetz P, Andreassen Å, Johansson M. Deep sequencing analysis of tick-borne encephalitis virus from questing ticks at natural foci reveals similarities between quasispecies pools of the virus. *The Journal of general virology*. 2017;98(3):413-21.
58. Aslan Başbulut E, Gözalan A, Sönmez C, Cöplü N, Körhasan B, Esen B, et al. [Seroprevalence of Borrelia burgdorferi and tick-borne encephalitis virus in a rural area of Samsun, Turkey]. *Mikrobiyoloji bulteni*. 2012;46(2):247-56.
59. Aslani D, Salehi-Vaziri M, Baniasadi V, Jalali T, Azad-Manjiri S, Mohammadi T, et al. Crimean-Congo hemorrhagic fever among children in Iran. *Arch Virol*. 2017;162(3):721-5.
60. Athar MN, Baqai HZ, Ahmad M, Khalid MA, Bashir N, Ahmad AM, et al. Short report: Crimean-Congo hemorrhagic fever outbreak in Rawalpindi, Pakistan, February 2002. *The American journal of tropical medicine and hygiene*. 2003;69(3):284-7.
61. Athar MN, Khalid MA, Ahmad AM, Bashir N, Baqai HZ, Ahmad M, et al. Crimean-Congo hemorrhagic fever outbreak in Rawalpindi, Pakistan, February 2002: contact tracing and risk assessment. *The American journal of tropical medicine and hygiene*. 2005;72(4):471-3.
62. Atim SA, Niebel M, Ashraf S, Vudriko P, Odongo S, Balinandi S, et al. Prevalence of Crimean-

- Congo haemorrhagic fever in livestock following a confirmed human case in Lyantonde district, Uganda. *Parasites & vectors*. 2023;16(1):7.
63. Atkinson B, Chamberlain J, Jameson LJ, Logue CH, Lewis J, Belobrova EA, et al. Identification and analysis of Crimean-Congo hemorrhagic fever virus from human sera in Tajikistan. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2013;17(11):e1031-7.
 64. Atrasheuskaya AV, Fredeking TM, Ignatyev GM. Changes in immune parameters and their correction in human cases of tick-borne encephalitis. *Clinical and experimental immunology*. 2003;131(1):148-54.
 65. Aydin H, Engin A, Keleş S, Ertemur Z, Hekim N. Glutamine depletion in patients with Crimean-Congo hemorrhagic fever. *J Med Virol*. 2020;92(12):2983-91.
 66. Aydin H, Uyanik MH, Karamese M, Sozdutmaz I, Timurkan MO, Gulen A, et al. Serological Investigation of Occupational Exposure to Zoonotic Crimean-Congo Hemorrhagic Fever Infection. *The Eurasian journal of medicine*. 2020;52(2):132-5.
 67. Aytekin FY, Barut H, Rüstemoğlu A, Atay A, Günel Ö, Duygu F. Factors related to fatalities and clinical progression of Crimean-Congo hemorrhagic fever patients and the effects of IL 28-B gene polymorphism. *Arch Virol*. 2019;164(2):547-57.
 68. Aziati ID, Jnr DM, Antia A, Joshi A, Aviles-Gamboa A, Lee P, et al. Prevalence of Bourbon and Heartland viruses in field collected ticks at an environmental field station in St. Louis County, Missouri, USA. *Ticks Tick Borne Dis*. 2023;14(1):102080.
 69. Baasandavga U, Badrakh B, Burged N, Davaajav O, Khurelsukh T, Barnes A, et al. A case series of fatal meningoencephalitis in Mongolia: epidemiological and molecular characteristics of tick-borne encephalitis virus. *Western Pacific surveillance and response journal : WPSAR*. 2019;10(1):25-31.
 70. Babaoglu AR, Oguz FE, Kilinc OO, Cetin N, Aslan L. Crimean-congo hemorrhagic fever virus infection in domestic ruminants in van province, a non-endemic region in Turkey. *Indian Journal of Animal Research*. 2023;57(10):1358-63.
 71. Badji A, Ndiaye M, Gaye A, Dieng I, Ndiaye EH, Dolgova AS, et al. Detection of Crimean-Congo Haemorrhagic Fever Virus from Livestock Ticks in Northern, Central and Southern Senegal in 2021. *Tropical medicine and infectious disease*. 2023;8(6).
 72. Bagó Z, Bauder B, Kolodziejek J, Nowotny N, Weissenböck H. Tickborne encephalitis in a mouflon (*Ovis ammon musimon*). *The Veterinary record*. 2002;150(7):218-20.
 73. Bai Y, Li Y, Liu W, Li J, Tian F, Liu L, et al. Analysis of the diversity of tick-borne viruses at the border areas in Liaoning Province, China. *Frontiers in microbiology*. 2023;14:1179156.
 74. Bai Y, Zhang Y, Su Z, Tang S, Wang J, Wu Q, et al. Discovery of Tick-Borne Karshi Virus Implies Misinterpretation of the Tick-Borne Encephalitis Virus Seroprevalence in Northwest China. *Frontiers in microbiology*. 2022;13:872067.
 75. Bajer A, Mierzejewska EJ, Rodo A, Bednarska M, Kowalec M, Welc-Fałęciak R. The risk of vector-borne infections in sled dogs associated with existing and new endemic areas in Poland: Part 1: A population study on sled dogs during the racing season. *Veterinary parasitology*. 2014;202(3-4):276-86.
 76. Bajer A, Rodo A, Bednarska M, Mierzejewska E, Welc-Fałęciak R. *Babesia canis* and tick-borne encephalitis virus (TBEV) co-infection in a sled dog. *Annals of agricultural and environmental medicine : AAEM*. 2013;20(3):426-30.
 77. Bakhvalova VN, Chicherina GS, Potapova OF, Panov VV, Glupov VV, Potapov MA, et al. Tick-Borne Encephalitis Virus Diversity in Ixodid Ticks and Small Mammals in South-Western Siberia, Russia. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2016;16(8):541-9.
 78. Bakhvalova VN, Dobrotvorsky AK, Panov VV, Matveeva VA, Tkachev SE, Morozova OV. Natural tick-borne encephalitis virus infection among wild small mammals in the southeastern part of western Siberia, Russia. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2006;6(1):32-41.
 79. Bakhvalova VN, Morozova OV, Matveeva VA, Panov VV, Matveev LE, Dobrotvorskii AK. [Interrelations between *Ixodes persulcatus* ticks and the tick-borne encephalitis virus of the red vole (*Clethrionomys rutilus*) in western Siberia]. *Parazitologiya*. 2003;37(1):18-30.
 80. Bakhvalova VN, Potapova OF, Panov VV, Morozova OV. Vertical transmission of tick-borne encephalitis virus between generations of adapted reservoir small rodents. *Virus Res*. 2009;140(1-2):172-8.
 81. Bakir M, Bakir S, Sari I, Celik VK, Gozel MG, Engin A. Evaluation of the relationship between serum levels of VEGF and sVEGFR1 with mortality and prognosis in patients with Crimean-Congo hemorrhagic fever. *J Med Virol*. 2013;85(10):1794-801.

82. Balasubramanian R, Yadav PD, Sahina S, Nadh VA. The species distribution of ticks & the prevalence of Kyasanur forest disease virus in questing nymphal ticks from Western Ghats of Kerala, South India. *The Indian journal of medical research*. 2021;154(5):743-9.
83. Balinandi S, Patel K, Ojwang J, Kyondo J, Mulei S, Tumusiime A, et al. Investigation of an isolated case of human Crimean-Congo hemorrhagic fever in Central Uganda, 2015. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2018;68:88-93.
84. Balinandi S, von Brömssen C, Tumusiime A, Kyondo J, Kwon H, Monteil VM, et al. Serological and molecular study of Crimean-Congo Hemorrhagic Fever Virus in cattle from selected districts in Uganda. *Journal of virological methods*. 2021;290:114075.
85. Balinandi S, Whitmer S, Mulei S, Nyakarahuka L, Tumusiime A, Kyondo J, et al. Clinical and Molecular Epidemiology of Crimean-Congo Hemorrhagic Fever in Humans in Uganda, 2013-2019. *The American journal of tropical medicine and hygiene*. 2021;106(1):88-98.
86. Balling A, Beer M, Gniel D, Pfeffer M. [Prevalence of antibodies against Tick-Borne Encephalitis virus in dogs from Saxony, Germany]. *Berliner und Munchener tierarztliche Wochenschrift*. 2015;128(7-8):297-303.
87. Balling A, Plessow U, Beer M, Pfeffer M. Prevalence of antibodies against tick-borne encephalitis virus in wild game from Saxony, Germany. *Ticks Tick Borne Dis*. 2014;5(6):805-9.
88. Balogh Z, Ferenczi E, Szeles K, Stefanoff P, Gut W, Szomor KN, et al. Tick-borne encephalitis outbreak in Hungary due to consumption of raw goat milk. *Journal of virological methods*. 2010;163(2):481-5.
89. Balseiro A, Pérez-Martínez C, Dagleish MP, Royo LJ, Polledo L, García Marín JF. Goats Naturally Infected with the Spanish Goat Encephalitis Virus (SGEV): Pathological Features and An Outbreak. *Animals : an open access journal from MDPI*. 2022;13(1).
90. Bamunuarachchi G, Harastani H, Rothlauf PW, Dai YN, Ellebedy A, Fremont D, et al. Detection of Bourbon Virus-Specific Serum Neutralizing Antibodies in Human Serum in Missouri, USA. *mSphere*. 2022;7(3):e0016422.
91. Banović P, Mijatović D, Bogdan I, Simin V, Meletis E, Kostoulas P, et al. Evidence of tick-borne encephalitis virus neutralizing antibodies in Serbian individuals exposed to tick bites. *Frontiers in microbiology*. 2023;14:1314538.
92. Banović P, Obregón D, Mijatović D, Simin V, Stankov S, Budakov-Obradović Z, et al. Tick-Borne Encephalitis Virus Seropositivity among Tick Infested Individuals in Serbia. *Pathogens (Basel, Switzerland)*. 2021;10(3).
93. Bárdos V, Hubálek Z, Mittermayer T. Bhanja virus serologic survey in Czechoslovakia. *Folia parasitologica*. 1977;24(4):381.
94. Barkhash AV, Babenko VN, Voevoda MI, Romaschenko AG. Association of IL28B and IL10 gene polymorphism with predisposition to tick-borne encephalitis in a Russian population. *Ticks Tick Borne Dis*. 2016;7(5):808-12.
95. Barp N, Cappi C, Meschiari M, Battistel M, Libbra MV, Ferri MA, et al. First Human Case of Tick-Borne Encephalitis in Non-Endemic Region in Italy: A Case Report. *Pathogens (Basel, Switzerland)*. 2022;11(8).
96. Bartosik K, Lachowska-Kotowska P, Szymańska J, Wójcik-Fatla A, Pabis A, Buczek A. Environmental conditioning of incidence of tick-borne encephalitis in the south-eastern Poland in 1996-2006. *Annals of agricultural and environmental medicine : AAEM*. 2011;18(1):119-26.
97. Barut S, Dincer F, Sahin I, Ozyurt H, Akkus M, Erkorkmaz U. Increased serum ferritin levels in patients with Crimean-Congo hemorrhagic fever: can it be a new severity criterion? *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2010;14(1):e50-4.
98. Barut S, Gemici Ü, Demir O, Güneş F. Investigation of the relation between thrombocyte counts and serum transaminases in patients with Crimean Congo hemorrhagic fever. *Turkish Journal of Biochemistry*. 2017;42(3):365-8.
99. Bastug A, Kayaaslan B, But A, Aslaner H, Sertcelik A, Akinci E, et al. A case of Crimean-Congo hemorrhagic fever complicated with acute pancreatitis. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(11):827-9.
100. Bauer BU, Könenkamp L, Stöter M, Wolf A, Ganter M, Steffen I, et al. Increasing awareness for tick-borne encephalitis virus using small ruminants as suitable sentinels: Preliminary observations. *One health (Amsterdam, Netherlands)*. 2021;12:100227.
101. Bauer BU, Runge M, Schneider M, Könenkamp L, Steffen I, Rubel W, et al. Co-exposure to

- Anaplasma* spp., *Coxiella burnetii* and tick-borne encephalitis virus in sheep in southern Germany. *Acta veterinaria Scandinavica*. 2023;65(1):6.
102. Baumann D, Pusterla N, Péter O, Grimm F, Fournier PE, Schär G, et al. [Fever after a tick bite: clinical manifestations and diagnosis of acute tick bite-associated infections in northeastern Switzerland]. *Deutsche medizinische Wochenschrift* (1946). 2003;128(19):1042-7.
 103. Baumann J, Knüpfer M, Ouedraogo J, Traoré BY, Heitzer A, Kané B, et al. Lassa and Crimean-Congo Hemorrhagic Fever Viruses, Mali. *Emerg Infect Dis*. 2019;25(5):999-1002.
 104. Bayram Y, Parlak M, Özkaçmaz A, Çıkman A, Güdücüoğlu H, Kılıç S, et al. Seroprevalence of Crimean-Congo Hemorrhagic Fever in Turkey's Van Province. *Jpn J Infect Dis*. 2017;70(1):65-8.
 105. Bayyurt B, Arslan S, Engin A, Bakir M. HULC and 7SL RNA expression levels in patients with Crimean-Congo hemorrhagic fever. *J Med Virol*. 2018;90(12):1822-6.
 106. Bazer DA, Orwitz M, Koroneos N, Syritsyna O, Wirkowski E. Powassan Encephalitis: A Case Report from New York, USA. *Case reports in neurological medicine*. 2022;2022:8630349.
 107. Beauté J, Spiteri G, Warns-Petit E, Zeller H. Tick-borne encephalitis in Europe, 2012 to 2016. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2018;23(45).
 108. Bednarz K, Nawrocka E, Sadowski W, Zukowski K. [Isolation of new strains of tick-borne encephalitis virus in the Białowieża Forest]. *Przegląd epidemiologiczny*. 1984;38(1):3-10.
 109. Belikov SI, Kondratov IG, Potapova UV, Leonova GN. The relationship between the structure of the tick-borne encephalitis virus strains and their pathogenic properties. *PLoS One*. 2014;9(4):e94946.
 110. Belov GF, Tofaniuk EV, Kurzhukov GP, Kuznetsova VG. [The clinico-epidemiological characteristics of Omsk hemorrhagic fever in 1988-1992]. *Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 1995(4):88-91.
 111. Ben I, Lozynskiy I. Prevalence of *Anaplasma phagocytophilum* in *Ixodes ricinus* and *Dermacentor reticulatus* and Coinfection with *Borrelia burgdorferi* and Tick-Borne Encephalitis Virus in Western Ukraine. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2019;19(11):793-801.
 112. Bendary HA, Rasslan F, Wainwright M, Alfarraj S, Zaki AM, Abdullal AK. Crimean-Congo hemorrhagic fever virus in ticks collected from imported camels in Egypt. *Saudi journal of biological sciences*. 2022;29(4):2597-603.
 113. Bender A, Schulte-Altdorneburg G, Walther EU, Pfister HW. Severe tick borne encephalitis with simultaneous brain stem, bithalamic, and spinal cord involvement documented by MRI. *Journal of neurology, neurosurgery, and psychiatry*. 2005;76(1):135-7.
 114. Bernard C, Joly Kukla C, Rakotoarivony I, Duhayon M, Stachurski F, Huber K, et al. Detection of Crimean-Congo haemorrhagic fever virus in *Hyalomma marginatum* ticks, southern France, May 2022 and April 2023. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2024;29(6).
 115. Bessolitsyna EA, Volkov SA, Stolbova FS. DYNAMICS OF TICKS'INFESTATION WITH BORRELIA GENUS BACTERIA AND TICK-BORNE ENCEPHALITIS VIRUS IN KIROV REGION. *Russian Journal of Infection and Immunity*. 2017;7(2):171-80.
 116. Bestehorn M, Weigold S, Kern WV, Chitimia-Dobler L, Mackenstedt U, Dobler G, et al. Phylogenetics of tick-borne encephalitis virus in endemic foci in the upper Rhine region in France and Germany. *PLoS One*. 2018;13(10):e0204790.
 117. Bhat HR, Sreenivasan MA, Goverdhan MK, Naik SV, Banerjee K. Antibodies to Kyasanur forest disease virus in bats in the epizootic-epidemic area and neighbourhood. *The Indian journal of medical research*. 1978;68:387-92.
 118. Biernat B, Cieniuch S, Stańczak J. Detection of TBEV RNA in *Ixodes ricinus* ticks in north-eastern Poland. *Annals of agricultural and environmental medicine : AAEM*. 2014;21(4):689-92.
 119. Biernat B, Karbowski G. Study on the occurrence of tick-borne encephalitis virus RNA in European bison (*Bison bonasus*) eliminated at Białowieża Primeval Forest (north-eastern Poland) in 2005-2009. *Annals of parasitology*. 2014;60(2).
 120. Biernat B, Karbowski G, Werszko J, Stańczak J. Prevalence of tick-borne encephalitis virus (TBEV) RNA in *Dermacentor reticulatus* ticks from natural and urban environment, Poland. *Experimental & applied acarology*. 2014;64(4):543-51.
 121. Biglari P, Chinikar S, Belqeisadeh H, Telmadarraiy Z, Mostafavi E, Ghaffari M, et al. Phylogeny of tick-derived Crimean-Congo hemorrhagic fever virus strains in Iran. *Ticks Tick Borne Dis*. 2016;7(6):1216-21.
 122. Bingsohn L, Beckert A, Zehner R, Kuch U, Oehme R, Kraiczy P, et al. Prevalences of tick-borne

- encephalitis virus and *Borrelia burgdorferi* sensu lato in *Ixodes ricinus* populations of the Rhine-Main region, Germany. *Ticks Tick Borne Dis.* 2013;4(3):207-13.
123. Blaskovic D, Pucekova G, Kubinyi L, Stupalová S, Oravcová V. An epidemiological study of tick-borne encephalitis in the Tribec region: 1953-63. *Bulletin of the World Health Organization.* 1967;36 Suppl(Suppl 1):89-94.
 124. Blom K, Braun M, Pakalniene J, Dailidyte L, Béziat V, Lampen MH, et al. Specificity and dynamics of effector and memory CD8 T cell responses in human tick-borne encephalitis virus infection. *PLoS pathogens.* 2015;11(1):e1004622.
 125. Bobrowska E, Grzeszczuk A, Flisiak R. Tick-borne encephalitis and concomitant infection with *Borrelia burgdorferi*. *Rocz Akad Med Bialymst.* 1996;41(1):40-3.
 126. Bodur H, Akinci E, Ascioglu S, Öngürü P, Uyar Y. Subclinical infections with Crimean-Congo hemorrhagic fever virus, Turkey. *Emerg Infect Dis.* 2012;18(4):640-2.
 127. Bodur H, Akinci E, Ongürü P, Carhan A, Uyar Y, Tanrici A, et al. Detection of Crimean-Congo hemorrhagic fever virus genome in saliva and urine. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases.* 2010;14(3):e247-9.
 128. Bogović P, Lusa L, Stupica D, Rojko T, Korva M, Avšič-Županc T, et al. Impact of pre-existing treatment with statins on the course and outcome of tick-borne encephalitis. *PLoS One.* 2018;13(10):e0204773.
 129. Böhm B, Schade B, Bauer B, Hoffmann B, Hoffmann D, Ziegler U, et al. Tick-borne encephalitis in a naturally infected sheep. *BMC veterinary research.* 2017;13(1):267.
 130. Bojkiewicz E, Toczyłowski K, Grygorczuk S, Zelazowska-Rutkowska B, Dunaj J, Zebrowska A, et al. The Prevalence of Asymptomatic Infections with Tick-Borne Encephalitis Virus and Attitude towards Tick-Borne Encephalitis Vaccine in the Endemic Area of Northeastern Poland. *Vaccines.* 2022;10(8).
 131. Boldbaatar B, Jiang RR, von Fricken ME, Lkhagvatseren S, Nymadawa P, Baigalmaa B, et al. Distribution and molecular characteristics of rickettsiae found in ticks across Central Mongolia. *Parasites & vectors.* 2017;10(1):61.
 132. Bologheanu R, Schubert L, Thurnher M, Schiefer J, Santonja I, Holzmann H, et al. Unexpected complete recovery of a patient with severe tick-borne encephalitis treated with favipiravir. *Antiviral research.* 2020;184:104952.
 133. Bora A, Büyüktuna SA, Durmuş K, Demirkıran BB, Aslan Y, Oksüz C, et al. Investigating dizziness symptom in adult cases with Crimean-Congo hemorrhagic fever using various scales. *The Egyptian Journal of Otolaryngology.* 2021;37:1-8.
 134. Borčić B, Kaić B, Gardasević-Morić L. [Tick-borne meningoencephalitis in Gorski Kotar--new findings]. *Lijecnicki vjesnik.* 2001;123(7-8):163-4.
 135. Borčić B, Raos B, Kranzelić D, Abu Eldan J, Filipović V. [The role of large wildlife in the maintenance of natural foci of tick-borne meningoencephalitis in northern Croatia]. *Acta medica Iugoslavica.* 1990;44(4):399-406.
 136. Borde JP, Kaier K, Hehn P, Böhmer MM, Kreusch TM, Dobler G. Tick-borne encephalitis virus infections in Germany. Seasonality and in-year patterns. A retrospective analysis from 2001-2018. *PLoS One.* 2019;14(10):e0224044.
 137. Borde JP, Kaier K, Hehn P, Matzarakis A, Frey S, Bestehorn M, et al. The complex interplay of climate, TBEV vector dynamics and TBEV infection rates in ticks-Monitoring a natural TBEV focus in Germany, 2009-2018. *PLoS One.* 2021;16(1):e0244668.
 138. Bormane A, Lucenko I, Duks A, Mavtchoutko V, Ranka R, Salmina K, et al. Vectors of tick-borne diseases and epidemiological situation in Latvia in 1993-2002. *International journal of medical microbiology : IJMM.* 2004;293 Suppl 37:36-47.
 139. Bosco-Lauth AM, Panella NA, Root JJ, Gidlewski T, Lash RR, Harmon JR, et al. Serological investigation of heartland virus (Bunyaviridae: Phlebovirus) exposure in wild and domestic animals adjacent to human case sites in Missouri 2012-2013. *The American journal of tropical medicine and hygiene.* 2015;92(6):1163-7.
 140. Bost C, Castro-Scholten S, Sadeghi B, Cano-Terriza D, Frías M, Jiménez-Ruiz S, et al. Approaching the complexity of Crimean-Congo hemorrhagic fever virus serology: A study in swine. *Journal of virological methods.* 2024;326:114915.
 141. Botelho-Nevers E, Gagneux-Brunon A, Velay A, Guérbois-Galla M, Grard G, Bretagne C, et al. Tick-Borne Encephalitis in Auvergne-Rhône-Alpes Region, France, 2017–2018. *Emerging infectious diseases.* 2019;25(10):1944.
 142. Bournez L, Umhang G, Faure E, Boucher JM, Boué F, Jourdain E, et al. Exposure of Wild Ungulates

- to the Usutu and Tick-Borne Encephalitis Viruses in France in 2009-2014: Evidence of Undetected Flavivirus Circulation a Decade Ago. *Viruses*. 2019;12(1).
143. Bournez L, Umhang G, Moinet M, Boucher JM, Demerson JM, Caillot C, et al. Disappearance of TBEV Circulation among Rodents in a Natural Focus in Alsace, Eastern France. *Pathogens* (Basel, Switzerland). 2020;9(11).
 144. Bournez L, Umhang G, Moinet M, Richomme C, Demerson JM, Caillot C, et al. Tick-Borne Encephalitis Virus: Seasonal and Annual Variation of Epidemiological Parameters Related to Nymph-to-Larva Transmission and Exposure of Small Mammals. *Pathogens* (Basel, Switzerland). 2020;9(7).
 145. Boushab BM, Kelly M, Kébé H, Bollahi MA, Basco LK. Crimean-Congo Hemorrhagic Fever, Mauritania. *Emerg Infect Dis*. 2020;26(4):817-8.
 146. Boushab BM, Yanogo PK, Barry D, Benane HA, El Bara A, Abdellah M, et al. Investigation Around Cases of Crimean-Congo Hemorrhagic Fever-Mauritania, 2022. *Open forum infectious diseases*. 2022;9(10):ofac534.
 147. Bowen GS, McLean RG, Shriner RB, Francy DB, Pokorny KS, Trimble JM, et al. The ecology of Colorado tick fever in Rocky Mountain National Park in 1974. II. Infection in small mammals. *The American journal of tropical medicine and hygiene*. 1981;30(2):490-6.
 148. Boyer PH, Kieffer P, de Martino SJ, Zilliox L, Vogel JY, Jaulhac B, et al. *Borrelia burgdorferi* sl and tick-borne encephalitis virus coinfection in Eastern France. *Medecine et maladies infectieuses*. 2018;48(3):218-20.
 149. Brackney DE, Nofchissey RA, Fitzpatrick KA, Brown IK, Ebel GD. Stable prevalence of Powassan virus in *Ixodes scapularis* in a northern Wisconsin focus. *The American journal of tropical medicine and hygiene*. 2008;79(6):971-3.
 150. Brandenburg PJ, Obiegala A, Schmuck HM, Dobler G, Chitimia-Dobler L, Pfeffer M. Seroprevalence of Tick-Borne Encephalitis (TBE) Virus Antibodies in Wild Rodents from Two Natural TBE Foci in Bavaria, Germany. *Pathogens* (Basel, Switzerland). 2023;12(2).
 151. Bratuleanu B, Anita A, Temmam S, Dascalu A, Crivei L, Cozma A, et al. Seroprevalence of Crimean-Congo Hemorrhagic Fever Among Small Ruminants from Southern Romania. *Vector borne and zoonotic diseases* (Larchmont, NY). 2022;22(7):397-401.
 152. Brauchli YB, Gittermann M, Michot M, Krähenbühl S, Gnehm HE. A fatal tick bite occurring during the course of tick-borne encephalitis vaccination. *The Pediatric infectious disease journal*. 2008;27(4):363-5.
 153. Briggs BJ, Atkinson B, Czechowski DM, Larsen PA, Meeks HN, Carrera JP, et al. Tick-borne encephalitis virus, Kyrgyzstan. *Emerg Infect Dis*. 2011;17(5):876-9.
 154. Brinkley C, Nolskog P, Golovljova I, Lundkvist Å, Bergström T. Tick-borne encephalitis virus natural foci emerge in western Sweden. *International Journal of Medical Microbiology*. 2008;298:73-80.
 155. Brinkmann A, Dinçer E, Polat C, Hekimoğlu O, Hacıoğlu S, Földes K, et al. A metagenomic survey identifies Tamdy orthonairovirus as well as divergent phlebo-, rhabdo-, chu- and flavi-like viruses in Anatolia, Turkey. *Ticks Tick Borne Dis*. 2018;9(5):1173-83.
 156. Brockmann SO, Oehme R, Buckenmaier T, Beer M, Jeffery-Smith A, Spannenkrebs M, et al. A cluster of two human cases of tick-borne encephalitis (TBE) transmitted by unpasteurised goat milk and cheese in Germany, May 2016. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2018;23(15).
 157. Bryan JP, Iqbal M, Ksiazek TG, Ahmed A, Duncan JF, Awan B, et al. Prevalence of sand fly fever, West Nile, Crimean-Congo hemorrhagic fever, and leptospirosis antibodies in Pakistani military personnel. *Military medicine*. 1996;161(3):149-53.
 158. Bryant-Genevier J, Bumburidi Y, Kazazian L, Seffren V, Head JR, Berezovskiy D, et al. Prevalence of Crimean-Congo Hemorrhagic Fever Virus among Livestock and Ticks in Zhambyl Region, Kazakhstan, 2017. *The American journal of tropical medicine and hygiene*. 2022;106(5):1478-85.
 159. Bugmyrin SV, Romanova LY, Belova OA, Kholodilov IS, Bespyatova LA, Chernokhaeva LL, et al. Pathogens in *Ixodes persulcatus* and *Ixodes ricinus* ticks (Acari, Ixodidae) in Karelia (Russia). *Ticks Tick Borne Dis*. 2022;13(6):102045.
 160. Bukbuk DN, Fukushi S, Tani H, Yoshikawa T, Taniguchi S, Iha K, et al. Development and validation of serological assays for viral hemorrhagic fevers and determination of the prevalence of Rift Valley fever in Borno State, Nigeria. *Trans R Soc Trop Med Hyg*. 2014;108(12):768-73.
 161. Burgdorfer W, Eklund CM. Studies of the ecology of Colorado tick fever virus in Western Montana. *American journal of hygiene*. 1959;69(2):127-37.

162. Burgdorfer W, Eklund CM. Colorado tick fever. I. Further ecological studies in Western Montana. *The Journal of infectious diseases*. 1960;107:379-83.
163. Burri C, Bastic V, Maeder G, Patalas E, Gern L. Microclimate and the zoonotic cycle of tick-borne encephalitis virus in Switzerland. *Journal of medical entomology*. 2011;48(3):615-27.
164. Burri C, Korva M, Bastic V, Knap N, Avsic-Zupanc T, Gern L. Serological evidence of tick-borne encephalitis virus infection in rodents captured at four sites in Switzerland. *Journal of medical entomology*. 2012;49(2):436-9.
165. Bursali A, Tekin S, Keskin A, Ekici M, Dundar E. Species diversity of ixodid ticks feeding on humans in Amasya, Turkey: seasonal abundance and presence of Crimean-Congo hemorrhagic fever virus. *Journal of medical entomology*. 2011;48(1):85-93.
166. Burt FJ, Leman PA, Smith JF, Swanepoel R. The use of a reverse transcription-polymerase chain reaction for the detection of viral nucleic acid in the diagnosis of Crimean-Congo haemorrhagic fever. *Journal of virological methods*. 1998;70(2):129-37.
167. Burt FJ, Spencer DC, Leman PA, Patterson B, Swanepoel R. Investigation of tick-borne viruses as pathogens of humans in South Africa and evidence of Dugbe virus infection in a patient with prolonged thrombocytopenia. *Epidemiology and infection*. 1996;116(3):353-61.
168. Burt FJ, Swanepoel R, Braack LEO. Enzyme-linked immunosorbent assays for the detection of antibody to Crimean-Congo haemorrhagic fever virus in the sera of livestock and wild vertebrates. *Epidemiology & Infection*. 1993;111(3):547-58.
169. Bušová A, Dorko E, Feketeová E, Bereš M, Rimárová K, Diabelková J, et al. Serostatus and risk factors of tick-borne encephalitis. *Cent Eur J Public Health*. 2018;26 Suppl:S56-s60.
170. Butenko AM, Leshchinskaia EV, Semashko IV, Donets MA, Mart'ianova LI. [Dhori virus--a causative agent of human disease. 5 cases of laboratory infection]. *Voprosy virusologii*. 1987;32(6):724-9.
171. Büyüktuna SA, Doğan HO, Unlusavuran M, Bakir M. An evaluation of the different biomarkers to discriminate bleeding in Crimean-Congo Hemorrhagic Fever. *Ticks Tick Borne Dis*. 2019;10(5):997-1002.
172. Caballero-Gómez J, Cano-Terriza D, Lecollinet S, Carbonell MD, Martínez-Valverde R, Martínez-Nevado E, et al. Evidence of exposure to zoonotic flaviviruses in zoo mammals in Spain and their potential role as sentinel species. *Veterinary microbiology*. 2020;247:108763.
173. Cai L, Zhang H, Gao LD, Hu SX, Xie LY, Zhan ZF, et al. Identification of the first case of SFTSV infection in the Hunan Province of China and epidemiological surveillance in the locality. *Ticks Tick Borne Dis*. 2019;10(2):454-61.
174. Cai X, Cai X, Xu Y, Shao Y, Fu L, Men X, et al. Virome analysis of ticks and tick-borne viruses in Heilongjiang and Jilin Provinces, China. *Virus Res*. 2023;323:199006.
175. Cains S, Szomor K, Ferenczi E, Szekelyne Gaspar A, Csohan A, Krisztalovics K, et al. Tick-borne encephalitis transmitted by unpasteurised cow milk in western Hungary, September to October 2011. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*. 2012;17(12).
176. Cajimat MNB, Rodriguez SE, Schuster IUE, Swetnam DM, Ksiazek TG, Habela MA, et al. Genomic Characterization of Crimean-Congo Hemorrhagic Fever Virus in Hyalomma Tick from Spain, 2014. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2017;17(10):714-9.
177. Calderaro A, Montecchini S, Gorrini C, Piccolo G, Chezzi C, Dettori G. Presence of anti-Borrelia burgdorferi antibodies and Borrelia burgdorferi sensu lato DNA in samples of subjects in an area of the Northern Italy in the period 2002-2008. *Diagnostic microbiology and infectious disease*. 2011;70(4):455-60.
178. Calisher CH, Goodpasture HC. Human infection with Bhanja virus. *The American journal of tropical medicine and hygiene*. 1975;24(6 Pt 1):1040-2.
179. Camino E, Schmid S, Weber F, Pozo P, de Juan L, König M, et al. Detection of antibodies against tick-borne encephalitis flaviviruses in breeding and sport horses from Spain. *Ticks Tick Borne Dis*. 2020;11(5):101487.
180. Camp JV, Weidinger P, Ramaswamy S, Kannan DO, Osman BM, Kolodziejek J, et al. Association of Dromedary Camels and Camel Ticks with Reassortant Crimean-Congo Hemorrhagic Fever Virus, United Arab Emirates. *Emerg Infect Dis*. 2021;27(9):2471-4.
181. Campagnolo ER, Tewari D, Farone TS, Livengood JL, Mason KL. Evidence of Powassan/deer tick virus in adult black-legged ticks (Ixodes scapularis) recovered from hunter-harvested white-tailed deer (Odocoileus virginianus) in Pennsylvania: A public health perspective. *Zoonoses and public health*. 2018;65(5):589-94.

182. Capligina V, Seleznova M, Akopjana S, Freimane L, Lazovska M, Krumins R, et al. Large-scale countrywide screening for tick-borne pathogens in field-collected ticks in Latvia during 2017-2019. *Parasites & vectors*. 2020;13(1):351.
183. Caracciolo I, Bassetti M, Paladini G, Luzzati R, Santon D, Merelli M, et al. Persistent viremia and urine shedding of tick-borne encephalitis virus in an infected immunosuppressed patient from a new epidemic cluster in North-Eastern Italy. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2015;69:48-51.
184. Carlströmer Berthén N, Tompa E, Olausson S, Nyberg C, Nyman D, Ringbom M, et al. The AxBioTick Study: Borrelia Species and Tick-Borne Encephalitis Virus in Ticks, and Clinical Responses in Tick-Bitten Individuals on the Åland Islands, Finland. *Microorganisms*. 2023;11(5).
185. Carpi G, Bertolotti L, Rosati S, Rizzoli A. Prevalence and genetic variability of tick-borne encephalitis virus in host-seeking Ixodes ricinus in northern Italy. *The Journal of general virology*. 2009;90(Pt 12):2877-83.
186. Carrera-Faja L, Cardells J, Pailler-García L, Lizana V, Alfaro-Deval G, Espunyes J, et al. Evidence of Prolonged Crimean-Congo Hemorrhagic Fever Virus Endemicity by Retrospective Serosurvey, Eastern Spain. *Emerg Infect Dis*. 2022;28(5):1031-4.
187. Casati Pagani S, Frigerio Malossa S, Klaus C, Hoffmann D, Beretta O, Bomio-Pacciorini N, et al. First detection of TBE virus in ticks and sero-reactivity in goats in a non-endemic region in the southern part of Switzerland (Canton of Ticino). *Ticks Tick Borne Dis*. 2019;10(4):868-74.
188. Casati S, Gern L, Piffaretti JC. Diversity of the population of Tick-borne encephalitis virus infecting Ixodes ricinus ticks in an endemic area of central Switzerland (Canton Bern). *The Journal of general virology*. 2006;87(Pt 8):2235-41.
189. Cavanaugh CE, Muscat PL, Telford SR, 3rd, Goethert H, Pendlebury W, Elias SP, et al. Fatal Deer Tick Virus Infection in Maine. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2017;65(6):1043-6.
190. Çayıröz P, Çayıröz MU, İltar U, Kurtoglu E. [A Case of Simultaneous Acute Lymphoblastic Leukemia Diagnosis with Crimean-Congo Hemorrhagic Fever]. *Mikrobiyoloji bulteni*. 2020;54(2):326-33.
191. Ceianu CS, Panculescu-Gatej RI, Coudrier D, Bouloy M. First serologic evidence for the circulation of Crimean-Congo hemorrhagic fever virus in Romania. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2012;12(9):718-21.
192. Celik VK, Sari I, Engin A, Gürsel Y, Aydin H, Bakir S. Determination of serum adenosine deaminase and xanthine oxidase levels in patients with crimean-congo hemorrhagic fever. *Clinics (Sao Paulo, Brazil)*. 2010;65(7):697-702.
193. Celikbas AK, Dokuzoguz B, Baykam N, Gok SE, Eroglu MN, Midilli K, et al. Crimean-Congo hemorrhagic fever among health care workers, Turkey. *Emerg Infect Dis*. 2014;20(3):477-9.
194. Cesaroni CA, Frattini D, Lecis M, Bonvicini F, Bartolomeo D, Rizzi S, et al. Tick-Borne Encephalitis in a 6-Year-Old Patient: A Case Report. *The Neurohospitalist*. 2024;14(1):64-8.
195. Chamberlain J, Atkinson B, Logue CH, Latham J, Newman EN, Hewson R. Genome Sequence of Ex-Afghanistan Crimean-Congo Hemorrhagic Fever Virus SCT Strain, from an Imported United Kingdom Case in October 2012. *Genome announcements*. 2013;1(3).
196. Chambouris R, Sixl W, Stünzner D, Köck M. [Antibodies in dogs to the virus of tick-borne encephalitis (early summer encephalomyelitis/tick-borne encephalitis) in Greece]. *Geographia medica Supplement = Geographia medica Sonderband*. 1989;3:11-4.
197. Chapman LE, Wilson ML, Hall DB, LeGuenno B, Dykstra EA, Ba K, et al. Risk factors for Crimean-Congo hemorrhagic fever in rural northern Senegal. *Journal of Infectious Diseases*. 1991;164(4):686-92.
198. Charrel RN, Gould EA. Alkhurma hemorrhagic fever in travelers returning from Egypt, 2010. *Emerg Infect Dis*. 2011;17(8):1573-4; author reply 4.
199. Charrel RN, Zaki AM, Fakeeh M, Yousef AI, de Chesse R, Attoui H, et al. Low diversity of Alkhurma hemorrhagic fever virus, Saudi Arabia, 1994-1999. *Emerg Infect Dis*. 2005;11(5):683-8.
200. Chastel C. Infections à arbovirus en France et dans les pays voisins d'Europe occidentale. *Bull Soc Fr Parasit*. 1985;1:69-78.
201. Chastel C. [Erve and Eyach: two viruses isolated in France, neuropathogenic for man and widely distributed in Western Europe]. *Bulletin de l'Academie nationale de medecine*. 1998;182(4):801-9; discussion 9-10.
202. Chastel C, Launay H, Bailly-Choumara H, Le Lay G, Beaucournu JC. [Arbovirus infections in Morocco: serosurvey in small wild mammals in the northern part of the country]. *Bulletin de la*

- Societe de pathologie exotique et de ses filiales. 1982;75(5):466-75.
203. Chastel C, Main AJ, Couatarmanac'h A, Le Lay G, Knudson DL, Quillien MC, et al. Isolation of Eyach virus (Reoviridae, Colorado tick fever group) from *Ixodes ricinus* and *I. ventralis* ticks in France. *Arch Virol*. 1984;82(3-4):161-71.
 204. Chastel C, Main AJ, Richard P, Le Lay G, Legrand-Quillien MC, Beaucournu JC. Erve virus, a probable member of Bunyaviridae family isolated from shrews (*Crocidura russula*) in France. *Acta virologica*. 1989;33(3):270-80.
 205. Chaudhuri A, Růžek D. First documented case of imported tick-borne encephalitis in Australia. *Internal medicine journal*. 2013;43(1):93-6.
 206. Chausov EV, Ternovoï VA, Protopopova EV, Konovalova SN, Kononova Iu V, Pershikova NL, et al. [Genetic diversity of ixodid tick-borne pathogens in Tomsk City and suburbs]. *Parazitologiya*. 2009;43(5):374-88.
 207. Chen S, Saqib M, Khan HS, Bai Y, Ashfaq UA, Mansoor MK, et al. Risk of infection with arboviruses in a healthy population in Pakistan based on seroprevalence. *Virologica Sinica*. 2024;39(3):369-77.
 208. Chen X, Li F, Yin Q, Liu W, Fu S, He Y, et al. Epidemiology of tick-borne encephalitis in China, 2007- 2018. *PLoS One*. 2019;14(12):e0226712.
 209. Cheng J, Zhang L, Hu B, Wang Q, Wu R, Zhan F, et al. Prevalence and Molecular Phylogenetic Analysis of Severe Fever with Thrombocytopenia Syndrome Virus in Domestic Animals and Rodents in Hubei Province, China. *Virologica Sinica*. 2019;34(5):596-600.
 210. Chinikar S, Ghiasi SM, Naddaf S, Piazak N, Moradi M, Razavi MR, et al. Serological evaluation of Crimean-Congo hemorrhagic fever in humans with high-risk professions living in enzootic regions of Isfahan province of Iran and genetic analysis of circulating strains. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2012;12(9):733-8.
 211. Chinikar S, Persson SM, Johansson M, Bladh L, Goya M, Houshmand B, et al. Genetic analysis of Crimean-congo hemorrhagic fever virus in Iran. *J Med Virol*. 2004;73(3):404-11.
 212. Chinikar S, Shah-Hosseini N, Bouzari S, Jalali T, Shokrgozar MA, Mostafavi E. New circulating genomic variant of Crimean-Congo hemorrhagic fever virus in Iran. *Arch Virol*. 2013;158(5):1085-8.
 213. Chitimia-Dobler L, Schaper S, Rieß R, Bitterwolf K, Frangoulidis D, Bestehorn M, et al. Imported Hyalomma ticks in Germany in 2018. *Parasites & vectors*. 2019;12(1):134.
 214. Chlabcz S, Wiercińska-Drapało A, Dare A. Clinical picture of tick-borne encephalitis among patients hospitalized in 1994 in the Department of Infectious Diseases Medical School Białystok. *Roczniki Akademii Medycznej w Białymstoku* (1995). 1996;41(1):35-9.
 215. Choi EE, Taylor RA. A case of Powassan viral hemorrhagic encephalitis involving bilateral thalami. *Clinical neurology and neurosurgery*. 2012;114(2):172-5.
 216. Christova I, Gladnishka T, Taseva E, Kalvatchev N, Tsergouli K, Papa A. Seroprevalence of Crimean-Congo hemorrhagic fever virus, Bulgaria. *Emerg Infect Dis*. 2013;19(1):177-9.
 217. Christova I, Panayotova E, Tchakarova S, Taseva E, Trifonova I, Gladnishka T. A nationwide seroprevalence screening for West Nile virus and Tick-borne encephalitis virus in the population of Bulgaria. *J Med Virol*. 2017;89(10):1875-8.
 218. Christova I, Panayotova E, Trifonova I, Taseva E, Hristova T, Ivanova V. Country-wide seroprevalence studies on Crimean-Congo hemorrhagic fever and hantavirus infections in general population of Bulgaria. *J Med Virol*. 2017;89(10):1720-5.
 219. Christova I, Petrov A, Papa A, Vutchev D, Kalvatchev N, Vatev N, et al. Fatal outcome of coinfection of Crimean-Congo hemorrhagic fever and malaria. *Jpn J Infect Dis*. 2015;68(2):131-4.
 220. Christova I, Younan R, Taseva E, Gladnishka T, Trifonova I, Ivanova V, et al. Hemorrhagic fever with renal syndrome and Crimean-Congo hemorrhagic fever as causes of acute undifferentiated febrile illness in Bulgaria. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2013;13(3):188-92.
 221. Cicculi V, Colmant AMG, Piorkowski G, Amaral R, Maitre A, Decarreaux D, et al. First detection of Jingmen tick virus in Corsica, France and development of a real time detection system for multiple tick-associated jingmenviruses. *Research square*. 2024.
 222. Cikman A, Aydın M, Gulhan B, Karakeçili F, Kesik OA, Özcecek A, et al. Seroprevalence of Crimean-Congo Hemorrhagic Fever Virus in Erzincan Province, Turkey, Relationship with Geographic Features and Risk Factors. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2016;16(3):199-204.
 223. Cinco M, Barbone F, Grazia Ciufolini M, Mascioli M, Anguero Rosenfeld M, Stefanel P, et al.

- Seroprevalence of tick-borne infections in forestry rangers from northeastern Italy. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*. 2004;10(12):1056-61.
224. Cisak E, Chmielewska-Badora J, Rajtar B, Zwoliński J, Jabłonski L, Dutkiewicz J. Study on the occurrence of *Borrelia burgdorferi* sensu lato and tick-borne encephalitis virus (TBEV) in ticks collected in Lublin region (eastern Poland). *Annals of agricultural and environmental medicine : AAEM*. 2002;9(1):105-10.
 225. Cisak E, Chmielewska-Badora J, Zwoliński J, Dutkiewicz J, Patorska-Mach E. [Incidence of tick-borne encephalitis virus and *Borrelia burgdorferi* infections in farmers of the Lublin province]. *Medycyna pracy*. 2003;54(2):139-44.
 226. Cisak E, Sroka J, Zwoliński J, Chmielewska-Badora J. [Risk of tick-borne encephalitis (TBE) virus infection among people occupationally exposed to tick bites]. *Wiadomosci parazytologiczne*. 1999;45(3):375-80.
 227. Cisak E, Sroka J, Zwoliński J, Umiński J. Seroepidemiologic study on tick-borne encephalitis among forestry workers and farmers from the Lublin region (eastern Poland). *Annals of agricultural and environmental medicine : AAEM*. 1998;5(2):177-81.
 228. Cisak E, Wójcik-Fatla A, Sroka J, Zajac V, Bilska-Zajac E, Chmurzyńska E, et al. Prevalence of tick-borne encephalitis virus antibodies in domestic and game animals from Eastern Poland. *Journal of Veterinary Research*. 2012;56(3):275-8.
 229. Cisak E, Wójcik-Fatla A, Zajac V, Sroka J, Buczek A, Dutkiewicz J. Prevalence of tick-borne encephalitis virus (TBEV) in samples of raw milk taken randomly from cows, goats and sheep in eastern Poland. *Annals of agricultural and environmental medicine : AAEM*. 2010;17(2):283-6.
 230. Cizman M, Avsic-Zupanc T, Petrovec M, Ruzic-Sabljic E, Pokorn M. Seroprevalence of ehrlichiosis, Lyme borreliosis and tick-borne encephalitis infections in children and young adults in Slovenia. *Wiener klinische Wochenschrift*. 2000;112(19):842-5.
 231. Cizman M, Jazbec J. Etiology of acute encephalitis in childhood in Slovenia. *The Pediatric infectious disease journal*. 1993;12(11):903-8.
 232. Cizman M, Rakar R, Zakotnik B, Pokorn M, Arnez M. Severe forms of tick-borne encephalitis in children. *Wiener klinische Wochenschrift*. 1999;111(12):484-7.
 233. Clarke LL, Ruder MG, Mead DG, Howerth EW. Heartland Virus Exposure in White-Tailed Deer in the Southeastern United States, 2001-2015. *The American journal of tropical medicine and hygiene*. 2018;99(5):1346-9.
 234. Clements TL, Rossi CA, Irish AK, Kibuuka H, Eller LA, Robb ML, et al. Chikungunya and O'nyong-nyong Viruses in Uganda: Implications for Diagnostics. *Open forum infectious diseases*. 2019;6(3):ofz001.
 235. Collard M, Gut JP, Christmann D, Hirsch E, Nastorg G, Sellal F, et al. [Tick-borne encephalitis in Alsace]. *Revue neurologique*. 1993;149(3):198-201.
 236. Colman D, Peaslee S. Powassan Virus in a Hunter Returning from a Trip in the Adirondack Park. *Wilderness & environmental medicine*. 2020;31(1):87-90.
 237. Conger NG, Paolino KM, Osborn EC, Rusnak JM, Günther S, Pool J, et al. Health care response to CCHF in US soldier and nosocomial transmission to health care providers, Germany, 2009. *Emerging infectious diseases*. 2015;21(1):23.
 238. Converse JD, Moussa MI. Quarantil virus from *Hyalomma dromedarii* (Acari: Ixodoidea) collected in Kuwait, Iraq and Yemen. *Journal of medical entomology*. 1982;19(2):209-10.
 239. Conze TM, Bagó Z, Revilla-Fernández S, Schlegel J, Goehring LS, Matiassek K. Tick-Borne Encephalitis Virus (TBEV) Infection in Two Horses. *Viruses*. 2021;13(9).
 240. Coroian M, Mihalca AD, Dobler G, Euringer K, Gîrlă P, Borșan SD, et al. Seroprevalence Rates against West Nile, Usutu, and Tick-Borne Encephalitis Viruses in Blood-Donors from North-Western Romania. *International journal of environmental research and public health*. 2022;19(13).
 241. Courtney T, Sears S, Woytowicz J, Preston D, Smith R, Rand P, et al. Outbreak of Powassan encephalitis--Maine and Vermont, 1999-2001. *MMWR Morbidity and mortality weekly report*. 2001;50(35):761-4.
 242. Cristofolini A, Bassetti D, Schallenberg G. [Zoonoses transmitted by ticks in forest workers (tick-borne encephalitis and Lyme borreliosis): preliminary results]. *La Medicina del lavoro*. 1993;84(5):394-402.
 243. Crowder CD, Rounds MA, Phillipson CA, Picuri JM, Matthews HE, Halverson J, et al. Extraction of total nucleic acids from ticks for the detection of bacterial and viral pathogens. *Journal of medical entomology*. 2010;47(1):89-94.

244. Cruciatti B, Beltrame A, Ruscio M, Viale P, Gigli GL. Neurological manifestation of tick-borne encephalitis in North-Eastern Italy. *Neurological sciences : official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*. 2006;27(2):122-4.
245. Csángó PA, Blakstad E, Kirtz GC, Pedersen JE, Czettel B. Tick-borne encephalitis in southern Norway. *Emerg Infect Dis*. 2004;10(3):533-4.
246. Csank T, Bhide K, Bencúrová E, Dolinská S, Drzewnioková P, Major P, et al. Detection of West Nile virus and tick-borne encephalitis virus in birds in Slovakia, using a universal primer set. *Arch Virol*. 2016;161(6):1679-83.
247. Csank T, Drzewnioková P, Korytár E, Major P, Gyuranecz M, Pistl J, et al. A Serosurvey of Flavivirus Infection in Horses and Birds in Slovakia. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2018;18(4):206-13.
248. Csank T, Korytár E, Pošiváková T, Bakonyi T, Pistl J, Csanády A. Surveillance on antibodies against West Nile virus, Usutu virus, tick-borne encephalitis virus and Tribeč virus in wild birds in Drienovská wetland, Slovakia. *Biologia*. 2019;74:813-20.
249. Cui F, Cao HX, Wang L, Zhang SF, Ding SJ, Yu XJ, et al. Clinical and epidemiological study on severe fever with thrombocytopenia syndrome in Yiyuan County, Shandong Province, China. *The American journal of tropical medicine and hygiene*. 2013;88(3):510-2.
250. Cumbie AN, Trimble RN, Eastwood G. Pathogen Spillover to an Invasive Tick Species: First Detection of Bourbon Virus in *Haemaphysalis longicornis* in the United States. *Pathogens (Basel, Switzerland)*. 2022;11(4).
251. Cumbie AN, Whitlow AM, Eastwood G. First Evidence of Powassan Virus (Flaviviridae) in *Ixodes scapularis* in Appalachian Virginia, USA. *The American journal of tropical medicine and hygiene*. 2021;106(3):905-8.
252. Cych P, Kiewra D, Szczepańska A. Prevention and the state of knowledge of tick-borne diseases among orienteers in Poland. *Infectious diseases (London, England)*. 2018;50(3):236-8.
253. Czarnowska A, Groth M, Okrzeja J, Garkowski A, Kristoferitsch W, Kułakowska A, et al. A fatal case of tick-borne encephalitis in an immunocompromised patient: case report from Northeastern Poland and review of literature. *Ticks Tick Borne Dis*. 2024;15(1):102273.
254. Czarnowska A, Kapica-Topczewska K, Garkowski A, Chorąży M, Tarasiuk J, Kochanowicz J, et al. Severe tick-borne encephalitis in a patient recovered from COVID 19. *Ticks Tick Borne Dis*. 2022;13(4):101940.
255. Czupryna P, Mroczko B, Pancewicz S, Muszynski P, Grygorczuk S, Dunaj J, et al. Assessment of the tau protein concentration in patients with tick-borne encephalitis. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2019;38(3):479-83.
256. Da Rold G, Obber F, Monne I, Milani A, Ravagnan S, Toniolo F, et al. Clinical Tick-Borne Encephalitis in a Roe Deer (*Capreolus capreolus* L.). *Viruses*. 2022;14(2).
257. D'Addiego J, Wand N, Afrough B, Fletcher T, Kurosaki Y, Leblebicioglu H, et al. Recovery of complete genome sequences of Crimean-Congo haemorrhagic fever virus (CCHFV) directly from clinical samples: A comparative study between targeted enrichment and metagenomic approaches. *Journal of virological methods*. 2024;323:114833.
258. D'Agaro P, Martinelli E, Burgnich P, Nazzi F, Del Fabbro S, Iob A, et al. Prevalence of tick-borne encephalitis virus in *Ixodes ricinus* from a novel endemic area of North Eastern Italy. *J Med Virol*. 2009;81(2):309-16.
259. Dai X, Shang G, Lu S, Yang J, Xu J. A new subtype of eastern tick-borne encephalitis virus discovered in Qinghai-Tibet Plateau, China. *Emerg Microbes Infect*. 2018;7(1):74.
260. Dandawate CN, Work TH, Webb JK, Shah KV. Isolation of Ganjam virus from a human case of febrile illness: a report of a laboratory infection and serological survey of human sera from three different states of India. *The Indian journal of medical research*. 1969;57(6):975-82.
261. Daniel M, Danielová V, Fialová A, Malý M, Kříž B, Nuttall PA. Increased Relative Risk of Tick-Borne Encephalitis in Warmer Weather. *Frontiers in cellular and infection microbiology*. 2018;8:90.
262. Daniel M, Danielová V, Kříž B, Růžek D, Fialová A, Malý M, et al. The occurrence of *Ixodes ricinus* ticks and important tick-borne pathogens in areas with high tick-borne encephalitis prevalence in different altitudinal levels of the Czech Republic Part I. *Ixodes ricinus* ticks and tick-borne encephalitis virus. *Epidemiologie, mikrobiologie, imunologie : casopis Společnosti pro epidemiologii a mikrobiologii Česke lekárske společnosti JE Purkyne*. 2016;65(2):118-28.
263. Daniel M, Kriz B, Danielova V, Materna J, Rudenko N, Holubova J, et al. Occurrence of ticks infected by tickborne encephalitis virus and *Borrelia* genospecies in mountains of the Czech

- Republic. Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin. 2005;10(3):E050331.1.
264. Daniel M, Materna J, Hönig V, Metelka L, Danielová V, Harcarik J, et al. Vertical distribution of the tick *Ixodes ricinus* and tick-borne pathogens in the northern Moravian mountains correlated with climate warming (Jeseníky Mts., Czech Republic). *Central European journal of public health*. 2009;17(3):139.
 265. Danielová V, Holubová J, Daniel M. Tick-borne encephalitis virus prevalence in *Ixodes ricinus* ticks collected in high risk habitats of the south-Bohemian region of the Czech Republic. *Experimental & applied acarology*. 2002;26(1-2):145-51.
 266. Danielová V, Holubová J, Pejnoch M, Daniel M. Potential significance of transovarial transmission in the circulation of tick-borne encephalitis virus. *Folia parasitologica*. 2002;49(4):323-5.
 267. Danielová V, Schwarzová L, Materna J, Daniel M, Metelka L, Holubová J, et al. Tick-borne encephalitis virus expansion to higher altitudes correlated with climate warming. *International Journal of Medical Microbiology*. 2008;298:68-72.
 268. Darwish MA, Hoogstraal H, Amer T. A serological survey for Bhanja virus in humans, domestic mammals, and rats in Egypt. *The Journal of the Egyptian Public Health Association*. 1978;53(5-6):401-7.
 269. David-West TS. Dugbe virus: a new tick-borne arbovirus from Nigeria. *Trans R Soc Trop Med Hyg*. 1973;67(4):438.
 270. Davies FG. A survey of Nairobi sheep disease antibody in sheep and goats, wild ruminants and rodents within Kenya. *The Journal of hygiene*. 1978;81(2):251-8.
 271. Davies FG. Nairobi sheep disease in Kenya. The isolation of virus from sheep and goats, ticks and possible maintenance hosts. *The Journal of hygiene*. 1978;81(2):259-65.
 272. Davies FG. Nairobi sheep disease. *Parassitologia*. 1997;39(2):95-8.
 273. Dawson KLD, Rosato G, Egloff S, Burgener C, Oevermann A, Grest P, et al. Fatal tick-borne encephalitis virus infection in Dalmatian puppy-dogs after putative vector independent transmission. *The veterinary quarterly*. 2024;44(1):1-7.
 274. de Graaf JA, Reimerink JH, Voorn GP, Bij de Vaate EA, de Vries A, Rockx B, et al. First human case of tick-borne encephalitis virus infection acquired in the Netherlands, July 2016. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*. 2016;21(33).
 275. de Heus P, Bagó Z, Weidinger P, Lale D, Trachsel DS, Revilla-Fernández S, et al. Severe Neurologic Disease in a Horse Caused by Tick-Borne Encephalitis Virus, Austria, 2021. *Viruses*. 2023;15(10).
 276. de Heus P, Kolodziejek J, Hubálek Z, Dimmel K, Racher V, Nowotny N, et al. West Nile Virus and Tick-Borne Encephalitis Virus Are Endemic in Equids in Eastern Austria. *Viruses*. 2021;13(9).
 277. de Vries AC, de Ruijter J, de Mendonça Melo M, Wismans PJ, Vroon H, van Genderen PJ. [Tick-borne encephalitis after a holiday in Southern Germany]. *Nederlands tijdschrift voor geneeskunde*. 2009;153:A950.
 278. Deardorff ER, Nofchissey RA, Cook JA, Hope AG, Tsvetkova A, Talbot SL, et al. Powassan virus in mammals, Alaska and New Mexico, U.S.A., and Russia, 2004-2007. *Emerg Infect Dis*. 2013;19(12):2012-6.
 279. Decker MD, Morton CT, Moncayo AC. One Confirmed and 2 Suspected Cases of Heartland Virus Disease. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2020;71(12):3237-40.
 280. Dekker M, Laverman GD, de Vries A, Reimerink J, Geeraedts F. Emergence of tick-borne encephalitis (TBE) in the Netherlands. *Ticks Tick Borne Dis*. 2019;10(1):176-9.
 281. Dellagi K, Salez N, Maquart M, Larrieu S, Yssouf A, Silāi R, et al. Serological Evidence of Contrasted Exposure to Arboviral Infections between Islands of the Union of Comoros (Indian Ocean). *PLoS neglected tropical diseases*. 2016;10(12):e0004840.
 282. Destrampe E, Taylor L, Stevens T, Brown J, Groves JA, Worthy A, et al., editors. Investigation of Transfusion-Transmitted Powassan Virus Encephalitis in a Renal Transplant Recipient. *AABB ANNUAL MEETING*; 2019 2019; San Antonio, USA.
 283. Devadiga S, Arunkumar G. Kinetics of human infection with Kyasanur Forest Disease Virus. *The Journal of infection*. 2022;85(2):161-6.
 284. Deveci K, Uysal EB, Kaya A, Sancakdar E, Alkan F. Evaluation of renal involvement in children with Crimean-Congo hemorrhagic fever. *Jpn J Infect Dis*. 2013;66(6):493-6.
 285. Deviatkin AA, Kholodilov IS, Belova OA, Bugmyrin SV, Bespyatova LA, Ivannikova AY, et al. Baltic Group Tick-Borne Encephalitis Virus Phylogeography: Systemic Inconsistency Pattern

- between Genetic and Geographic Distances. *Microorganisms*. 2020;8(10).
286. Dieng I, Barry MA, Diagne MM, Diop B, Ndiaye M, Faye M, et al. Detection of Crimean Congo haemorrhagic fever virus in North-eastern Senegal, Bokidiawé 2019. *Emerging Microbes & Infections*. 2020;9(1):2485-7.
 287. Dinçer E, Hacıoğlu S, Kar S, Emanet N, Brinkmann A, Nitsche A, et al. Survey and Characterization of Jingmen Tick Virus Variants. *Viruses*. 2019;11(11).
 288. Dinçer E, Timurkan M, Oğuz B, Şahindokuyucu İ, Şahan A, Ekinci M, et al. Several Tick-Borne Pathogenic Viruses in Circulation in Anatolia, Turkey. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2022;22(2):148-58.
 289. Dinçer E, Uyar Y, Özkul AA. Crimean-Congo hemorrhagic fever infection in domestic animals in Marmara region, Western Turkey. *Ankara Üniversitesi*. 2014;61:49-53.
 290. Ding S, Niu G, Xu X, Li J, Zhang X, Yin H, et al. Age is a critical risk factor for severe fever with thrombocytopenia syndrome. *PLoS One*. 2014;9(11):e111736.
 291. Ding S, Yin H, Xu X, Liu G, Jiang S, Wang W, et al. A cross-sectional survey of severe fever with thrombocytopenia syndrome virus infection of domestic animals in Laizhou City, Shandong Province, China. *Jpn J Infect Dis*. 2014;67(1):1-4.
 292. Dizbay M, Aktas F, Gaygisiz U, Ozger HS, Ozdemir K. Crimean-Congo hemorrhagic fever treated with ribavirin in a pregnant woman. *Journal of Infection*. 2009;59(4):281-3.
 293. Dobler G, Zöller G, Poponnikova T, Gniel D, Pfeffer M, Essbauer S. Tick-borne encephalitis virus in a highly endemic area in Kemerovo (Western Siberia, Russia). *International Journal of Medical Microbiology*. 2008;298:94-101.
 294. Dobrzyńska M, Moniuszko-Malinowska A, Jarocka-Karpowicz I, Czupryna P, Groth M, Skrzydlewska E. Metabolic Response to Tick-Borne Encephalitis Virus Infection and Bacterial Co-Infections. *Pathogens (Basel, Switzerland)*. 2022;11(4).
 295. Doğan M. Investigation of Zoonotic Pathogens in Patients With Tick Attachment in Tekirdag, Turkey. *Klimik Journal*. 2019.
 296. Dong Z, Yang M, Wang Z, Zhao S, Xie S, Yang Y, et al. Human Tacheng tick virus 2 infection, China, 2019. *Emerging infectious diseases*. 2021;27(2):594.
 297. Dong Z, Yang M, Wang Z, Zhao S, Xie S, Yang Y, et al. Human Tacheng Tick Virus 2 Infection, China, 2019. *Emerg Infect Dis*. 2021;27(2):594-8.
 298. Dorko E, Hockicko J, Rimárová K, Bušová A, Popad'ák P, Popad'áková J, et al. Milk outbreaks of tick-borne encephalitis in Slovakia, 2012-2016. *Cent Eur J Public Health*. 2018;26 Suppl:S47-s50.
 299. Dorko E, Rimarova K, Busova A, Feketeova E, Baranova Z, editors. RISK FACTORS OF TICK-BORNE ENCEPHALITIS IN SELECTED POPULATIONS IN EASTERN SLOVAKIA. 3RD INTERNATIONAL MULTIDISCIPLINARY SCIENTIFIC CONFERENCE ON SOCIAL SCIENCES AND ARTS SGEM 2016; 2016; Sofia.
 300. Dorko E, Rimárová K, Kizek P, Stebnický M, Zákutná L. Increasing incidence of tick-borne encephalitis and its importance in the Slovak Republic. *Cent Eur J Public Health*. 2014;22(4):277-81.
 301. Doyle C, McGreal-Bellone A, McDermott R, Crowley B, Merry C, Bannan C. Tick-borne Encephalitis Identified in Ireland: Diagnosis and Outcome. *Irish medical journal*. 2022(4):588.
 302. Drelich A, Andreassen Å, Vainio K, Kruszyński P, Wąsik TJ. Prevalence of tick-borne encephalitis virus in a highly urbanized and low risk area in Southern Poland. *Ticks Tick Borne Dis*. 2014;5(6):663-7.
 303. Du Four S, Mertens R, Wiels W, De Keyser J, Bissay V, Flamez A. Meningoencephaloradiculitis following infection with tick borne encephalitis virus: case report and review of the literature. *Acta neurologica Belgica*. 2018;118(1):93-6.
 304. Du Y, Cheng N, Li Y, Wang H, You A, Su J, et al. Seroprevalance of antibodies specific for severe fever with thrombocytopenia syndrome virus and the discovery of asymptomatic infections in Henan Province, China. *PLoS neglected tropical diseases*. 2019;13(11):e0007242.
 305. Duan Q, Tian X, Pang B, Zhang Y, Xiao C, Yao M, et al. Spatiotemporal distribution and environmental influences of severe fever with thrombocytopenia syndrome in Shandong Province, China. *BMC Infect Dis*. 2023;23(1):891.
 306. Dub T, Ollgren J, Huusko S, Uusitalo R, Siljander M, Vapalahti O, et al. Game Animal Density, Climate, and Tick-Borne Encephalitis in Finland, 2007-2017. *Emerg Infect Dis*. 2020;26(12):2899-906.
 307. Dumic I, Madrid C, Vitorovic D. Unusual cause at an unusual time-Powassan virus rhombencephalitis. *International journal of infectious diseases : IJID : official publication of the*

- International Society for Infectious Diseases. 2021;103:88-90.
308. Duppenthaler A, Pfammatter JP, Aebi C. Myopericarditis associated with central European tick-borne encephalitis. *European journal of pediatrics*. 2000;159(11):854-6.
 309. Dupuis AP, 2nd, Peters RJ, Prusinski MA, Falco RC, Ostfeld RS, Kramer LD. Isolation of deer tick virus (Powassan virus, lineage II) from *Ixodes scapularis* and detection of antibody in vertebrate hosts sampled in the Hudson Valley, New York State. *Parasites & vectors*. 2013;6:185.
 310. Dupuis AP, 2nd, Prusinski MA, O'Connor C, Maffei JG, Koetzner CA, Zembsch TE, et al. Bourbon Virus Transmission, New York, USA. *Emerg Infect Dis*. 2023;29(1):145-8.
 311. Dupuis AP, 2nd, Prusinski MA, O'Connor C, Maffei JG, Ngo KA, Koetzner CA, et al. Heartland Virus Transmission, Suffolk County, New York, USA. *Emerg Infect Dis*. 2021;27(12):3128-32.
 312. Duran A, Küçükbayrak A, Ocak T, Hakyemez NI, Taş T, Karadağ M, et al. Evaluation of patients with Crimean-Congo hemorrhagic fever in Bolu, Turkey. *Afr Health Sci*. 2013;13(2):233-42.
 313. Durmiš E, Knap N, Saksida A, Trilar T, Duh D, Avšič-Županc T. Prevalence and molecular characterization of tick-borne encephalitis virus in *Ixodes ricinus* ticks collected in Slovenia. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2011;11(6):659-64.
 314. Duscher GG, Wetscher M, Baumgartner R, Walder G. Roe deer sera used for TBE surveillance in Austria. *Ticks Tick Borne Dis*. 2015;6(4):489-93.
 315. Dzikwi-Emennaa AA, Meseko C, Emennaa P, Adeyinka AJ, Adamu AM, Adegboye OA. Detection of Crimean-Congo Hemorrhagic Fever Virus Antibodies in Cattle in Plateau State, Nigeria. *Viruses*. 2022;14(12).
 316. Eads RB, Smith GC. Seasonal activity and Colorado tick fever virus infection rates in Rocky Mountain wood ticks, *Dermacentor andersoni* (acari: Ixodidae), in north-central Colorado, USA. *Journal of medical entomology*. 1983;20(1):49-55.
 317. Ebel GD, Campbell EN, Goethert HK, Spielman A, Telford SR, 3rd. Enzootic transmission of deer tick virus in New England and Wisconsin sites. *The American journal of tropical medicine and hygiene*. 2000;63(1-2):36-42.
 318. Ebel GD, Foppa I, Spielman A, Telford SR, 2nd. A focus of deer tick virus transmission in the northcentral United States. *Emerg Infect Dis*. 1999;5(4):570-4.
 319. Ebert CL, Söder L, Kubinski M, Glanz J, Gregersen E, Dümmer K, et al. Detection and Characterization of Alongshan Virus in Ticks and Tick Saliva from Lower Saxony, Germany with Serological Evidence for Viral Transmission to Game and Domestic Animals. *Microorganisms*. 2023;11(3).
 320. Egizi A, Wagner NE, Jordan RA, Price DC. Lone star ticks (Acari: Ixodidae) infected with Bourbon virus in New Jersey, USA. *Journal of medical entomology*. 2023;60(4):842-6.
 321. Ejiri H, Lim CK, Isawa H, Fujita R, Murota K, Sato T, et al. Characterization of a novel thogotovirus isolated from *Amblyomma testudinarium* ticks in Ehime, Japan: A significant phylogenetic relationship to Bourbon virus. *Virus Res*. 2018;249:57-65.
 322. Ekici-Günay N, Koyuncu S. An overview of procalcitonin in Crimean-Congo hemorrhagic fever: clinical diagnosis, follow-up, prognosis and survival rates. *Turkish Journal of Biochemistry*. 2020;45(5):593-600.
 323. Eklund CM, Kohls GM, Brennan JM. Distribution of Colorado tick fever and virus-carrying ticks. *Journal of the American Medical Association*. 1955;157(4):335-7.
 324. Eklund CM, Kohls GM, Jellison WL. Isolation of Colorado tick fever virus from rodents in Colorado. *Science (New York, NY)*. 1958;128(3321):413.
 325. El Khoury MY, Camargo JF, White JL, Backenson BP, Dupuis AP, 2nd, Escuyer KL, et al. Potential role of deer tick virus in Powassan encephalitis cases in Lyme disease-endemic areas of New York, U.S.A. *Emerg Infect Dis*. 2013;19(12):1926-33.
 326. El Khoury MY, Hull RC, Bryant PW, Escuyer KL, St George K, Wong SJ, et al. Diagnosis of acute deer tick virus encephalitis. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2013;56(4):e40-7.
 327. Elata AT, Karsany MS, Elageb RM, Hussain MA, Eltom KH, Elbashir MI, et al. A nosocomial transmission of crimean-congo hemorrhagic fever to an attending physician in North Kordufan, Sudan. *Virol J*. 2011;8:303.
 328. el-Azazy OM, Scrimgeour EM. Crimean-Congo haemorrhagic fever virus infection in the western province of Saudi Arabia. *Trans R Soc Trop Med Hyg*. 1997;91(3):275-8.
 329. Elevli M, Ozkul AA, Civilibal M, Midilli K, Gargili A, Duru NS. A newly identified Crimean-Congo hemorrhagic fever virus strain in Turkey. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2010;14 Suppl 3:e213-6.

330. Elyan DS, Moustafa L, Noormal B, Jacobs JS, Aziz MA, Hassan KS, et al. Serological evidence of flaviviruses infection among acute febrile illness patients in Afghanistan. *Journal of infection in developing countries*. 2014;8(9):1176-80.
331. Emmerich P, Jakupi X, von Possel R, Berisha L, Halili B, Günther S, et al. Viral metagenomics, genetic and evolutionary characteristics of Crimean-Congo hemorrhagic fever orthonairovirus in humans, Kosovo. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases*. 2018;65:6-11.
332. Engin A, Arslan S, Kizildag S, Oztürk H, Elaldi N, Dökmetas I, et al. Toll-like receptor 8 and 9 polymorphisms in Crimean-Congo hemorrhagic fever. *Microbes and infection*. 2010;12(12-13):1071-8.
333. Engin A, Ugurlu S, Caglar E, Oztop AY, Inan D, Elaldi N, et al. Serum levels of Mannan-binding lectin in patients with Crimean-Congo hemorrhagic fever. *Vector-Borne and Zoonotic Diseases*. 2010;10(10):1037-41.
334. Engin A, Yildirim A, Kunt T, Bakir M, Dokmetas I, Ozdemir L. Clinical investigation of the transient evoked otoacoustic emission test in Crimean-Congo hemorrhagic fever. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2008;12(2):162-5.
335. Engin A, Yilmaz MB, Elaldi N, Erdem A, Yalta K, Tandogan I, et al. Crimean-Congo hemorrhagic fever: does it involve the heart? *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2009;13(3):369-73.
336. Eren SH, Zengin S, Büyüktuna SA, Gözel MG. Clinical severity in forecasting platelet to lymphocyte ratio in Crimean-Congo hemorrhagic fever patients. *Journal of medical microbiology*. 2016;65(10):1100-4.
337. Ergönül O, Celikbaş A, Dokuzoguz B, Eren S, Baykam N, Esener H. Characteristics of patients with Crimean-Congo hemorrhagic fever in a recent outbreak in Turkey and impact of oral ribavirin therapy. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2004;39(2):284-7.
338. Ergönül Ö, Şeref C, Eren Ş, Çelikbaş A, Baykam N, Dokuzoğuz B, et al. Cytokine response in crimean-congo hemorrhagic fever virus infection. *J Med Virol*. 2017;89(10):1707-13.
339. Ergönül O, Zeller H, Kiliç S, Kutlu S, Kutlu M, Cavusoglu S, et al. Zoonotic infections among veterinarians in Turkey: Crimean-Congo hemorrhagic fever and beyond. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2006;10(6):465-9.
340. Ergunay K, Bourke BP, Reinbold-Wasson DD, Nikolich MP, Nelson SP, Caicedo-Quiroga L, et al. The expanding range of emerging tick-borne viruses in Eastern Europe and the Black Sea Region. *Sci Rep*. 2023;13(1):19824.
341. Ergünay K, Dinçer E, Kar S, Emanet N, Yalçınkaya D, Polat Dinçer PF, et al. Multiple orthonairoviruses including Crimean-Congo hemorrhagic fever virus, Tamdy virus and the novel Meram virus in Anatolia. *Ticks Tick Borne Dis*. 2020;11(5):101448.
342. Ergunay K, Mutinda M, Bourke B, Justi SA, Caicedo-Quiroga L, Kamau J, et al. Metagenomic Investigation of Ticks From Kenyan Wildlife Reveals Diverse Microbial Pathogens and New Country Pathogen Records. *Frontiers in microbiology*. 2022;13:932224.
343. Ergunay K, Ozer N, Us D, Ozkul A, Simsek F, Kaynas S, et al. Seroprevalence of West Nile virus and tick-borne encephalitis virus in southeastern Turkey: first evidence for tick-borne encephalitis virus infections. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2007;7(2):157-61.
344. Ergünay K, Saygan MB, Aydoğan S, Litzba N, Sener B, Lederer S, et al. Confirmed exposure to tick-borne encephalitis virus and probable human cases of tick-borne encephalitis in Central/Northern Anatolia, Turkey. *Zoonoses and public health*. 2011;58(3):220-7.
345. Ergünay K, Saygan MB, Aydoğan S, Pınar A, Us D. PI-3 Preliminary evaluation of dengue virus (DENV) and tick-borne encephalitis virus (TBEV) seroprevalences in blood donors. *Journal of Clinical Virology*. 2009(46):S15.
346. Ergunay K, Sayiner AA, Litzba N, Lederer S, Charrel R, Kreher P, et al. Multicentre evaluation of central nervous system infections due to Flavi and Phleboviruses in Turkey. *The Journal of infection*. 2012;65(4):343-9.
347. Ernek E, Kozuch O, Gresíková M. The distribution of antibodies against tick-borne encephalitis virus in domestic animals in the Tribec region. *Bulletin of the World Health Organization*. 1967;36 Suppl(Suppl 1):73-80.
348. Ernek E, Kozuch O, Nosek J. Isolation of tick-borne encephalitis virus from blood and milk of goats

- grazing in the Tribec focus zone. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1968;12(1):32-6.
349. Ernek E, Kozuch O, Nosek J, Hudec K, Folk C. Virus neutralizing antibodies to arboviruses in birds of the order Anseriformes in Czechoslovakia. *Acta virologica*. 1975;19(4):349-53.
 350. Ernek E, Kozuch O, Nosek J, Teplan J, Folk C. Arboviruses in birds captured in Slovakia. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1977;21(3):353-9.
 351. Ertugrul B, Uyar Y, Yavas K, Turan C, Oncu S, Saylak O, et al. An outbreak of Crimean-Congo hemorrhagic fever in western Anatolia, Turkey. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2009;13(6):e431-6.
 352. Esen B, Gozalan A, Coplu N, Tapar FS, Uzun R, Aslan T, et al. The presence of tick-borne encephalitis in an endemic area for tick-borne diseases, Turkey. *Tropical doctor*. 2008;38(1):27-8.
 353. Esguerra EM. Heartland Virus: A New Virus Discovered in Missouri. *Missouri medicine*. 2016;113(4):256-7.
 354. Espunyes J, Cabezón O, Pailler-García L, Dias-Alves A, Lobato-Bailón L, Marco I, et al. Hotspot of Crimean-Congo Hemorrhagic Fever Virus Seropositivity in Wildlife, Northeastern Spain. *Emerg Infect Dis*. 2021;27(9):2480-4.
 355. Esser HJ, Lim SM, de Vries A, Sprong H, Dekker DJ, Pascoe EL, et al. Continued Circulation of Tick-Borne Encephalitis Virus Variants and Detection of Novel Transmission Foci, the Netherlands. *Emerg Infect Dis*. 2022;28(12):2416-24.
 356. Euringer K, Gírl P, Kaier K, Peilstöcker J, Schmidt M, Müller-Steinhardt M, et al. Tick-borne encephalitis virus IgG antibody surveillance: vaccination- and infection-induced seroprevalences, south-western Germany, 2021. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2023;28(12).
 357. Evans TS, Myat TW, Hom NS, Ricks KM, Maw MT, Oo ZM, et al. Seroepidemiologic Survey of Crimean-Congo Hemorrhagic Fever Virus in Logging Communities, Myanmar. *Emerg Infect Dis*. 2021;27(6):1709-13.
 358. Fafangel M, Cassini A, Colzani E, Klavs I, Grgič Vitek M, Učakar V, et al. Estimating the annual burden of tick-borne encephalitis to inform vaccination policy, Slovenia, 2009 to 2013. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2017;22(16).
 359. Fagre AC, Lyons S, Staples JE, Lindsey N. West Nile Virus and Other Nationally Notifiable Arboviral Diseases - United States, 2021. *MMWR Morbidity and mortality weekly report*. 2023;72(34):901-6.
 360. Fajs L, Durmišić E, Knap N, Strle F, Avšič-Županc T. Phylogeographic characterization of tick-borne encephalitis virus from patients, rodents and ticks in Slovenia. *PLoS One*. 2012;7(11):e48420.
 361. Fajs L, Humolli I, Saksida A, Knap N, Jelovšek M, Korva M, et al. Prevalence of Crimean-Congo hemorrhagic fever virus in healthy population, livestock and ticks in Kosovo. *PLoS One*. 2014;9(11):e110982.
 362. Fajs L, Jakupi X, Ahmeti S, Humolli I, Dedushaj I, Avšič-Županc T. Molecular epidemiology of Crimean-Congo hemorrhagic fever virus in Kosovo. *PLoS neglected tropical diseases*. 2014;8(1):e2647.
 363. Fakoorziba MR, Golmohammadi P, Moradzadeh R, Moemenbellah-Fard MD, Azizi K, Davari B, et al. Reverse transcription PCR-based detection of Crimean-Congo hemorrhagic fever virus isolated from ticks of domestic ruminants in Kurdistan province of Iran. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2012;12(9):794-9.
 364. Fakoorziba MR, Naddaf-Sani AA, Moemenbellah-Fard MD, Azizi K, Ahmadnia S, Chinikar S. First phylogenetic analysis of a Crimean-Congo hemorrhagic fever virus genome in naturally infected *Rhipicephalus appendiculatus* ticks (Acari: Ixodidae). *Arch Virol*. 2015;160(5):1197-209.
 365. Fares W, Dachraoui K, Cherni S, Barhoumi W, Slimane TB, Younsi H, et al. Tick-borne encephalitis virus in *Ixodes ricinus* (Acari: Ixodidae) ticks, Tunisia. *Ticks Tick Borne Dis*. 2021;12(1):101606.
 366. Farhadpour F, Telmadarraiy Z, Chinikar S, Akbarzadeh K, Moemenbellah-Fard MD, Faghihi F, et al. Molecular detection of Crimean-Congo haemorrhagic fever virus in ticks collected from infested livestock populations in a New Endemic Area, South of Iran. *Tropical medicine & international health : TM & IH*. 2016;21(3):340-7.
 367. Farrington M, Elenz J, Ginsberg M, Chiu CY, Miller S, Pangonis SF. Powassan Virus Infection Detected by Metagenomic Next-Generation Sequencing, Ohio, USA. *Emerg Infect Dis*. 2023;29(4):838-41.
 368. Fazlalipour M, Baniasadi V, Pouriaeyevali MH, Jalali T, Mohammadi T, Azad-Manjiri S, et al.

- Crimean-Congo hemorrhagic fever virus Asia 2 genotype in Qeshm Island, southern Iran: A case report. *J Vector Borne Dis.* 2019;56(3):276-9.
369. Fazlalipour M, Mohsenpour B, Baniasadi V, Jalali T, Mohammadi T, Azad-Manjiri S, et al. A Case report of Crimean-Congo hemorrhagic fever virus Europe-1 genotype in the West of Iran. *Iranian Red Crescent medical journal.* 2017.
 370. Feder HM, Telford S, Goethert HK, Wormser GP. Powassan Virus Encephalitis Following Brief Attachment of Connecticut Deer Ticks. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America.* 2021;73(7):e2350-e4.
 371. Ferenczi E, Bán E, Abrahám A, Kaposi T, Petrányi G, Berencsi G, et al. Severe tick-borne encephalitis in a patient previously infected by West Nile virus. *Scand J Infect Dis.* 2008;40(9):759-61.
 372. Fields BN. *Fields' virology* 4th. Philadelphia, USA: Lippincott Williams & Wilkins; 2007.
 373. Filipe AR. Serological survey for antibodies to arboviruses in the human population of Portugal. *Trans R Soc Trop Med Hyg.* 1974;68(4):311-4.
 374. Filipe AR, Pinto MR. Survey for antibodies to arboviruses in serum of animals from southern Portugal. *The American journal of tropical medicine and hygiene.* 1969;18(3):423-6.
 375. Fill MA, Compton ML, McDonald EC, Moncayo AC, Dunn JR, Schaffner W, et al. Novel Clinical and Pathologic Findings in a Heartland Virus-Associated Death. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America.* 2017;64(4):510-2.
 376. Florio L, Miller MS, Mugrage ER. Colorado tick fever; recovery of virus from human cerebrospinal fluid. *The Journal of infectious diseases.* 1952;91(3):285-9.
 377. Florio L, Stewart MO, Mugrage ER. THE EXPERIMENTAL TRANSMISSION OF COLORADO TICK FEVER. *The Journal of experimental medicine.* 1944;80(3):165-88.
 378. Fomsgaard A, Christiansen C, Bodker R. First identification of tick-borne encephalitis in Denmark outside of Bornholm, August 2009. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin.* 2009;14(36).
 379. Fomsgaard A, Fertner ME, Essbauer S, Nielsen AY, Frey S, Lindblom P, et al. Tick-borne encephalitis virus, Zealand, Denmark, 2011. *Emerg Infect Dis.* 2013;19(7):1171-3.
 380. Formanová P, Černý J, Bolříková B, Valdés JJ, Kozlova I, Dzhioev Y, et al. Full genome sequences and molecular characterization of tick-borne encephalitis virus strains isolated from human patients. *Ticks Tick Borne Dis.* 2015;6(1):38-46.
 381. Fortova A, Hönig V, Palus M, Salat J, Pychova M, Krbkova L, et al. Serum and cerebrospinal fluid phosphorylated neurofilament heavy subunit as a marker of neuroaxonal damage in tick-borne encephalitis. *The Journal of general virology.* 2022;103(5).
 382. Fouché N, Oesch S, Ziegler U, Gerber V. Clinical Presentation and Laboratory Diagnostic Work-Up of a Horse with Tick-Borne Encephalitis in Switzerland. *Viruses.* 2021;13(8).
 383. Fowler Å, Forsman L, Eriksson M, Wickström R. Tick-borne encephalitis carries a high risk of incomplete recovery in children. *The Journal of pediatrics.* 2013;163(2):555-60.
 384. Franzen-Rohl E, Larsson K, Skoog E, Tiveljung-Lindell A, Grillner L, Aurelius E, et al. High diagnostic yield by CSF-PCR for enterovirus and herpes simplex viruses and TBEV serology in adults with acute aseptic meningitis in Stockholm. *Scand J Infect Dis.* 2008;40(11-12):914-21.
 385. Frey S, Essbauer S, Zöller G, Klempa B, Dobler G, Pfeffer M. Full genome sequences and preliminary molecular characterization of three tick-borne encephalitis virus strains isolated from ticks and a bank vole in Slovak Republic. *Virus genes.* 2014;48(1):184-8.
 386. Frimmel S, Krienke A, Riebold D, Loebermann M, Littmann M, Fiedler K, et al. Tick-borne encephalitis virus habitats in North East Germany: reemergence of TBEV in ticks after 15 years of inactivity. *BioMed research international.* 2014;2014:308371.
 387. Frimmel S, Leister M, Löbermann M, Feldhusen F, Seelmann M, Süss J, et al. Seroprevalence of tick-borne-encephalitis virus in wild game in Mecklenburg-Western Pomerania (north-eastern Germany). *Ticks Tick Borne Dis.* 2016;7(6):1151-4.
 388. Frimmel S, Löbermann M, Feldhusen F, Seelmann M, Stiasny K, Süss J, et al. Detection of tick-borne encephalitis virus antibodies in sera of sheep and goats in Mecklenburg-Western Pomerania (north-eastern Germany). *Ticks Tick Borne Dis.* 2019;10(4):901-4.
 389. Frost HM, Schotthoefer AM, Thomm AM, Dupuis AP, 2nd, Kehl SC, Kramer LD, et al. Serologic Evidence of Powassan Virus Infection in Patients with Suspected Lyme Disease(1). *Emerg Infect Dis.* 2017;23(8):1384-8.
 390. Gaensbauer JT, Lindsey NP, Messacar K, Staples JE, Fischer M. Neuroinvasive arboviral disease in the United States: 2003 to 2012. *Pediatrics.* 2014;134(3):e642-50.

391. Gaffuri A, Sasser D, Calzolari M, Gibelli L, Lelli D, Tebaldi A, et al. Tick-Borne Encephalitis, Lombardy, Italy. *Emerg Infect Dis.* 2024;30(2):341-4.
392. Ganbold D, Uudus B, Nyamdavaa N, Chultemsuren Y, Zagd A, Tangad M, et al. Seroprevalence and risk factors of tick-borne encephalitis in Mongolia between 2016 and 2022. *Parasite epidemiology and control.* 2023;22:e00318.
393. García-Bocanegra I, Jurado-Tarifa E, Cano-Terriza D, Martínez R, Pérez-Marín JE, Lecollinet S. Exposure to West Nile virus and tick-borne encephalitis virus in dogs in Spain. *Transboundary and emerging diseases.* 2018;65(3):765-72.
394. Gargili A, Midilli K, Ergonul O, Ergin S, Alp HG, Vatansever Z, et al. Crimean-Congo hemorrhagic fever in European part of Turkey: genetic analysis of the virus strains from ticks and a seroepidemiological study in humans. *Vector borne and zoonotic diseases (Larchmont, NY).* 2011;11(6):747-52.
395. Gassmann C, Bauer G. Avidity determination of IgG directed against tick-borne encephalitis virus improves detection of current infections. *J Med Virol.* 1997;51(3):242-51.
396. Gäumann R, Mühlemann K, Strasser M, Beuret CM. High-throughput procedure for tick surveys of tick-borne encephalitis virus and its application in a national surveillance study in Switzerland. *Applied and environmental microbiology.* 2010;76(13):4241-9.
397. Gazi H, Özkütük N, Ecemis Ö, Atasoylu G, Köroğlu G, Kurutepe S, et al. Seroprevalence of West Nile virus, Crimean-Congo hemorrhagic fever virus, Francisella tularensis and Borrelia burgdorferi in rural population of Manisa, western Turkey. *J Vector Borne Dis.* 2016;53(2):112-7.
398. Gazi U, Yapar D, Karasartova D, Gureser AS, Akdoğan O, Unal O, et al. The role of Treg population in pathogenesis of Crimean Congo hemorrhagic fever. *Virus research.* 2018;250:1-6.
399. Geeraedts F, Wertenbroek A, de Klerk J, Prick JJ, Reichman LJA, Hess D, et al. Defining a risk area for tick-borne encephalitis (TBE) in a country where TBE is emerging, the Netherlands, July 2016-October 2020. *Ticks Tick Borne Dis.* 2022;13(2):101898.
400. Geissler AL, Thorp E, Van Houten C, Lanciotti RS, Panella N, Cadwell BL, et al. Infection with Colorado tick fever virus among humans and ticks in a national park and forest, Wyoming, 2010. *Vector borne and zoonotic diseases (Larchmont, NY).* 2014;14(9):675-80.
401. Geller J, Nazarova L, Katargina O, Leivits A, Järvekülg L, Golovljova I. Tick-borne pathogens in ticks feeding on migratory passerines in Western part of Estonia. *Vector borne and zoonotic diseases (Larchmont, NY).* 2013;13(7):443-8.
402. Gergova I, Kamarinchev B. Seroprevalence of Crimean-Congo hemorrhagic fever in southeastern Bulgaria. *Jpn J Infect Dis.* 2014;67(5):397-8.
403. Gergova I, Kunchev M, Kamarinchev B. Crimean-Congo hemorrhagic fever virus-tick survey in endemic areas in Bulgaria. *J Med Virol.* 2012;84(4):608-14.
404. Gerth HJ, Grimshandl D, Stage B, Döller G, Kunz C. Roe deer as sentinels for endemicity of tick-borne encephalitis virus. *Epidemiology and infection.* 1995;115(2):355-65.
405. Ghasemian SO, Fazlalipour M, Hosseini G, Pouryaievali MH, Azad-Manjiri S, Khakifirouz S, et al. Serosurvey of Crimean-Congo hemorrhagic fever virus in livestock, Kohgiluyeh and Boyer-Ahmad, Iran, 2017. *J Vector Borne Dis.* 2021;58(1):70-3.
406. Gils S, Frans J, Ho E, Smismans A, Vermynen P, Dewil M, et al. Case report: tick-borne encephalitis (TBE) in a Belgian traveller returning from Germany. *Journal of travel medicine.* 2018;25(1).
407. Goethert HK, Mather TN, Johnson RW, Telford SR, 3rd. Incrimination of shrews as a reservoir for Powassan virus. *Communications biology.* 2021;4(1):1319.
408. Gokuden M, Fukushi S, Saijo M, Nakadouzone F, Iwamoto Y, Yamamoto M, et al. Low Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus Antibodies in Individuals Living in an Endemic Area in Japan. *Jpn J Infect Dis.* 2018;71(3):225-8.
409. Goletic T, Satrovic L, Softic A, Omeragic J, Goletic S, Soldo DK, et al. Serologic and molecular evidence for circulation of Crimean-Congo hemorrhagic fever virus in ticks and cattle in Bosnia and Herzegovina. *Ticks Tick Borne Dis.* 2022;13(5):102004.
410. Golovljova I, Katargina O, Geller J, Tallo T, Mittzenkov V, Vene S, et al. Unique signature amino acid substitution in Baltic tick-borne encephalitis virus (TBEV) strains within the Siberian TBEV subtype. *International Journal of Medical Microbiology.* 2008;298:108-20.
411. Golovljova I, Vene S, Sjölander KB, Vasilenko V, Plyusnin A, Lundkvist A. Characterization of tick-borne encephalitis virus from Estonia. *J Med Virol.* 2004;74(4):580-8.
412. Gondard M, Michelet L, Nisavanh A, Devillers E, Delannoy S, Fach P, et al. Prevalence of tick-borne viruses in Ixodes ricinus assessed by high-throughput real-time PCR. *Pathogens and disease.* 2018;76(8).

413. Gong L, Jiang M, Liu J, Han W, Liu J, Sun Z, et al. [Prevalence and homology analysis on human and animals severe fever with thrombocytopenia syndrome virus infection in Yantai of Shandong province]. *Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi*. 2014;35(5):524-7.
414. Gong S, He B, Wang Z, Shang L, Wei F, Liu Q, et al. Nairobi sheep disease virus RNA in ixodid ticks, China, 2013. *Emerg Infect Dis*. 2015;21(4):718-20.
415. Gonzalez G, Bournez L, Moraes RA, Marine D, Galon C, Vorimore F, et al. A One-Health Approach to Investigating an Outbreak of Alimentary Tick-Borne Encephalitis in a Non-endemic Area in France (Ain, Eastern France): A Longitudinal Serological Study in Livestock, Detection in Ticks, and the First Tick-Borne Encephalitis Virus Isolation and Molecular Characterisation. *Frontiers in microbiology*. 2022;13:863725.
416. González MT, Filipe AR. Antibodies to arboviruses in northwestern Spain. *The American journal of tropical medicine and hygiene*. 1977;26(4):792-7.
417. Gonzalo-Nadal V, Kohl A, Rocchi M, Brennan B, Hughes J, Nichols J, et al. Suspected tick-borne flavivirus meningoencephalomyelitis in dogs from the UK: six cases (2021). *The Journal of small animal practice*. 2024;65(2):132-43.
418. Goodpasture HC, Poland JD, Franczy DB, Bowen GS, Horn KA. Colorado tick fever: clinical, epidemiologic, and laboratory aspects of 228 cases in Colorado in 1973-1974. *Annals of internal medicine*. 1978;88(3):303-10.
419. Gothe LMR, Ganzenberg S, Ziegler U, Obiegala A, Lohmann KL, Sieg M, et al. Horses as Sentinels for the Circulation of Flaviviruses in Eastern-Central Germany. *Viruses*. 2023;15(5).
420. Gozel MG, Bakir M, Oztop AY, Engin A, Dokmetas I, Elaldi N. Investigation of Crimean-Congo hemorrhagic fever virus transmission from patients to relatives: a prospective contact tracing study. *The American journal of tropical medicine and hygiene*. 2014;90(1):160-2.
421. Grandi G, Aspán A, Pihl J, Gustafsson K, Engström F, Jinnerot T, et al. Detection of Tick-Borne Pathogens in Lambs Undergoing Prophylactic Treatment Against Ticks on Two Swedish Farms. *Frontiers in veterinary science*. 2018;5:72.
422. Grard G, Drexler JF, Fair J, Muyembe JJ, Wolfe ND, Drosten C, et al. Re-emergence of Crimean-Congo hemorrhagic fever virus in Central Africa. *PLoS neglected tropical diseases*. 2011;5(10):e1350.
423. Grassi L, Drigo M, Zelená H, Pasotto D, Cassini R, Mondin A, et al. Wild ungulates as sentinels of flaviviruses and tick-borne zoonotic pathogen circulation: an Italian perspective. *BMC veterinary research*. 2023;19(1):155.
424. Grech-Angelini S, Stachurski F, Vayssier-Taussat M, Devillers E, Casabianca F, Lancelot R, et al. Tick-borne pathogens in ticks (Acari: Ixodidae) collected from various domestic and wild hosts in Corsica (France), a Mediterranean island environment. *Transboundary and emerging diseases*. 2020;67(2):745-57.
425. Greiner AL, Mamuchishvili N, Kakutia N, Stauffer K, Geleishvili M, Chitadze N, et al. Crimean-Congo hemorrhagic fever knowledge, attitudes, practices, risk factors, and seroprevalence in rural Georgian villages with known transmission in 2014. *PloS one*. 2016;11(6):e0158049.
426. Gresíková M. [Isolation of "Bratislava" strains of tick-born-encephalitis virus from Ixodes ricinus ticks in Devín natural focus (author's transl)]. *Bratislavske lekarske listy*. 1975;64(1):52-7.
427. Gresíková M, Kozuch O, Molnár E. Human infection with tick-borne encephalitis virus in the Tribec region. *Bulletin of the World Health Organization*. 1967;36 Suppl(Suppl 1):81-4.
428. Gresíková M, Kozuch O, Sekeyová M, Nosek J. Studies on the ecology of tick-borne encephalitis virus in the Carpathian and Pannonian types of natural foci. *Acta virologica*. 1986;30(4):325-31.
429. Gresíková M, Sekeyová M. Characteristics of some tick--borne encephalitis virus strains isolated in Slovakia. *Acta virologica*. 1980;24(1):72-5.
430. Gresíková M, Sekeyová M, Stúpalová S, Necas S. Sheep milk-borne epidemic of tick-borne encephalitis in Slovakia. *Intervirology*. 1975;5(1-2):57-61.
431. Gresíková M, Sekeyová M, Weidnerová K, Blaskovic D, Steck F, Wandeler A. Isolation of tick-borne encephalitis virus from the brain of a sick dog in Switzerland. *Acta virologica*. 1972;16(1):88.
432. Gritsun TS, Frolova TV, Zhankov AI, Armesto M, Turner SL, Frolova MP, et al. Characterization of a siberian virus isolated from a patient with progressive chronic tick-borne encephalitis. *Journal of virology*. 2003;77(1):25-36.
433. Grygorczuk S, Dunaj-Małyszko J, Czapryna P, Sulik A, Toczyłowski K, Siemieniako-Werszko A, et al. The Detectability of the Viral RNA in Blood and Cerebrospinal Fluid of Patients with Tick-Borne Encephalitis. *International journal of molecular sciences*. 2022;23(16).
434. Grygorczuk S, Dunaj-Małyszko J, Sulik A, Toczyłowski K, Czapryna P, Żebrowska A, et al. The

- Lack of the Association of the CCR5 Genotype with the Clinical Presentation and Frequency of Tick-Borne Encephalitis in the Polish Population. *Pathogens* (Basel, Switzerland). 2022;11(3).
435. Grygorczuk S, Osada J, Parczewski M, Moniuszko A, Świerzbńska R, Kondrusik M, et al. The expression of the chemokine receptor CCR5 in tick-borne encephalitis. *Journal of neuroinflammation*. 2016;13:45.
 436. Grygorczuk S, Parczewski M, Moniuszko A, Świerzbńska R, Kondrusik M, Zajkowska J, et al. Increased concentration of interferon lambda-3, interferon beta and interleukin-10 in the cerebrospinal fluid of patients with tick-borne encephalitis. *Cytokine*. 2015;71(2):125-31.
 437. Grzeszczuk A, Ziarko S, Kovalchuk O, Stańczak J. Etiology of tick-borne febrile illnesses in adult residents of North-Eastern Poland: report from a prospective clinical study. *International journal of medical microbiology : IJMM*. 2006;296 Suppl 40:242-9.
 438. Grzybek M, Alsarraf M, Tołkacz K, Behnke-Borowczyk J, Biernat B, Stańczak J, et al. Seroprevalence of TBEV in bank voles from Poland-a long-term approach. *Emerg Microbes Infect*. 2018;7(1):145.
 439. Grzybek M, Tołkacz K, Alsarraf M, Dwużnik D, Szczepaniak K, Tomczuk K, et al. Seroprevalence of Tick-Borne Encephalitis Virus in Three Species of Voles (*Microtus* spp.) in Poland. *Journal of wildlife diseases*. 2020;56(2):492-4.
 440. Gu HX, Spence L, Artsob H, Chia WK, Th'ng C, Lampotang V. Serological evidence of infection with California serogroup viruses (family Bunyaviridae) in residents of Long Hua, suburb of Shanghai, People's Republic of China. *Trans R Soc Trop Med Hyg*. 1984;78(6):780-1.
 441. Gu XL, Su WQ, Zhou CM, Fang LZ, Zhu K, Ma DQ, et al. SFTSV infection in rodents and their ectoparasitic chiggers. *PLoS neglected tropical diseases*. 2022;16(8):e0010698.
 442. Gueye YB, Sall Y, Roka JL, Diagne I, Sow KD, Diallo A, et al. Case Management of Imported Crimean-Congo Hemorrhagic Fever, Senegal, July 2023. *Emerg Infect Dis*. 2024;30(4):805-7.
 443. Guidoum KA, Carrera-Faja L, Espunyes J, Pailler-García L, Benallou B, Bouabdelli S, et al. Crimean-Congo Hemorrhagic Fever Virus Seropositivity among Dromedary Camels, Algeria, 2020-2021. *Emerg Infect Dis*. 2023;29(12):2546-8.
 444. Gul S, Ozturk DB, Kisa U, Kacmaz B, Yesilyurt M. Procalcitonin level and its predictive effect on mortality in Crimean-Congo hemorrhagic fever patients. *Japanese journal of infectious diseases*. 2015;68(6):511-3.
 445. Gülhan B, Kanık-Yüksek S, Cetin II, Özkaya-Parlakay A, Tezer H. Myocarditis in a child with Crimean-Congo hemorrhagic fever. *Vector-Borne and Zoonotic Diseases*. 2015;15(9):565-7.
 446. GÜNaydin N, Aydin K, Yilmaz G, ÇAylan HR, KÖKsal İ. Crimean-Congo hemorrhagic fever cases in the eastern Black Sea Region of Turkey: demographic, geographic, climatic, and clinical characteristics. *Turkish Journal of Medical Sciences*. 2010;40(6):829-34.
 447. Guner R, Hasanoglu I, Yapar D, Tasyaran MA. A case of Crimean Congo hemorrhagic fever complicated with acalculous cholecystitis and intraabdominal abscess. *Journal of Clinical Virology*. 2011;50(2):162-3.
 448. Güneş T, Poyraz O, Ataş M, Alim A. [Seroprevalence of tick-borne encephalitis virus (TBEV) among the residents of rural areas in Sinop, central Black-Sea region, Turkey]. *Mikrobiyoloji bulteni*. 2010;44(4):585-91.
 449. Gunes T, Poyraz O, Vatansever Z. Crimean-Congo hemorrhagic fever virus in ticks collected from humans, livestock, and picnic sites in the hyperendemic region of Turkey. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2011;11(10):1411-6.
 450. Günther G, Haglund M, Lindquist L, Forsgren M, Sköldenberg B. Tick-borne encephalitis in Sweden in relation to aseptic meningo-encephalitis of other etiology: a prospective study of clinical course and outcome. *Journal of neurology*. 1997;244(4):230-8.
 451. Günther G, Haglund M, Lindquist L, Sköldenberg B, Forsgren M. Intrathecal production of neopterin and beta 2 microglobulin in tick-borne encephalitis (TBE) compared to meningoencephalitis of other etiology. *Scand J Infect Dis*. 1996;28(2):131-8.
 452. Günther G, Haglund M, Lindquist L, Sköldenberg B, Forsgren M. Intrathecal IgM, IgA and IgG antibody response in tick-borne encephalitis. Long-term follow-up related to clinical course and outcome. *Clinical and diagnostic virology*. 1997;8(1):17-29.
 453. Guo JJ, Lin XD, Chen YM, Hao ZY, Wang ZX, Yu ZM, et al. Diversity and circulation of Jingmen tick virus in ticks and mammals. *Virus evolution*. 2020;6(2):veaa051.
 454. Guo R, Shen S, Zhang Y, Shi J, Su Z, Liu D, et al. A new strain of Crimean-Congo hemorrhagic fever virus isolated from Xinjiang, China. *Virologica Sinica*. 2017;32(1):80-8.
 455. Guo WB, Shi WQ, Wang Q, Pan YS, Chang QC, Jiang BG, et al. Distribution of *Dermacentor*

- silvarum and Associated Pathogens: Meta-Analysis of Global Published Data and a Field Survey in China. *International journal of environmental research and public health*. 2021;18(9).
456. Gurbuz Y, Ozturk B, Tutuncu EE, Sencan I, Senturk GC, Altay FA. Evaluation of prognostic values of tissue plasminogen activator and plasminogen activator inhibitor-1 in Crimean-Congo hemorrhagic fever patients. *Jundishapur Journal of Microbiology*. 2015;8(10).
 457. Gustafson R, Forsgren M, Gardulf A, Granström M, Svenungsson B. Antibody prevalence and clinical manifestations of Lyme borreliosis and tick-borne encephalitis in Swedish orienteers. *Scand J Infect Dis*. 1993;25(5):605-11.
 458. Gustafson R, Forsgren M, Gardulf A, Granström M, Svenungsson B. Clinical manifestations and antibody prevalence of Lyme borreliosis and tick-borne encephalitis in Sweden: a study in five endemic areas close to Stockholm. *Scand J Infect Dis*. 1993;25(5):595-603.
 459. Gustafson R, Svenungsson B, Forsgren M, Gardulf A, Granström M. Two-year survey of the incidence of Lyme borreliosis and tick-borne encephalitis in a high-risk population in Sweden. *European journal of clinical microbiology & infectious diseases* : official publication of the European Society of Clinical Microbiology. 1992;11(10):894-900.
 460. Gustafson R, Svenungsson B, Gardulf A, Stiernstedt G, Forsgren M. Prevalence of tick-borne encephalitis and Lyme borreliosis in a defined Swedish population. *Scand J Infect Dis*. 1990;22(3):297-306.
 461. Guven G, Talan L, Altintas ND, Memikoglu KO, Yoruk F, Azap A. An Unexpected Fatal CCHF Case and Management of Exposed Health Care Workers. *International journal of infectious diseases* : IJID : official publication of the International Society for Infectious Diseases. 2017;55:118-21.
 462. Habibzadeh S, Mohammadshahi J, Bakhshzadeh A, Moradi-Asl E. The First Outbreak of Crimean-Congo Hemorrhagic Fever Disease in Northwest of Iran. *Acta parasitologica*. 2021;66(3):1086-8.
 463. Hadlow WJ. Histopathologic changes in suckling mice infected with the virus of Colorado tick fever. *The Journal of infectious diseases*. 1957;101(2):158-67.
 464. Haig DA, Woodall JP, Danskin D. THOGOTO VIRUS: A HITHERTO UNDERSCRIBED AGENT ISOLATED FROM TICKS IN KENYA. *Journal of general microbiology*. 1965;38:389-94.
 465. Hall RR, McKiel JA, Gregson JD. Occurrence of Colorado tick fever virus in *Dermacentor andersoni* ticks in British Columbia. *Canadian journal of public health = Revue canadienne de sante publique*. 1968;59(7):273-5.
 466. Ham H, Jo S, Jang J, Choi S. No detection of severe fever with thrombocytopenia syndrome virus from ixodid ticks collected in Seoul. *The Korean journal of parasitology*. 2014;52(2):221.
 467. Han MA, Kim CM, Kim DM, Yun NR, Park SW, Han MG, et al. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus Antibodies in Rural Areas, South Korea. *Emerg Infect Dis*. 2018;24(5):872-4.
 468. Han SW, Cho YK, Rim JM, Kang JG, Choi KS, Chae JS. Molecular and Serological Survey of Severe Fever with Thrombocytopenia Syndrome Virus in Horses from the Republic of Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2023;23(11):595-603.
 469. Han X, Aho M, Vene S, Peltomaa M, Vaheri A, Vapalahti O. Prevalence of tick-borne encephalitis virus in *Ixodes ricinus* ticks in Finland. *J Med Virol*. 2001;64(1):21-8.
 470. Han X, Juceviciene A, Uzcategui NY, Brummer-Korvenkontio H, Zygtiene M, Jääskeläinen A, et al. Molecular epidemiology of tick-borne encephalitis virus in *Ixodes ricinus* ticks in Lithuania. *J Med Virol*. 2005;77(2):249-56.
 471. Harris E. Genome Analysis Identified Powassan Hot Spots in Northeast US. *Jama*. 2023;329(19):1633.
 472. Hart C, Hassett E, Vogels CBF, Shapley D, Grubaugh ND, Thangamani S. Powassan Virus Lineage I in Field-Collected *Dermacentor variabilis* Ticks, New York, USA. *Emerg Infect Dis*. 2023;29(2):415-7.
 473. Hartlaub J, Daodu OB, Sadeghi B, Keller M, Olopade J, Oluwayelu D, et al. Cross-Reaction or Co-Infection? Serological Discrimination of Antibodies Directed against Dugbe and Crimean-Congo Hemorrhagic Fever Orthonaviruses in Nigerian Cattle. *Viruses*. 2021;13(7).
 474. Hasan Z, Atkinson B, Jamil B, Samreen A, Altaf L, Hewson R. Short report: Diagnostic testing for hemorrhagic fevers in Pakistan: 2007-2013. *The American journal of tropical medicine and hygiene*. 2014;91(6):1243-6.
 475. Hasan Z, Mahmood F, Jamil B, Atkinson B, Mohammed M, Samreen A, et al. Crimean-Congo hemorrhagic fever nosocomial infection in a immunosuppressed patient, Pakistan: case report and virological investigation. *J Med Virol*. 2013;85(3):501-4.
 476. Hasanoglu I, Guner R, Carhan A, Kocak Tufan Z, Yagci-Caglayik D, Guven T, et al. Crucial

- parameter of the outcome in Crimean Congo hemorrhagic fever: Viral load. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2016;75:42-6.
477. Hasanoglu I, Guner R, Carhan A, Z KT, D YC, Yilmaz GR, et al. Dynamics of viral load in Crimean Congo hemorrhagic fever. *J Med Virol*. 2018;90(4):639-43.
 478. Hashimoto T, Yahiro T, Yamada K, Kimitsuki K, Okuyama MW, Honda A, et al. Distribution of Severe Fever with Thrombocytopenia Syndrome Virus and Antiviral Antibodies in Wild and Domestic Animals in Oita Prefecture, Japan. *The American journal of tropical medicine and hygiene*. 2022;106(5):1547-51.
 479. Hassanein KM, El-Azazy OM. Isolation of Crimean-Congo hemorrhagic fever virus from ticks on imported Sudanese sheep in Saudi Arabia. *Annals of Saudi medicine*. 2000;20(2):153-4.
 480. Hassanein KM, el-Azazy OM, Yousef HM. Detection of Crimean-Congo haemorrhagic fever virus antibodies in humans and imported livestock in Saudi Arabia. *Trans R Soc Trop Med Hyg*. 1997;91(5):536-7.
 481. Haut M, Grl P, Oswald B, Romig T, Obiegala A, Dobler G, et al. The Red Fox (*Vulpes vulpes*) as Sentinel for Tick-Borne Encephalitis Virus in Endemic and Non-Endemic Areas. *Microorganisms*. 2020;8(11).
 482. Hayasaka D, Fuxun Y, Yoshikawa A, Posadas-Herrera G, Shimada S, Tun MM, et al. Seroepidemiological evidence of severe fever with thrombocytopenia syndrome virus infections in wild boars in Nagasaki, Japan. *Tropical medicine and health*. 2016;44:6.
 483. Hayasaka D, Ivanov L, Leonova GN, Goto A, Yoshii K, Mizutani T, et al. Distribution and characterization of tick-borne encephalitis viruses from Siberia and far-eastern Asia. *The Journal of general virology*. 2001;82(Pt 6):1319-28.
 484. Hayasaka D, Shimada S, Aoki K, Takamatsu Y, Uchida L, Horio M, et al. Epidemiological Survey of Severe Fever with Thrombocytopenia Syndrome Virus in Ticks in Nagasaki, Japan. *Tropical medicine and health*. 2015;43(3):159-64.
 485. He X, Zhao J, Fu S, Yao L, Gao X, Liu Y, et al. Complete Genomic Characterization of Three Tick-Borne Encephalitis Viruses Detected Along the China-North Korea Border, 2011. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2018;18(10):554-9.
 486. Head JR, Bumburidi Y, Mirzabekova G, Rakhimov K, Dzhumankulov M, Salyer SJ, et al. Risk Factors for and Seroprevalence of Tickborne Zoonotic Diseases among Livestock Owners, Kazakhstan. *Emerg Infect Dis*. 2020;26(1):70-80.
 487. Heinz FX, Stiasny K, Holzmann H, Kundi M, Sixl W, Wenk M, et al. Emergence of tick-borne encephalitis in new endemic areas in Austria: 42 years of surveillance. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*. 2015;20(13):9-16.
 488. Hekimoğlu HC, Demirci NA. Evaluation of cases with a preliminary diagnosis of Crimean-Congo hemorrhagic fever and comparison of characteristics in patients admitted to a secondary care hospital in Kastamonu, Turkey. *African Health Sciences*. 2014;14(4):873-81.
 489. Hekimoglu O, Ozer N, Ergunay K, Ozkul A. Species distribution and detection of Crimean Congo Hemorrhagic Fever Virus (CCHFV) in field-collected ticks in Ankara Province, Central Anatolia, Turkey. *Experimental & applied acarology*. 2012;56(1):75-84.
 490. Hekrlová A, Kubíček O, Lány P, Rosenbergová K, Schánílec P. Tick-borne encephalitis in dogs: application of "nested real-time RT-PCR" for intravital virus detection. *Berliner und Munchener tierärztliche Wochenschrift*. 2015;128(9-10):397-401.
 491. Hellenbrand W, Kreusch T, Böhmer MM, Wagner-Wiening C, Dobler G, Wichmann O, et al. Epidemiology of Tick-Borne Encephalitis (TBE) in Germany, 2001-2018. *Pathogens (Basel, Switzerland)*. 2019;8(2).
 492. Hemmer CJ, Littmann M, Löbermann M, Lafrenz M, Böttcher T, Reisinger EC. Tickborne meningoencephalitis, first case after 19 years in northeastern Germany. *Emerg Infect Dis*. 2005;11(4):633-4.
 493. Henigst W. [Tick-born encephalitis in southeastern Bavaria (F.R. of Germany) (author's transl)]. *Medizinische Klinik*. 1977;72(43):1822-8.
 494. Henningsson AJ, Lindqvist R, Norberg P, Lindblom P, Roth A, Forsberg P, et al. Human Tick-Borne Encephalitis and Characterization of Virus from Biting Tick. *Emerg Infect Dis*. 2016;22(8):1485-7.
 495. Herpe B, Schuffenecker I, Pillot J, Malvy D, Clouzeau B, Bui N, et al. Tickborne encephalitis, southwestern France. *Emerg Infect Dis*. 2007;13(7):1114-6.
 496. Hevey MA, O'Halloran JA, Jagger BW, Staples JE, Lambert AJ, Panella AJ, et al. Heartland virus infection in a heart transplant recipient from the Heartland. *Transplant infectious disease : an official*

- journal of the Transplantation Society. 2019;21(4):e13098.
497. Hicar MD, Edwards K, Bloch K. Powassan virus infection presenting as acute disseminated encephalomyelitis in Tennessee. *The Pediatric infectious disease journal*. 2011;30(1):86-8.
 498. Hidaka K, Mitoma S, Norimine J, Shimojima M, Kuroda Y, Hinoura T. Seroprevalence for severe fever with thrombocytopenia syndrome virus among the residents of Miyazaki, Japan: An epidemiological study. *Journal of infection and chemotherapy : official journal of the Japan Society of Chemotherapy*. 2024;30(6):481-7.
 499. Hills SL, Broussard KR, Broyhill JC, Shastry LG, Cossaboom CM, White JL, et al. Tick-borne encephalitis among US travellers, 2010-20. *Journal of travel medicine*. 2022;29(2).
 500. Hinten SR, Beckett GA, Gensheimer KF, Pritchard E, Courtney TM, Sears SD, et al. Increased recognition of Powassan encephalitis in the United States, 1999-2005. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2008;8(6):733-40.
 501. Hjetland R, Henningsson AJ, Vainio K, Dudman SG, Grude N, Ulvestad E. Seroprevalence of antibodies to tick-borne encephalitis virus and *Anaplasma phagocytophilum* in healthy adults from western Norway. *Infectious diseases (London, England)*. 2015;47(1):52-6.
 502. Hoffman T, Lindeborg M, Barboutis C, Erciyas-Yavuz K, Evander M, Fransson T, et al. Alkhurma Hemorrhagic Fever Virus RNA in *Hyalomma rufipes* Ticks Infesting Migratory Birds, Europe and Asia Minor. *Emerg Infect Dis*. 2018;24(5):879-82.
 503. Holbach M, Oehme R. [Tick-borne encephalitis and Lyme borreliosis. Spread of pathogens and risk of illness in a tick-borne encephalitis region]. *Fortschritte der Medizin Originalien*. 2002;120(4):113-8.
 504. Holding M, Dowall SD, Medlock JM, Carter DP, McGinley L, Curran-French M, et al. Detection of new endemic focus of tick-borne encephalitis virus (TBEV), Hampshire/Dorset border, England, September 2019. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*. 2019;24(47).
 505. Holding M, Dowall SD, Medlock JM, Carter DP, Pullan ST, Lewis J, et al. Tick-Borne Encephalitis Virus, United Kingdom. *Emerg Infect Dis*. 2020;26(1):90-6.
 506. Holmgren EB, Forsgren M. Epidemiology of tick-borne encephalitis in Sweden 1956-1989: a study of 1116 cases. *Scand J Infect Dis*. 1990;22(3):287-95.
 507. Holub M, Spisek R, Rohacova H, Hancil J, Aster V, Lobovska A. Lymphocytic sub-populations in serous meningitis in the cerebrospinal fluid and blood. *Ceska a Slovenska Neurologie a Neurochirurgie*. 2000;63(5):255-60.
 508. Hönig V, Svec P, Halas P, Vavruskova Z, Tykalova H, Kilian P, et al. Ticks and tick-borne pathogens in South Bohemia (Czech Republic)--Spatial variability in *Ixodes ricinus* abundance, *Borrelia burgdorferi* and tick-borne encephalitis virus prevalence. *Ticks Tick Borne Dis*. 2015;6(5):559-67.
 509. Horton KC, Fahmy NT, Watany N, Zayed A, Mohamed A, Ahmed AA, et al. Crimean Congo Hemorrhagic Fever Virus and Alkhurma (Alkhumra) Virus in Ticks in Djibouti. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2016;16(10):680-2.
 510. Hu B, Cai K, Liu M, Li W, Xu J, Qiu F, et al. Laboratory detection and molecular phylogenetic analysis of severe fever with thrombocytopenia syndrome virus in Hubei Province, central China. *Arch Virol*. 2018;163(12):3243-54.
 511. Hu JL, Li ZF, Wang XC, Hong L, He H, Chen WG, et al. Risk Factors for Bunyavirus-Associated Severe Fever with Thrombocytopenia Syndrome: A Community-Based Case-Control Study. *PLoS One*. 2016;11(11):e0166611.
 512. Huang L, Liu S, Chen L, Wang F, Ye P, Xia L, et al. Identification of novel Jingmen tick virus from parasitic ticks fed on a giant panda and goats in Sichuan Province, southwestern China. *Frontiers in microbiology*. 2023;14:1179173.
 513. Huang X, Ding S, Jiang X, Pang B, Zhang Q, Li C, et al. Detection of SFTS virus RNA and antibodies in severe fever with thrombocytopenia syndrome surveillance cases in endemic areas of China. *BMC Infect Dis*. 2019;19(1):476.
 514. Huang X, Zhang Z, Jin G, Wang X, Tan C, Yin H, et al. Presence of Antibodies against Severe Fever with Thrombocytopenia Syndrome Virus in Non-Endemic Areas of China. *Jpn J Infect Dis*. 2017;70(3):248-51.
 515. Huang XX, Du SS, Li AQ, Li C, Tian TT, Liu TZ, et al. [Epidemiological characteristics of severe fever with thrombocytopenia syndrome in China, 2018-2021]. *Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi*. 2024;45(1):112-6.
 516. Huang XY, Du YH, Wang HF, You AG, Li Y, Su J, et al. Prevalence of severe fever with thrombocytopenia syndrome virus in animals in Henan Province, China. *Infectious diseases of*

- poverty. 2019;8(1):56.
517. Hubálek Z, Bárdos V, Mittermayer T, Kuhn J. Detection of human Bhanja virus-specific antibodies in Czechoslovakia. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1982;26(2):181-6.
 518. Hubálek Z, Cerný V, Mittermayer T, Kilík J, Halouzka J, Juricová Z, et al. Arbovirological survey in Silica plateau area, Rožnava District, Czechoslovakia. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1986;30(1):87-98.
 519. Hubálek Z, Juricová Z. A serological survey for Bhanja virus in Czechoslovakia. *Zentralblatt für Bakteriologie, Mikrobiologie, und Hygiene Series A, Medical microbiology, infectious diseases, virology, parasitology*. 1984;258(4):540-3.
 520. Hubálek Z, Juricová Z, Svobodová S, Halouzka J. A serologic survey for some bacterial and viral zoonoses in game animals in the Czech Republic. *Journal of wildlife diseases*. 1993;29(4):604-7.
 521. Hubálek Z, Kriz B, Halouzka J. Serologic survey of humans for flavivirus West Nile in Southern Moravia (Czech Republic). *Cent Eur J Public Health*. 2011;19(3):131-3.
 522. Hubálek Z, Mitterpák J, Prokopic J, Juricová Z, Kilík J. A serological survey for Bhanja and tick-borne encephalitis viruses in sheep of eastern Slovakia. *Folia parasitologica*. 1985;32(3):279-83.
 523. Hubálek Z, Ryba J, Bárdos V, Juricová Z, editors. ISOLATION OF UUKUNIEMI AND TICK-BORNE ENCEPHALITIS VIRUSES FROM Ixodes ricinus NEAR VRANOV RESERVOIR. *FOLIA MICROBIOLOGICA*; 1977 1977: SPRINGER VAN GODEWIJCKSTRAAT 30, 3311 GZ DORDRECHT, NETHERLANDS.
 524. Hudopisk N, Korva M, Janet E, Simetinger M, Grgič-Vitek M, Gubenšek J, et al. Tick-borne encephalitis associated with consumption of raw goat milk, Slovenia, 2012. *Emerg Infect Dis*. 2013;19(5):806-8.
 525. Hughes EC, de Glanville W, Kibona T, Mmbaga BT, Rostal MK, Swai ES, et al. Crimean-Congo Hemorrhagic Fever Virus Seroprevalence in Human and Livestock Populations, Northern Tanzania. *Emerg Infect Dis*. 2024;30(4):836-8.
 526. Hunfeld KP, Allwinn R, Peters S, Kraiczky P, Brade V. Serologic evidence for tick-borne pathogens other than *Borrelia burgdorferi* (TOBB) in Lyme borreliosis patients from midwestern Germany. *Wiener klinische Wochenschrift*. 1998;110(24):901-8.
 527. Hwang J, Kang JG, Oh SS, Chae JB, Cho YK, Cho YS, et al. Molecular detection of severe fever with thrombocytopenia syndrome virus (SFTSV) in feral cats from Seoul, Korea. *Ticks Tick Borne Dis*. 2017;8(1):9-12.
 528. Iashkulov KB, Shchelkanov M, L'Vov S S, Dzhambinov SD, Galkina IV, Fediakina IT, et al. [Isolation of influenza virus A (Orthomyxoviridae, Influenza A virus), Dhori virus (Orthomyxoviridae, Thogotovirus), and Newcastle's disease virus (Paromyxoviridae, Avulavirus) on the Malyi Zhemchuzhnyi Island in the north-western area of the Caspian Sea]. *Voprosy virusologii*. 2008;53(3):34-8.
 529. Ibrahim AM, Adam IA, Osman BT, Aradaib IE. Epidemiological survey of Crimean Congo hemorrhagic fever virus in cattle in East Darfur State, Sudan. *Ticks Tick Borne Dis*. 2015;6(4):439-44.
 530. Iff T, Meier R, Olah E, Schneider JF, Tibussek D, Berger C. Tick-borne meningo-encephalitis in a 6-week-old infant. *European journal of pediatrics*. 2005;164(12):787-8.
 531. Ignatieva EV, Yurchenko AA, Voevoda MI, Yudin NS. Exome-wide search and functional annotation of genes associated in patients with severe tick-borne encephalitis in a Russian population. *BMC medical genomics*. 2019;12(Suppl 3):61.
 532. Ilic M, Barbic L, Bogdanic M, Tabain I, Savic V, Kosanovic Licina ML, et al. Tick-borne encephalitis outbreak following raw goat milk consumption in a new micro-location, Croatia, June 2019. *Ticks Tick Borne Dis*. 2020;11(6):101513.
 533. Inagaki E, Sakai M, Hirano M, Muto M, Kobayashi S, Kariwa H, et al. Development of a serodiagnostic multi-species ELISA against tick-borne encephalitis virus using subviral particles. *Ticks Tick Borne Dis*. 2016;7(5):723-9.
 534. İnci A, Kalafat UM, Baştürk M, Doğan S, Ocak T. Evaluation of gastrointestinal system findings in Crimean-Congo hemorrhagic fever patients. *Eurasian Journal of Emergency Medicine*. 2016;15(2):105.
 535. Ingenhoff J-E, Mühlemann M, Ackermann-Gäumann R, Moor D, Berger T. Risk assessment of the alimentary transmission of tick-borne encephalitis viruses from goats to humans by milk and milk products in Swiss alpine regions. *Journal of Food Safety & Food Quality/Archiv für Lebensmittelhygiene*. 2020;71(5).

536. Ishijima K, Phichitraslip T, Naimon N, Ploypichai P, Kriebkajon B, Chinarak T, et al. High Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus Infection among the Dog Population in Thailand. *Viruses*. 2023;15(12).
537. Ishijima K, Tatemoto K, Park E, Kimura M, Fujita O, Taira M, et al. Lethal Disease in Dogs Naturally Infected with Severe Fever with Thrombocytopenia Syndrome Virus. *Viruses*. 2022;14(9).
538. Izadi S, Holakouie-Naieni K, Majdzadeh SR, Chinikar S, Nadim A, Rakhshani F, et al. Seroprevalence of Crimean-Congo hemorrhagic fever in Sistan-va-Baluchestan province of Iran. *Jpn J Infect Dis*. 2006;59(5):326-8.
539. Izadi S, Naieni KH, Madjdzadeh SR, Nadim A. Crimean-Congo hemorrhagic fever in Sistan and Baluchestan Province of Iran, a case-control study on epidemiological characteristics. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2004;8(5):299-306.
540. Jääskeläinen A, Tonteri E, Pieninkeroinen I, Sironen T, Voutilainen L, Kuusi M, et al. Siberian subtype tick-borne encephalitis virus in *Ixodes ricinus* in a newly emerged focus, Finland. *Ticks Tick Borne Dis*. 2016;7(1):216-23.
541. Jääskeläinen AE, Tikkakoski T, Uzcátegui NY, Alekseev AN, Vaheri A, Vapalahti O. Siberian subtype tickborne encephalitis virus, Finland. *Emerg Infect Dis*. 2006;12(10):1568-71.
542. Jääskeläinen AE, Tonteri E, Sironen T, Pakarinen L, Vaheri A, Vapalahti O. European subtype tick-borne encephalitis virus in *Ixodes persulcatus* ticks. *Emerg Infect Dis*. 2011;17(2):323-5.
543. Jackson KC, Gidlewski T, Root JJ, Bosco-Lauth AM, Lash RR, Harmon JR, et al. Bourbon Virus in Wild and Domestic Animals, Missouri, USA, 2012-2013. *Emerg Infect Dis*. 2019;25(9):1752-3.
544. Jaenson TGT, Wilhelmsson P. First records of tick-borne pathogens in populations of the taiga tick *Ixodes persulcatus* in Sweden. *Parasites & vectors*. 2019;12(1):559.
545. Jafari A, Rasekh M, Saadati D, Faghihi F, Fazlalipour M. Molecular detection of Crimean-Congo Haemorrhagic Fever (CCHF) virus in hard ticks from South Khorasan, east of Iran. *J Vector Borne Dis*. 2022;59(3):241-5.
546. Jahfari S, de Vries A, Rijks JM, Van Gucht S, Vennema H, Sprong H, et al. Tick-Borne Encephalitis Virus in Ticks and Roe Deer, the Netherlands. *Emerg Infect Dis*. 2017;23(6):1028-30.
547. Jahfari S, Sarksyas DS, Kolyasnikova NM, Hovius JW, Sprong H, Platonov AE. Evaluation of a serological test for the diagnosis of *Borrelia miyamotoi* disease in Europe. *Journal of microbiological methods*. 2017;136:11-6.
548. Jakimovski D, Grozdanovski K, Rangelov G, Pavleva V, Banović P, Cabezas-Cruz A, et al. Cases of Crimean-Congo haemorrhagic fever in North Macedonia, July to August 2023. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2023;28(34).
549. Jamsransuren D, Yoshii K, Kariwa H, Asakawa M, Okuda K, Fujii K, et al. Epidemiological survey of tick-borne encephalitis virus infection in wild animals on Hokkaido and Honshu islands, Japan. *Japanese Journal of Veterinary Research*. 2019;67(2):163-72.
550. Jauréguiberry S, Tattevin P, Tarantola A, Legay F, Tall A, Nabeth P, et al. Imported Crimean-Congo hemorrhagic Fever. *Journal of clinical microbiology*. 2005;43(9):4905-7.
551. Jelínková-Skalová E, Tesarová J, Buresová D, Kouba K, Hronovský V. [Laboratory infection with virus of Omsk haemorrhagic fever with neurological and psychiatric symptomatology (author's transl)]. *Ceskoslovenska epidemiologie, mikrobiologie, imunologie*. 1974;23(4-5):290-3.
552. Jemeršić L, Deždek D, Brnić D, Prpić J, Janicki Z, Keros T, et al. Detection and genetic characterization of tick-borne encephalitis virus (TBEV) derived from ticks removed from red foxes (*Vulpes vulpes*) and isolated from spleen samples of red deer (*Cervus elaphus*) in Croatia. *Ticks Tick Borne Dis*. 2014;5(1):7-13.
553. Jereb M, Karner P, Muzlovic I, Jurca T. Severe tick-borne encephalitis in Slovenia in the years 2001-2005: time for a mass vaccination campaign? *Wiener klinische Wochenschrift*. 2006;118(23-24):765-8.
554. Jereb M, Muzlovic I, Avsic-Zupanc T, Karner P. Severe tick-borne encephalitis in Slovenia: epidemiological, clinical and laboratory findings. *Wiener klinische Wochenschrift*. 2002;114(13-14):623-6.
555. Ji N, Wang N, Li F, Zhao S, Liu G, Tan W, et al. Tacheng tick virus 1 in ticks, livestock, and wildlife in Border Regions of China-Kazakhstan. *Authorea Preprints*. 2022.
556. Ji N, Wang N, Liu G, Zhao S, Liu Z, Tan W, et al. Tacheng Tick Virus 1 and Songling Virus Infection in Great Gerbils (*Rhombomys opimus*) in Northwestern China. *Journal of wildlife diseases*. 2023;59(1):138-42.

557. Jia N, Liu HB, Ni XB, Bell-Sakyi L, Zheng YC, Song JL, et al. Emergence of human infection with Jingmen tick virus in China: A retrospective study. *EBioMedicine*. 2019;43:317-24.
558. Jo YS, Kang JG, Chae JB, Cho YK, Shin JH, Jheong WH, et al. Prevalence of Severe Fever with Thrombocytopenia Syndrome Virus in Ticks Collected from National Parks in Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2019;19(4):284-9.
559. Johan F, Åsa L, Rolf A, Barbro C, Ingvar E, Mats H, et al. Tick-borne encephalitis (TBE) in Skåne, southern Sweden: A new TBE endemic region? *Scandinavian journal of infectious diseases*. 2006;38(9):800-4.
560. Johnson DK, Staples JE, Sotir MJ, Warshauer DM, Davis JP. Tickborne Powassan virus infections among Wisconsin residents. *WMJ : official publication of the State Medical Society of Wisconsin*. 2010;109(2):91-7.
561. Johnson HN. Isolation of Powassan virus from a spotted skunk in California. *Journal of wildlife diseases*. 1987;23(1):152-3.
562. Johnson IM, Scheckel C, Parikh SA,ENZLER M, Fugate J, Call TG. Fatal Powassan virus encephalitis in patients with chronic lymphocytic leukemia. *Blood cancer journal*. 2022;12(10):143.
563. Johnson N, Golding M, Phipps LP. Detection of Tick-Borne Pathogens in Red Deer (*Cervus elaphus*), United Kingdom. *Pathogens (Basel, Switzerland)*. 2021;10(6).
564. Johnson N, Migné CV, Gonzalez G. Tick-borne encephalitis. *Current opinion in infectious diseases*. 2023;36(3):198-202.
565. Johnson TL, Graham CB, Maes SE, Hojgaard A, Fleshman A, Boegler KA, et al. Prevalence and distribution of seven human pathogens in host-seeking *Ixodes scapularis* (Acari: Ixodidae) nymphs in Minnesota, USA. *Ticks Tick Borne Dis*. 2018;9(6):1499-507.
566. Joshi MV, Geevarghese G, Joshi GD, Ghodke YS, Mourya DT, Mishra AC. Isolation of Ganjam virus from ticks collected off domestic animals around Pune, Maharashtra, India. *Journal of medical entomology*. 2005;42(2):204-6.
567. Jourdain E, Olsen B, Lundkvist A, Hubálek Z, Sikutová S, Waldenström J, et al. Surveillance for West Nile virus in wild birds from northern Europe. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2011;11(1):77-9.
568. Juceviciene A, Vapalahti O, Laiskonis A, Cepkikiene J, Leinikki P. Prevalence of tick-borne-encephalitis virus antibodies in Lithuania. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2002;25(1):23-7.
569. Juceviciene A, Zygtiene M, Leinikki P, Brummer-Korvenkontio H, Salminen M, Han X, et al. Tick-borne encephalitis virus infections in Lithuanian domestic animals and ticks. *Scand J Infect Dis*. 2005;37(10):742-6.
570. Juchnowicz D, Rudnik I, Czernikiewicz A, Zajkowska J, Pancewicz SA. [Mental disorders in the course of lyme borreliosis and tick borne encephalitis]. *Przegląd epidemiologiczny*. 2002;56 Suppl 1:37-50.
571. Juricová Z, Hubálek Z, Chalupský V. [An arbovirus study of pregnant women in Southern Moravia]. *Ceskoslovenska gynekologie*. 1989;54(2):91-5.
572. Juricová Z, Hubálek Z, Halouzka J, Hudec K, Pellantová J. Results of arbovirological examination of birds of the family Hirundinidae in Czechoslovakia. *Folia parasitologica*. 1989;36(4):379-83.
573. Juricová Z, Hubálek Z, Halouzka J, Pellantová J, Chytil J. Haemagglutination-inhibiting antibodies against arboviruses of the families Togaviridae and Bunyaviridae in birds caught in southern Moravia, Czechoslovakia. *Folia parasitologica*. 1987;34(3):281-4.
574. Juricová Z, Pinowski J, Literák I, Hahm KH, Romanowski J. Antibodies to alphavirus, flavivirus, and bunyavirus arboviruses in house sparrows (*Passer domesticus*) and tree sparrows (*P. montanus*) in Poland. *Avian diseases*. 1998;42(1):182-5.
575. Jurke A, Bannert N, Brehm K, Fingerle V, Kempf VA, Kömpf D, et al. Serological survey of Bartonella spp., Borrelia burgdorferi, Brucella spp., Coxiella burnetii, Francisella tularensis, Leptospira spp., Echinococcus, Hanta-, TBE- and XMR-virus infection in employees of two forestry enterprises in North Rhine-Westphalia, Germany, 2011-2013. *International journal of medical microbiology : IJMM*. 2015;305(7):652-62.
576. Kadanali A, Erol S, Özkurt Z, Özden K. Epidemiological risk factors for Crimean-Congo hemorrhagic fever patients. *Turkish Journal of Medical Sciences*. 2009;39(6):829-32.
577. Kadkhoda K, Semus M, Jelic T, Walkty A. Case Report: A Case of Colorado Tick Fever Acquired in Southwestern Saskatchewan. *The American journal of tropical medicine and hygiene*. 2018;98(3):891-3.
578. Kahl O, Radda AC. Occurrence of tick-borne encephalitis (TBE) virus in Berlin (West). *Zentralblatt*

- fur Bakteriologie, Mikrobiologie, und Hygiene Series A, Medical microbiology, infectious diseases, virology, parasitology. 1988;268(4):482-6.
579. Kaiser R. The clinical and epidemiological profile of tick-borne encephalitis in southern Germany 1994-98: a prospective study of 656 patients. *Brain : a journal of neurology*. 1999;122 (Pt 11):2067-78.
 580. Kaiser R. Incidence and occurrence of tick-borne encephalitis and neuroborreliosis in Germany. *Ticks Tick Borne Dis*. 2022;13(2):101867.
 581. Kaiser R, Kern A, Kampa D, Neumann-Haefelin D. Prevalence of antibodies to *Borrelia burgdorferi* and tick-borne encephalitis virus in an endemic region in southern Germany. *Zentralblatt für Bakteriologie : international journal of medical microbiology*. 1997;286(4):534-41.
 582. Kajihara M, Simuunza M, Saasa N, Dautu G, Mori-Kajihara A, Qiu Y, et al. Serologic and molecular evidence for circulation of Crimean-Congo hemorrhagic fever virus in ticks and cattle in Zambia. *PLoS neglected tropical diseases*. 2021;15(6):e0009452.
 583. Kakoullis L, Yalcin A, AbdelRazek MA, Sasson JP, Behlau I. Powassan virus infection presenting as acute encephalitis in a patient from the New England area: a case report. *Neurological sciences : official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*. 2022;43(8):5119-23.
 584. Kalaycıoğlu AT, Durmaz R, Güldemir D, Korukluoğlu G, Ertek M. Genetic analysis of the partial M RNA segment of Crimean-Congo hemorrhagic fever viruses in Turkey. *Kafkas Univ Vet Fak Derg*. 2013;19(Suppl-A):A147-A52.
 585. Kalaycıoğlu AT, Durmaz R, Uyar Y, Unaldi O, Aksekili E, Ozkul A, et al. Lack of genetic diversity in Crimean-Congo hemorrhagic fever viruses in Turkey: assessment of present and future patterns of disease. *J Med Virol*. 2012;84(3):471-8.
 586. Kaluzová M, Kaluz S, Kozuch O, Pastorek J, Labuda M. Nucleotide sequence of the protein E gene of the tick-borne encephalitis virus strain 595 isolated in Slovakia. *Acta virologica*. 1995;39(3):165-9.
 587. Kamboj A, Pateriya AK, Mishra A, Ranaware P, Kulkarni DD, Raut AA. Novel molecular beacon probe-based real-time RT-PCR assay for diagnosis of Crimean-Congo hemorrhagic fever encountered in India. *BioMed research international*. 2014;2014:496219.
 588. Kaneko C, Mekata H, Umeki K, Sudaryatma PE, Irie T, Yamada K, et al. Seroprevalence of severe fever with thrombocytopenia syndrome virus in medium-sized wild mammals in Miyazaki, Japan. *Ticks Tick Borne Dis*. 2023;14(2):102115.
 589. Kang JG, Cho YK, Han SW, Jeon K, Choi H, Kim JH, et al. Molecular and Serological Investigation of Severe Fever with Thrombocytopenia Syndrome Virus in Cats. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2020;20(12):916-20.
 590. Kang JG, Cho YK, Jo YS, Chae JB, Joo YH, Park KW, et al. Severe Fever with Thrombocytopenia Syndrome Virus in Dogs, South Korea. *Emerg Infect Dis*. 2019;25(2):376-8.
 591. Kang JG, Cho YK, Jo YS, Chae JB, Oh SS, Kim KH, et al. Prevalence of severe fever with thrombocytopenia syndrome virus in black goats (*Capra hircus coreanae*) in the Republic of Korea. *Ticks Tick Borne Dis*. 2018;9(5):1153-7.
 592. Kang JG, Cho YK, Jo YS, Han SW, Chae JB, Park JE, et al. Severe Fever with Thrombocytopenia Syndrome Virus in Ticks in the Republic of Korea. *Korean J Parasitol*. 2022;60(1):65-71.
 593. Kang JG, Oh SS, Jo YS, Chae JB, Cho YK, Chae JS. Molecular Detection of Severe Fever with Thrombocytopenia Syndrome Virus in Korean Domesticated Pigs. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2018;18(8):450-2.
 594. Kapoor T, Murray L, Kuvaldina M, Jiang CS, Peace AA, Agudelo M, et al. Prevalence of Powassan Virus Seropositivity Among People with History of Lyme Disease and Non-Lyme Community Controls in the Northeastern United States. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2024;24(4):226-36.
 595. Kara SS, Kara D, Fettah A. Various clinical conditions can mimic Crimean-Congo hemorrhagic fever in pediatric patients in endemic regions. *Journal of Infection and Public Health*. 2016;9(5):626-32.
 596. Karakecili F, Cikman A, Aydin M, Binay UD, Kesik OA, Ozcicek F. Evaluation of epidemiological, clinical, and laboratory characteristics and mortality rate of patients with Crimean-Congo hemorrhagic fever in the northeast region of Turkey. *J Vector Borne Dis*. 2018;55(3):215-21.
 597. Karakus N, Yigit S, Duygu F, Barut S, Rustemoglu A, Basol N. Effects of Paraoxonase-1 variants on course of severity and mortality of Crimean-Congo hemorrhagic fever. *Gene*. 2019;687:188-92.
 598. Karamese M, Ozmen E, Aydin H, Timurkan MO, Fakirullahoglu M. Molecular characterization of

- small and medium segments of Crimean-Congo hemorrhagic fever virus in Turkey. *Future Virology*. 2020;15(4):245-52.
599. Karan LS, Ciccozzi M, Yakimenko VV, Lo Presti A, Cella E, Zehender G, et al. The deduced evolution history of Omsk hemorrhagic fever virus. *J Med Virol*. 2014;86(7):1181-7.
 600. Karan LS, Koliashnikova NM, Toporkova MG, Makhneva MA, Nadezhkina MV, Esaulkova A, et al. [Usage of real time polymerase chain reaction for diagnostics of different tick-borne infections]. *Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 2010(3):72-7.
 601. Karas F, Vargina S, Steblyanko S, Kolpakov V, Seropolko A. Ecology of Tamdy virus in Kyrgyzstan: Ministry of Health of Azerbaijan Republic of USSR; 1976. 87-8 p.
 602. Karaşahin Ö, Karaşahin EF. [Bleeding Risk Score in Patients with Crimean-Congo Hemorrhagic Fever]. *Mikrobiyoloji bulteni*. 2021;55(3):327-41.
 603. Karavaş E, Karakeçili F. Evaluation of portal vein doppler findings in patients with Crimean-Congo hemorrhagic fever. *Medicina*. 2019;55(5):146.
 604. Karlberg H, Sharifi-Mood B, Mousavi-Jazi M, Dilcher M, Lindegren G, Mardani M, et al. Molecular and serological findings in suspected patients with Crimean-Congo hemorrhagic fever virus in Iran. *J Med Virol*. 2015;87(4):686-93.
 605. Kartashov MY, Gladysheva AV, Shvalov AN, Tupota NL, Chernikova AA, Ternovoi VA, et al. Novel Flavi-like virus in ixodid ticks and patients in Russia. *Ticks Tick Borne Dis*. 2023;14(2):102101.
 606. Kartashov MY, Mikryukova TP, Krivosheina EI, Kuznetsov AI, Glushkova LI, Korabelnikov IV, et al. Genotyping of tick-borne encephalitis and Kemerovo viruses in taiga ticks collected in the Komi Republic. *Russian Journal of Infection and Immunity*. 2020;10(1):159-66.
 607. Karti SS, Odabasi Z, Korten V, Yilmaz M, Sonmez M, Caylan R, et al. Crimean-Congo hemorrhagic fever in Turkey. *Emerg Infect Dis*. 2004;10(8):1379-84.
 608. Katargina O, Russakova S, Geller J, Kondrusik M, Zajkowska J, Zygiuteiene M, et al. Detection and characterization of tick-borne encephalitis virus in Baltic countries and eastern Poland. *PLoS One*. 2013;8(5):e61374.
 609. Kaya A, Engin A, Güven AS, İçağasıoğlu FD, Cevit O, Elaldi N, et al. Crimean-Congo hemorrhagic fever disease due to tick bite with very long incubation periods. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2011;15(7):e449-52.
 610. Kaya S, Elaldi N, Kubar A, Gursoy N, Yilmaz M, Karakus G, et al. Sequential determination of serum viral titers, virus-specific IgG antibodies, and TNF- α , IL-6, IL-10, and IFN- γ levels in patients with Crimean-Congo hemorrhagic fever. *BMC Infectious Diseases*. 2014;14:1-8.
 611. Kaya S, Yilmaz G, Ertunç B, Koksall I. Parotitis associated with Crimean Congo hemorrhagic fever virus. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2012;53(2):159-61.
 612. Kemp GE, Lee VH, Moore DL. Isolation of Nyamanini and Quaranfil viruses from Argas (Persicargas) arboreus ticks in Nigeria. *Journal of medical entomology*. 1975;12(5):535-7.
 613. Kentaro Y, Yamazaki S, Mottate K, Nagata N, Seto T, Sanada T, et al. Genetic and biological characterization of tick-borne encephalitis virus isolated from wild rodents in southern Hokkaido, Japan in 2008. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2013;13(6):406-14.
 614. Kępka A, Janas RM, Pancewicz SA, Świerzbńska R. Serum carnitine and acyl-carnitine in patients with meningitis due to tick-borne encephalitis virus infection. *Advances in clinical and experimental medicine : official organ Wroclaw Medical University*. 2017;26(2):277-80.
 615. Kerget F, Demirdöğen Ş O, Kerget B. Case Report: A Rare Case of Crimean-Congo Hemorrhagic Fever Associated with Epididymo-Orchitis. *The American journal of tropical medicine and hygiene*. 2021;104(3):1055-7.
 616. Kerget F, Özkurt Z, Öztürk N, Yilmaz S. The relationship with clinical course and prognosis of serum endothelin-1, angiopoietin-2, and tie-2 levels in Crimean-Congo hemorrhagic fever. *Turkish journal of medical sciences*. 2019;49(4):1192-7.
 617. Kerlik J, Avdičová M, Štefkovičová M, Tarkovská V, Pántiková Valachová M, Molčányi T, et al. Slovakia reports highest occurrence of alimentary tick-borne encephalitis in Europe: Analysis of tick-borne encephalitis outbreaks in Slovakia during 2007-2016. *Travel medicine and infectious disease*. 2018;26:37-42.
 618. Kettyls GD, Verrall VM, Wilton LD, Clapp JB, Clarke DA, Rublee JD. Arbovirus infections in man in British Columbia. *Canadian Medical Association journal*. 1972;106(11):1175-9.
 619. Khamassi Khbou M, Romdhane R, Foughali AA, Sassi L, Suin V, Rekik M, et al. Presence of antibodies against tick-borne encephalitis virus in sheep in Tunisia, North Africa. *BMC veterinary*

- research. 2020;16(1):441.
620. Khan AM, Shahzad SR, Ashraf MF, Naseer U. Powassan virus encephalitis, severe babesiosis and lyme carditis in a single patient. *BMJ case reports*. 2019;12(11).
 621. Khan JA, Rehman S, Fisher-Hoch SP, Mirza S, Khurshid M, McCormick JB. Crimean Congo-haemorrhagic fever treated with oral ribavirin. *The Lancet*. 1995;346(8973):472-5.
 622. Khasnatinov M, Tserennorov D, Nymadavaa P, Tchaporina EA, Glushenkova T, Arbatskaya E, et al. Tick-borne encephalitis virus in Mongolia. *International Journal of Infectious Diseases*. 2010;14:e372-e3.
 623. Khasnatinov MA, Danchinova GA, Kulakova NV, Tungalag K, Arbatskaia EV, Mironova LV, et al. [Genetic characteristics of the causative agent of tick-borne encephalitis in Mongolia]. *Voprosy virusologii*. 2010;55(3):27-32.
 624. Khasnatinov MA, Danchinova GA, Liapunov AV, Manzarova EL, Petrova IV, Lyapunova NA, et al. Prevalence of tick-borne pathogens in hard ticks that attacked human hosts in Eastern Siberia. *International Journal of Biomedicine*. 2017;7(4):307-9.
 625. Kholodilov I, Belova O, Burenkova L, Korotkov Y, Romanova L, Morozova L, et al. Ixodid ticks and tick-borne encephalitis virus prevalence in the South Asian part of Russia (Republic of Tuva). *Ticks Tick Borne Dis*. 2019;10(5):959-69.
 626. Kholodilov IS, Belova OA, Ivannikova AY, Gadzhikurbanov MN, Makenov MT, Yakovlev AS, et al. Distribution and Characterisation of Tick-Borne Flavi-, Flavi-like, and Phenuiviruses in the Chelyabinsk Region of Russia. *Viruses*. 2022;14(12).
 627. Kholodilov IS, Belova OA, Morozkin ES, Litov AG, Ivannikova AY, Makenov MT, et al. Geographical and Tick-Dependent Distribution of Flavi-Like Alongshan and Yanggou Tick Viruses in Russia. *Viruses*. 2021;13(3).
 628. Kholodilov IS, Litov AG, Klimentov AS, Belova OA, Polienko AE, Nikitin NA, et al. Isolation and Characterisation of Alongshan Virus in Russia. *Viruses*. 2020;12(4).
 629. Khurshid A, Hassan M, Alam MM, Aamir UB, Rehman L, Sharif S, et al. CCHF virus variants in Pakistan and Afghanistan: Emerging diversity and epidemiology. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2015;67:25-30.
 630. Kiffner C, Vor T, Hagedorn P, Niedrig M, R  he F. Determinants of tick-borne encephalitis virus antibody presence in roe deer (*Capreolus capreolus*) sera. *Medical and veterinary entomology*. 2012;26(1):18-25.
 631. Kim CM, Han MA, Yun NR, Bang MS, Lee YM, Lee B, et al. Seroprevalence of severe fever with thrombocytopenia syndrome using specimens from the Korea National Health & Nutrition Examination Survey. *PLoS neglected tropical diseases*. 2023;17(3):e0011097.
 632. Kim CM, Kim DM, Bang MS, Seo JW, Yun NR, Kim DY, et al. The Seroprevalence of Severe Fever with Thrombocytopenia Syndrome: An Epidemiological Study of Korean Veterinary Hospital Workers. *Viruses*. 2023;15(3).
 633. Kim H-C, Chong S-T, Suh J-H, Yun S-M, Lee W-J, Kim J-H, et al. *Ixodes nipponensis* Kitaoka and Saito and *Amblyomma testudinarium* Koch (Acari: Ixodida: Ixodidae) Collected from Reptiles (lizards, skinks, and snakes) in the Republic of Korea, 2016. *Systematic and Applied Acarology*. 2018;23(4):757-67.
 634. Kim KH, Ko MK, Kim N, Kim HH, Yi J. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome in Southeastern Korea, 2015. *Journal of Korean medical science*. 2017;32(1):29-32.
 635. Kim SY, Jeong YE, Yun SM, Lee IY, Han MG, Ju YR. Molecular evidence for tick-borne encephalitis virus in ticks in South Korea. *Medical and veterinary entomology*. 2009;23(1):15-20.
 636. Kim SY, Seo CW, Lee HI. Severe fever with thrombocytopenia syndrome virus from ticks: a molecular epidemiological study of a patient in the Republic of Korea. *Experimental & applied acarology*. 2023;89(2):305-15.
 637. Kim SY, Yun SM, Han MG, Lee IY, Lee NY, Jeong YE, et al. Isolation of tick-borne encephalitis viruses from wild rodents, South Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2008;8(1):7-13.
 638. Kim YR, Yun Y, Bae SG, Park D, Kim S, Lee JM, et al. Severe Fever with Thrombocytopenia Syndrome Virus Infection, South Korea, 2010. *Emerg Infect Dis*. 2018;24(11):2103-5.
 639. Kim-Jeon MD, Jegal S, Jun H, Jung H, Park SH, Ahn SK, et al. Four Year Surveillance of the Vector Hard Ticks for SFTS, Ganghwa-do, Republic of Korea. *Korean J Parasitol*. 2019;57(6):691-8.
 640. Kimura T, Fukuma A, Shimojima M, Yamashita Y, Mizota F, Yamashita M, et al. Seroprevalence of severe fever with thrombocytopenia syndrome (SFTS) virus antibodies in humans and animals in Ehime prefecture, Japan, an endemic region of SFTS. *Journal of infection and chemotherapy :*

- official journal of the Japan Society of Chemotherapy. 2018;24(10):802-6.
641. Kirino Y, Ishijima K, Miura M, Nomachi T, Mazimpaka E, Sudaryatma PE, et al. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus in Small-Animal Veterinarians and Nurses in the Japanese Prefecture with the Highest Case Load. *Viruses*. 2021;13(2).
 642. Kirino Y, Yamamoto S, Nomachi T, Mai TN, Sato Y, Sudaryatma PE, et al. Serological and molecular survey of tick-borne zoonotic pathogens including severe fever with thrombocytopenia syndrome virus in wild boars in Miyazaki Prefecture, Japan. *Veterinary medicine and science*. 2022;8(2):877-85.
 643. Kislenco GS, Korotkov Iu S, Chunikhin SP. [The results of the serological examination of medium-sized mammals in the natural foci of arbovirus infections in central Siberia]. *Meditinskaiia parazitologiiia i parazitarnye bolezni*. 1997(4):28-32.
 644. Kızılgün M, Ozkaya-Parlakay A, Tezer H, Gulhan B, Kanik-Yüksek S, Celikel E, et al. Evaluation of Crimean-Congo hemorrhagic fever virus infection in children. *Vector borne and zoonotic diseases* (Larchmont, NY). 2013;13(11):804-6.
 645. Klaus C, Beer M, Saier R, Schau U, Moog U, Hoffmann B, et al. Goats and sheep as sentinels for tick-borne encephalitis (TBE) virus--epidemiological studies in areas endemic and non-endemic for TBE virus in Germany. *Ticks Tick Borne Dis*. 2012;3(1):27-37.
 646. Klaus C, Beer M, Saier R, Schubert H, Bischoff S, Süss J. Evaluation of serological tests for detecting tick-borne encephalitis virus (TBEV) antibodies in animals. *Berliner und Munchener tierärztliche Wochenschrift*. 2011;124(11-12):443-9.
 647. Klaus C, Gethmann J, Hoffmann B, Ziegler U, Heller M, Beer M. Tick infestation in birds and prevalence of pathogens in ticks collected from different places in Germany. *Parasitology research*. 2016;115(7):2729-40.
 648. Klaus C, Hoffmann B, Beer M, Müller W, Stark B, Bader W, et al. Seroprevalence of tick-borne encephalitis (TBE) in naturally exposed monkeys (*Macaca sylvanus*) and sheep and prevalence of TBE virus in ticks in a TBE endemic area in Germany. *Ticks Tick Borne Dis*. 2010;1(3):141-4.
 649. Klaus C, Hoffmann B, Hering U, Mielke B, Sachse K, Beer M, et al. Tick-borne encephalitis (TBE) virus prevalence and virus genome characterization in field-collected ticks (*Ixodes ricinus*) from risk, non-risk and former risk areas of TBE, and in ticks removed from humans in Germany. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*. 2010;16(3):238-44.
 650. Klaus C, Hoffmann B, Moog U, Schau U, Beer M, Süss J. Can goats be used as sentinels for tick-borne encephalitis (TBE) in nonendemic areas? Experimental studies and epizootiological observations. *Berliner und Munchener tierärztliche Wochenschrift*. 2010;123(11-12):441-5.
 651. Klaus C, Hörügel U, Hoffmann B, Beer M. Tick-borne encephalitis virus (TBEV) infection in horses: clinical and laboratory findings and epidemiological investigations. *Veterinary microbiology*. 2013;163(3-4):368-72.
 652. Klaus C, Ziegler U, Hoffmann D, Press F, Fast C, Beer M. Tick-borne encephalitis virus (TBEV) antibodies in animal sera - occurrence in goat flocks in Germany, longevity and ability to recall immunological information after more than six years. *BMC veterinary research*. 2019;15(1):399.
 653. Kleeb C, Golini L, Beckmann K, Torgerson P, Steffen F. Canine Tick-Borne Encephalitis: Clinical Features, Survival Rate and Neurological Sequelae: A Retrospective Study of 54 Cases (1999-2016). *Frontiers in veterinary science*. 2021;8:782044.
 654. Klimes J, Juricová Z, Literák I, Schánilec P, Trachta e Silva E. Prevalence of antibodies to tickborne encephalitis and West Nile flaviviruses and the clinical signs of tickborne encephalitis in dogs in the Czech Republic. *The Veterinary record*. 2001;148(1):17-20.
 655. Klontz EH, Solomon IH, Turbett SE, Lemieux JE, Branda JA. Cerebrospinal fluid metagenomics has greatest added value as a test for Powassan virus among patients in New England with suspected central nervous system infection. *Diagnostic microbiology and infectious disease*. 2024;108(4):116169.
 656. Knap N, Korva M, Dolinšek V, Sekirnik M, Trilar T, Avšič-Županc T. Patterns of tick-borne encephalitis virus infection in rodents in Slovenia. *Vector borne and zoonotic diseases* (Larchmont, NY). 2012;12(3):236-42.
 657. Knox KK, Thomm AM, Harrington YA, Ketter E, Patitucci JM, Carrigan DR. Powassan/Deer Tick Virus and *Borrelia burgdorferi* Infection in Wisconsin Tick Populations. *Vector borne and zoonotic diseases* (Larchmont, NY). 2017;17(7):463-6.
 658. Knust B, Medetov ZB, Kyraubayev KB, Bumburidi Y, Erickson BR, MacNeil A, et al. Crimean-Congo hemorrhagic fever, Kazakhstan, 2009-2010. *Emerg Infect Dis*. 2012;18(4):643-5.

659. Ko S, Kang JG, Kim SY, Kim HC, Klein TA, Chong ST, et al. Prevalence of tick-borne encephalitis virus in ticks from southern Korea. *Journal of veterinary science*. 2010;11(3):197-203.
660. Kobayashi D, Kuwata R, Kimura T, Shimoda H, Fujita R, Faizah AN, et al. Detection of Jingmenviruses in Japan with Evidence of Vertical Transmission in Ticks. *Viruses*. 2021;13(12).
661. Kocianová E, Kozuch O, Bakoss P, Reháček J, Kováčová E. The prevalence of small terrestrial mammals infected with tick-borne encephalitis virus and leptospirae in the foothills of the southern Bavarian forest, Germany. *Applied parasitology*. 1993;34(4):283-90.
662. Kodama F, Yamaguchi H, Park E, Tatemoto K, Sashika M, Nakao R, et al. A novel nairovirus associated with acute febrile illness in Hokkaido, Japan. *Nature communications*. 2021;12(1):5539.
663. Kohl I, Kozuch O, Elecková E, Labuda M, Zaludko J. Family outbreak of alimentary tick-borne encephalitis in Slovakia associated with a natural focus of infection. *European journal of epidemiology*. 1996;12(4):373-5.
664. Kolman JM, Folk C, Hudec K, Reddy GN. Serologic examination of birds from the area of southern Moravia for the presence of antibodies against arboviruses of the groups Alfa, Flavo, Uukuniemi, Turlock and Bunyamwera supergroup. II. Wild living birds. *Folia parasitologica*. 1976;23(3):251-5.
665. Kolman JM, Kopecký K, Rác O. Serologic examination of human population in South Moravia (Czechoslovakia) on the presence of antibodies to arboviruses of the Alfavirus, Flavivirus, Turlock groups and Bunyamwera supergroup. *Folia parasitologica*. 1979;26(1):55-60.
666. Komoro K, Hayasaka D, Mizutani T, Kariwa H, Takashima I. Characterization of monoclonal antibodies against Hokkaido strain tick-borne encephalitis virus. *Microbiology and immunology*. 2000;44(6):533-6.
667. Kondrashova ZN. [A study of the survival of the virus of Omsk hemorrhagic fever in *Ixodes persulcatus* in conditions of their massive infection]. *Meditinskaja parazitologija i parazitarnye bolezni*. 1970;39(3):274-8.
668. Kondrusik M, Biedzińska T, Pancewicz S, Zajkowska J, Grygorczuk S, Swierzbńska R, et al. [Tick-borne encephalitis (TBE) cases in Białostocki and Podlaski regions in years 1993-2002]. *Przegląd epidemiologiczny*. 2004;58(2):273-80.
669. Koraka P, Zeller H, Niedrig M, Osterhaus AD, Groen J. Reactivity of serum samples from patients with a flavivirus infection measured by immunofluorescence assay and ELISA. *Microbes Infect*. 2002;4(12):1209-15.
670. Korenberg EI, Gorban LY, Kovalevskii YV, Frizen VI, Karavanov AS. Risk for human tick-borne encephalitis, borrelioses, and double infection in the pre-Ural region of Russia. *Emerg Infect Dis*. 2001;7(3):459-62.
671. Korenberg EI, Pchelkina AA, Kovalevsky JV. Contact of birds with tick-borne encephalitis virus in the eastern part of the Russian plain. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1984;28(1):65-72.
672. Korenberg EI, Pchelkina AA, Spitsina LN. Consistent patterns in the contact of domestic animals with tick-borne encephalitis virus in the eastern part of the Russian plain. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1984;28(1):73-84.
673. Korobitsyn IG, Moskvitina NS, Tyutenkov OY, Gashkov SI, Kononova YV, Moskvitin SS, et al. Detection of tick-borne pathogens in wild birds and their ticks in Western Siberia and high level of their mismatch. *Folia parasitologica*. 2021;68.
674. Korva M, Rus KR, Pavletič M, Saksida A, Knap N, Jelovšek M, et al. Characterization of Biomarker Levels in Crimean-Congo Hemorrhagic Fever and Hantavirus Fever with Renal Syndrome. *Viruses*. 2019;11(8).
675. Kosoy OI, Lambert AJ, Hawkinson DJ, Pastula DM, Goldsmith CS, Hunt DC, et al. Novel thogotovirus associated with febrile illness and death, United States, 2014. *Emerg Infect Dis*. 2015;21(5):760-4.
676. Kovalev SY, Chernykh DN, Kokorev VS, Snitkovskaya TE, Romanenko VV. Origin and distribution of tick-borne encephalitis virus strains of the Siberian subtype in the Middle Urals, the north-west of Russia and the Baltic countries. *The Journal of general virology*. 2009;90(Pt 12):2884-92.
677. Kovalev SY, Mazurina EA, Yakimenko VV. Molecular variability and genetic structure of Omsk hemorrhagic fever virus, based on analysis of the complete genome sequences. *Ticks Tick Borne Dis*. 2021;12(2):101627.
678. Kovalev SY, Mukhacheva TA. Clusterons as a tool for monitoring populations of tick-borne encephalitis virus. *J Med Virol*. 2014;86(2):283-9.
679. Kovalev SY, Okulovskaya VY. The First Record of Omsk Hemorrhagic Fever Virus and Tick-Borne

- Encephalitis Virus of Baltic Lineage from the Kemerovo Region of Russia. Vector borne and zoonotic diseases (Larchmont, NY). 2024;24(7):443-50.
680. Kozuch O, Chmela J. [Long-term study of natural foci of tick-borne encephalitis in the District of Olomouc]. *Ceskoslovenska epidemiologie, mikrobiologie, imunologie*. 1993;42(4):179-83.
 681. Kozuch O, Gresíková M, Nosek J, Lichard M, Sekeyová M. The role of small rodents and hedgehogs in a natural focus of tick-borne encephalitis. *Bulletin of the World Health Organization*. 1967;36 Suppl(Suppl 1):61-6.
 682. Kozuch O, Grulich I, Nosek J. Serological survey and isolation of tick-borne encephalitis virus from the blood of the mole (*Talpa europaea*) in a natural focus. *Acta virologica*. 1966;10(6):557-60.
 683. Kozuch O, Gurycová D, Lysý J, Labuda M. Mixed natural focus of tick-borne encephalitis, tularemia and haemorrhagic fever with renal syndrome in west Slovakia. *Acta virologica*. 1995;39(2):95-8.
 684. Kozuch O, Labuda M, Lysý J, Weismann P, Krippel E. Longitudinal study of natural foci of Central European encephalitis virus in West Slovakia. *Acta virologica*. 1990;34(6):537-44.
 685. Krbková L, Čapovová I, Homola L, Lindušková J, Salát J, Růžek D. Tick-Borne Encephalitis in an 8.5-Month-Old Boy Suspected of Febrile Seizures. *Microorganisms*. 2021;9(7).
 686. Krebs M, Pornschlegel S, Holdorff B. Case report: TBE-virus infections concurrently acquired by father and son in northern Germany. *Zentralblatt für Bakteriologie*. 1999;289(5-7):628-31.
 687. Krech T, Aberham C, Risch G, Kunz C. [Endangering of the Liechtenstein population by the early-summer meningoencephalitis virus]. *Schweizerische medizinische Wochenschrift*. 1992;122(34):1242-4.
 688. Kreusch TM, Holding M, Hewson R, Harder T, Medlock JM, Hansford KM, et al. A probable case of tick-borne encephalitis (TBE) acquired in England, July 2019. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*. 2019;24(47).
 689. Kriz B, Hubalek Z, Marek M, Daniel M, Strakova P, Betasova L. Results of the Screening of Tick-Borne Encephalitis Virus Antibodies in Human Sera from Eight Districts Collected Two Decades Apart. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2015;15(8):489-93.
 690. Król N, Chitimia-Dobler L, Dobler G, Karliuk Y, Birka S, Obiegala A, et al. Tick burden on European roe deer (*Capreolus capreolus*) from Saxony, Germany, and detection of tick-borne encephalitis virus in attached ticks. *Parasitology research*. 2020;119(4):1387-92.
 691. Kroneld R, Meurman O, Forsén K-O, Lassenius R. The prevalence of antibodies against viruses causing Kumlinge and Pogosta diseases on the islands of Iniö on the southwest coast of Finland. *Scandinavian journal of infectious diseases*. 1989;21(1):9-13.
 692. Krow-Lucal ER, Lindsey NP, Fischer M, Hills SL. Powassan Virus Disease in the United States, 2006-2016. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2018;18(6):286-90.
 693. Krzysiak MK, Anusz K, Konieczny A, Rola J, Salát J, Strakova P, et al. The European bison (*Bison bonasus*) as an indicator species for the circulation of tick-borne encephalitis virus (TBEV) in natural foci in Poland. *Ticks Tick Borne Dis*. 2021;12(6):101799.
 694. Kuan CY, Lin TL, Ou SC, Chuang ST, Chan JP, Maeda K, et al. The First Nationwide Surveillance of Severe Fever with Thrombocytopenia Syndrome in Ruminants and Wildlife in Taiwan. *Viruses*. 2023;15(2).
 695. Kuan CY, Ou SC, Chang CC, Kao PL, Tsai RS, Rattanapanadda P, et al. Epidemiology of Severe Fever with Thrombocytopenia Syndrome in Dogs and Cats in Taiwan. *Viruses*. 2023;15(12).
 696. Kuba Y, Azama Y, Kyan H, Fukuchi Y, Maeshiro N, Kakita T, et al. Severe Fever with Thrombocytopenia Syndrome Virus RNA in Ticks from Wild Mongooses in Okinawa Prefecture, Japan. *Jpn J Infect Dis*. 2022;75(6):612-5.
 697. Kuba Y, Kyan H, Azama Y, Fukuchi Y, Park ES, Kakita T, et al. Seroepidemiological study of severe fever with thrombocytopenia syndrome in animals and humans in Okinawa, Japan. *Ticks Tick Borne Dis*. 2021;12(6):101821.
 698. Kubiak K, Dzika E, Równiak J, Dziedzic M, Dzisko J, Dzikowiec M. [Serological confirmation of the prevalence of tick-borne encephalitis virus among patients with neurological infections in the Warmia-Masuria province in 2006-2010]. *Przegląd epidemiologiczny*. 2011;65(4):587-91.
 699. Kuchuloria T, Imnadze P, Chokheli M, Tsertsvadze T, Endeladze M, Mshvidobadze K, et al. Viral hemorrhagic fever cases in the country of Georgia: Acute Febrile Illness Surveillance Study results. *The American journal of tropical medicine and hygiene*. 2014;91(2):246-8.
 700. Kuchuloria T, Imnadze P, Mamuchishvili N, Chokheli M, Tsertsvadze T, Endeladze M, et al. Hospital-Based Surveillance for Infectious Etiologies Among Patients with Acute Febrile Illness in Georgia, 2008-2011. *The American journal of tropical medicine and hygiene*. 2016;94(1):236-42.

701. Kuhn JH, Seregin SV, Morzunov SP, Petrova ID, Vyshemirskii OI, Lvov DK, et al. Genetic analysis of the M RNA segment of Crimean-Congo hemorrhagic fever virus strains involved in the recent outbreaks in Russia. *Archives of virology*. 2004;149:2199-213.
702. Kuitunen I, Renko M. Changes in the Epidemiology of Zoonotic Infections in Children: A Nationwide Register Study in Finland. *The Pediatric infectious disease journal*. 2022;41(4):e113-e9.
703. Kuivanen S, Levanov L, Kareinen L, Sironen T, Jääskeläinen AJ, Plyusnin I, et al. Detection of novel tick-borne pathogen, Alongshan virus, in Ixodes ricinus ticks, south-eastern Finland, 2019. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2019;24(27).
704. Kuivanen S, Smura T, Rantanen K, Kämppi L, Kantonen J, Kero M, et al. Fatal Tick-Borne Encephalitis Virus Infections Caused by Siberian and European Subtypes, Finland, 2015. *Emerg Infect Dis*. 2018;24(5):946-8.
705. Kulakova NV, Andaev EI, Belikov SI. Tick-borne encephalitis virus in Eastern Siberia: complete genome characteristics. *Arch Virol*. 2012;157(11):2253-5.
706. Kulichenko AN, Volynkina AS, Kotenev ES, Pisarenko SV, Shaposhnikova LI, Lisitskaya YV, et al. A NEW GENETIC VARIANT OF THE CRIMEAN-CONGO HEMORRHAGIC FEVER VIRUS ISOLATED IN CRIMEA. *Molekuliarnaia genetika, mikrobiologiya i virusologiya*. 2016;34(2):76-80.
707. Kupča AM, Essbauer S, Zoeller G, de Mendonça PG, Brey R, Rinder M, et al. Isolation and molecular characterization of a tick-borne encephalitis virus strain from a new tick-borne encephalitis focus with severe cases in Bavaria, Germany. *Ticks Tick Borne Dis*. 2010;1(1):44-51.
708. Kvapil P, Kastelic M, Jež N, Sedlák K, Kašpárková N, Jelovšek M, et al. Detection of Antibodies against Tick-Borne Encephalitis Virus in Zoo Animals Using Non-Invasive Blood Sampling with Medicinal Leeches (*Hirudo medicinalis*). *Pathogens (Basel, Switzerland)*. 2021;10(8).
709. Kvapil P, Račnik J, Kastelic M, Pittermannová P, Avšič-Zupanc T, Bártová E, et al. Detection of Antibodies Against Tick-Borne Encephalitis Virus and Other Flaviviruses in a Zoological Collection in Slovenia. *Frontiers in veterinary science*. 2021;8:688904.
710. Labuda M, Elecková E, Licková M, Sabó A. Tick-borne encephalitis virus foci in Slovakia. *International journal of medical microbiology : IJMM*. 2002;291 Suppl 33:43-7.
711. Labuda M, Jones LD, Williams T, Danielova V, Nuttall PA. Efficient transmission of tick-borne encephalitis virus between co-feeding ticks. *Journal of medical entomology*. 1993;30(1):295-9.
712. Labuda M, Stünzner D, Kozuch O, Sixl W, Kociánová E, Schäffler R, et al. Tick-borne encephalitis virus activity in Styria, Austria. *Acta virologica*. 1993;37(2-3):187-90.
713. Lagunova EK, Liapunova NA, Tuul D, Otgonsuren G, Nomin D, Erdenebat N, et al. Co-infections with multiple pathogens in natural populations of Ixodes persulcatus ticks in Mongolia. *Parasites & vectors*. 2022;15(1):236.
714. Lambert AJ, Velez JO, Brault AC, Calvert AE, Bell-Sakyi L, Bosco-Lauth AM, et al. Molecular, serological and in vitro culture-based characterization of Bourbon virus, a newly described human pathogen of the genus Thogotovirus. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2015;73:127-32.
715. Lamsal A, Edgar KS, Jenkins A, Renssen H, Kjaer LJ, Alfsnes K, et al. Prevalence of tick-borne encephalitis virus in questing Ixodes ricinus nymphs in southern Scandinavia and the possible influence of meteorological factors. *Zoonoses and public health*. 2023;70(6):473-84.
716. Lamsal A, Tryland M, Paulsen KM, Romano JS, Nymo IH, Stiasny K, et al. Serological screening for tick-borne encephalitis virus in eight Norwegian herds of semi-domesticated reindeer (*Rangifer tarandus tarandus*). *Zoonoses and public health*. 2023;70(8):692-8.
717. Lang D, Chitimia-Dobler L, Bestehorn-Willmann M, Lindau A, Drehmann M, Stroppel G, et al. The Emergence and Dynamics of Tick-Borne Encephalitis Virus in a New Endemic Region in Southern Germany. *Microorganisms*. 2022;10(11).
718. Lange RE, Dupuis AP, 2nd, Ciota AT. Diversification of Bourbon Virus in New York State. *Microorganisms*. 2023;11(6).
719. Lange RE, Prusinski MA, Dupuis AP, 2nd, Ciota AT. Direct Evidence of Powassan Virus Vertical Transmission in Ixodes scapularis in Nature. *Viruses*. 2024;16(3).
720. Lani R, Mohd Rahim NF, Hassan H, Yaghoobi R, Chang LY, AbuBakar S, et al. First report on the seroprevalence of the Crimean-Congo haemorrhagic fever virus, a tick-borne virus, in Malaysia's Orang Asli population. *European review for medical and pharmacological sciences*. 2015;19(3):461-6.

721. Larsen AL, Kanestrøm A, Bjørland M, Andreassen A, Soleng A, Vene S, et al. Detection of specific IgG antibodies in blood donors and tick-borne encephalitis virus in ticks within a non-endemic area in southeast Norway. *Scand J Infect Dis.* 2014;46(3):181-4.
722. Laursen K, Knudsen JD. Tick-borne encephalitis: a retrospective study of clinical cases in Bornholm, Denmark. *Scand J Infect Dis.* 2003;35(5):354-7.
723. Leblebicioglu H, Eroglu C, Erciyas-Yavuz K, Hokelek M, Acici M, Yilmaz H. Role of migratory birds in spreading Crimean-Congo hemorrhagic fever, Turkey. *Emerg Infect Dis.* 2014;20(8):1331-4.
724. Lee J, Moon K, Kim M, Lee WG, Lee HI, Park JK, et al. Seasonal distribution of *Haemaphysalis longicornis* (Acari: Ixodidae) and detection of SFTS virus in Gyeongbuk Province, Republic of Korea, 2018. *Acta tropica.* 2021;221:106012.
725. Lee SH, Kim HJ, Byun JW, Lee MJ, Kim NH, Kim DH, et al. Molecular detection and phylogenetic analysis of severe fever with thrombocytopenia syndrome virus in shelter dogs and cats in the Republic of Korea. *Ticks Tick Borne Dis.* 2017;8(4):626-30.
726. Lee SH, Kim HJ, Lee MJ, Byun JW, Kim DY, Kim NH, et al. Prevalence of antibodies against severe fever with thrombocytopenia syndrome virus in shelter dogs in the Republic of Korea. *Ticks Tick Borne Dis.* 2018;9(2):183-7.
727. Leineweber B, Weber P, Lutschg J. Tick-borne encephalitis in children-a banal infection? *Monatsschrift Kinderheilkunde.* 2001;149(11):1215-7.
728. Leistner C, Dahlem P. Tick-borne meningoencephalitis in a 4.5-month-old infant. *Klinische Padiatrie.* 2011;223(4):242-3.
729. Lenhard T, Ott D, Jakob NJ, Pham M, Bäumer P, Martinez-Torres F, et al. Predictors, Neuroimaging Characteristics and Long-Term Outcome of Severe European Tick-Borne Encephalitis: A Prospective Cohort Study. *PLoS One.* 2016;11(4):e0154143.
730. Leonova GN, Isachkova LM, Baranov NI, Krugliak SP. [Role of Powassan virus in the etiological structure of tick-borne encephalitis in the Primorsky Krai]. *Voprosy virusologii.* 1980(2):173-6.
731. Leonova GN, Kozhemiako VB, Isaeva MP, Maistrovskaia OS. [Molecular characteristics of tick-borne encephalitis virus from the Southern Sikhote-Alin endemic region]. *Voprosy virusologii.* 1996;41(4):154-8.
732. Leonova GN, Rybachuk VN, Krugliak SP, Guliaeva SE, Baranov NI. [Clinico-epidemiological characteristics of tick-borne encephalitis in the Maritime Territory]. *Zhurnal mikrobiologii, epidemiologii i immunobiologii.* 1987(12):40-5.
733. Leonova GN, Somova LM, Abramova SA, Pustovalov EV. Study of Viral Coinfection of the *Ixodes persulcatus* Ticks Feeding on Humans in a Natural Focus of the South of the Far East. *Microorganisms.* 2023;11(7).
734. Lepej SZ, Misić-Majerus L, Jeren T, Rode OD, Remenar A, Sporec V, et al. Chemokines CXCL10 and CXCL11 in the cerebrospinal fluid of patients with tick-borne encephalitis. *Acta neurologica Scandinavica.* 2007;115(2):109-14.
735. Leschnik MW, Benetka V, Url A, Pakozdy A, Thaller D, Bilek A, et al. Viral encephalitis in dogs in Austria: diagnostic and epidemiological aspects. *Wiener Tierärztliche Monatsschrift.* 2008;95(7/8):190-9.
736. Lesnkar G, Poljak M, Seme K, Lesnkar J. Pediatric tick-borne encephalitis in 371 cases from an endemic region in Slovenia, 1959 to 2000. *The Pediatric infectious disease journal.* 2003;22(7):612-7.
737. Levanov L, Vera CP, Vapalahti O. Prevalence estimation of tick-borne encephalitis virus (TBEV) antibodies in dogs from Finland using novel dog anti-TBEV IgG MAb-capture and IgG immunofluorescence assays based on recombinant TBEV subviral particles. *Ticks Tick Borne Dis.* 2016;7(5):979-82.
738. Levy M, Abi-Warde MT, Rameau AC, Fafi-Kremer S, Hansmann Y, Fischbach M, et al. [Tick-borne encephalitis in a child in a nonendemic country: A case report]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie.* 2016;23(10):1055-8.
739. Li CX, Shi M, Tian JH, Lin XD, Kang YJ, Chen LJ, et al. Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *eLife.* 2015;4.
740. Li J, Kelly P, Guo W, Zhang J, Yang Y, Liu W, et al. Molecular detection of *Rickettsia*, *Hepatozoon*, *Ehrlichia* and SFTSV in goat ticks. *Veterinary parasitology, regional studies and reports.* 2020;20:100407.
741. Li J, Zhang S, Liang W, Zhao S, Wang Z, Li H, et al. Survey of tick species and molecular detection of selected tick-borne pathogens in Yanbian, China. *Parasite (Paris, France).* 2022;29:38.

742. Li X, Ji H, Wang D, Che L, Zhang L, Li L, et al. Molecular detection and phylogenetic analysis of tick-borne encephalitis virus in ticks in northeastern China. *J Med Virol*. 2022;94(2):507-13.
743. Li Y, Bai Y, Liu W, Li J, Tian F, Han X, et al. Diversity analysis of tick-associated viruses in northeast China. *Virologica Sinica*. 2023;38(6):961-5.
744. Li Y, Wang J, Gao M, Fang L, Liu C, Lyu X, et al. Geographical Environment Factors and Risk Assessment of Tick-Borne Encephalitis in Hulunbuir, Northeastern China. *International journal of environmental research and public health*. 2017;14(6).
745. Li Y, Wang XY, Li YF, Li DX, Hu X, Zhu L, et al. [The epidemiology and pathogen investigation of two clusters of severe fever with thrombocytopenia syndrome disease outbreaking in Henan Province, 2022]. *Zhonghua yu fang yi xue za zhi [Chinese journal of preventive medicine]*. 2023;57(10):1719-24.
746. Li Y, Yan C, Liu D, He B, Tu C. Seroepidemiological Investigation of Crimean-Congo Hemorrhagic Fever Virus in Sheep and Camels of Inner Mongolia of China. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2020;20(6):461-7.
747. Li Z, Bao C, Hu J, Liu W, Wang X, Zhang L, et al. Ecology of the Tick-Borne Phlebovirus Causing Severe Fever with Thrombocytopenia Syndrome in an Endemic Area of China. *PLoS neglected tropical diseases*. 2016;10(4):e0004574.
748. Li Z, Hu J, Bao C, Li P, Qi X, Qin Y, et al. Seroprevalence of antibodies against SFTS virus infection in farmers and animals, Jiangsu, China. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2014;60(3):185-9.
749. Li Z, Hu J, Cui L, Hong Y, Liu J, Li P, et al. Increased prevalence of severe fever with thrombocytopenia syndrome in eastern China clustered with multiple genotypes and reassorted virus during 2010–2015. *Scientific reports*. 2017;7(1):6503.
750. Li Z, Hu J, Cui L, Hong Y, Liu J, Li P, et al. Increased Prevalence of Severe Fever with Thrombocytopenia Syndrome in Eastern China Clustered with Multiple Genotypes and Reassorted Virus during 2010-2015. *Sci Rep*. 2017;7(1):6503.
751. Li Z, Zhang Z, Chen C. Novel nomograms to predict risk and prognosis in hospitalized patients with severe fever with thrombocytopenia syndrome. *Frontiers in medicine*. 2023;10:1321490.
752. Liang S, Bao C, Zhou M, Hu J, Tang F, Guo X, et al. Seroprevalence and risk factors for severe fever with thrombocytopenia syndrome virus infection in Jiangsu Province, China, 2011. *The American journal of tropical medicine and hygiene*. 2014;90(2):256-9.
753. Libikova H, Blaskovic D, Vilcek J, Rehacek J, Gresikova M, Macicka O, et al. Incidence of antibodies against tick-borne encephalitis virus in man and domestic animals in a small village in a natural focus of infection. *Journal of hygiene, epidemiology, microbiology, and immunology*. 1960;4:327-32.
754. Liebig K, Boelke M, Grund D, Schicht S, Bestehorn-Willmann M, Chitimia-Dobler L, et al. The Stable Matching Problem in TBEV Enzootic Circulation: How Important Is the Perfect Tick-Virus Match? *Microorganisms*. 2021;9(1).
755. Lin TL, Ou SC, Maeda K, Shimoda H, Chan JP, Tu WC, et al. The first discovery of severe fever with thrombocytopenia syndrome virus in Taiwan. *Emerg Microbes Infect*. 2020;9(1):148-51.
756. Lindblom P, Wilhelmsson P, Fryland L, Sjöwall J, Haglund M, Matussek A, et al. Tick-borne encephalitis virus in ticks detached from humans and follow-up of serological and clinical response. *Ticks Tick Borne Dis*. 2014;5(1):21-8.
757. Linden A, Wirtgen M, Nahayo A, Heyman P, Niedrig M, Schulze Y. Tickborne encephalitis virus antibodies in wild cervids in Belgium. *The Veterinary record*. 2012;170(4):108.
758. Lindhe KE, Meldgaard DS, Jensen PM, Houser GA, Berendt M. Prevalence of tick-borne encephalitis virus antibodies in dogs from Denmark. *Acta veterinaria Scandinavica*. 2009;51(1):56.
759. Lindsey NP, Menitove JE, Biggerstaff BJ, Turabelidze G, Parton P, Peck K, et al. Seroprevalence of Heartland Virus Antibodies in Blood Donors, Northwestern Missouri, USA. *Emerg Infect Dis*. 2019;25(2):358-60.
760. Lipke M, Karasek E. Meningitis and encephalitis in Poland in 2011. *Przegląd epidemiologiczny*. 2013;67(2):207-12, 327-30.
761. Lipowski D, Popiel M, Perlejewski K, Nakamura S, Bukowska-Osko I, Rządkiwicz E, et al. A Cluster of Fatal Tick-borne Encephalitis Virus Infection in Organ Transplant Setting. *The Journal of infectious diseases*. 2017;215(6):896-901.
762. Liu H, Li Z, Wang Z, He B, Wang S, Wei F, et al. The first molecular evidence of severe fever with thrombocytopenia syndrome virus in ticks in Jilin, Northeastern China. *Ticks Tick Borne Dis*. 2016;7(6):1280-3.

763. Liu JW, Wen HL, Fang LZ, Zhang ZT, He ST, Xue ZF, et al. Prevalence of SFTSV among Asian house shrews and rodents, China, January-August 2013. *Emerg Infect Dis.* 2014;20(12):2126-8.
764. Liu R, Zhang G, Liu X, Li Y, Zheng Z, Sun X, et al. [Detection of the Siberian Tick-borne Encephalitis Virus in the Xinjiang Uygur Autonomous Region, northwestern China]. *Bing du xue bao = Chinese journal of virology.* 2016;32(1):26-31.
765. Liu S, Kannan S, Meeks M, Sanchez S, Girone KW, Broyhill JC, et al. Fatal Case of Heartland Virus Disease Acquired in the Mid-Atlantic Region, United States. *Emerg Infect Dis.* 2023;29(5):992-6.
766. Liu T, Zhang N, Li H, Hou S, Liu X. Analysis of severe fever with thrombocytopenia syndrome cluster in east China. *Virol J.* 2023;20(1):199.
767. Liu X, Zhang X, Wang Z, Dong Z, Xie S, Jiang M, et al. A Tentative Tamdy Orthonairovirus Related to Febrile Illness in Northwestern China. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America.* 2020;70(10):2155-60.
768. Liu Z, Li L, Xu W, Yuan Y, Liang X, Zhang L, et al. Extensive diversity of RNA viruses in ticks revealed by metagenomics in northeastern China. *PLoS neglected tropical diseases.* 2022;16(12):e0011017.
769. Lledó L, Giménez-Pardo C, Gegúndez MI. Epidemiological Study of Thogoto and Dhori Virus Infection in People Bitten by Ticks, and in Sheep, in an Area of Northern Spain. *International journal of environmental research and public health.* 2020;17(7).
770. Logina I, Krumina A, Karelis G, Elson L, Viksna L, Rozentale B, et al. Clinical features of double infection with tick-borne encephalitis and Lyme borreliosis transmitted by tick bite. *Journal of neurology, neurosurgery, and psychiatry.* 2006;77(12):1350-3.
771. Lommano E, Burri C, Maeder G, Guerne M, Bastic V, Patalas E, et al. Prevalence and genotyping of tick-borne encephalitis virus in questing Ixodes ricinus ticks in a new endemic area in western Switzerland. *Journal of medical entomology.* 2012;49(1):156-64.
772. Lommano E, Dvořák C, Vallotton L, Jenni L, Gern L. Tick-borne pathogens in ticks collected from breeding and migratory birds in Switzerland. *Ticks Tick Borne Dis.* 2014;5(6):871-82.
773. Lorenzo Juanes HM, Carbonell C, Sendra BF, López-Bernus A, Bahamonde A, Orfao A, et al. Crimean-Congo Hemorrhagic Fever, Spain, 2013-2021. *Emerg Infect Dis.* 2023;29(2):252-9.
774. Lotric-Furlan S, Avsic-Zupanc T, Strle F. An abortive form of tick-borne encephalitis (TBE)--a rare clinical manifestation of infection with TBE virus. *Wiener klinische Wochenschrift.* 2002;114(13-14):627-9.
775. Lotric-Furlan S, Petrovec M, Avsic-Zupanc T, Nicholson WL, Sumner JW, Childs JE, et al. Prospective assessment of the etiology of acute febrile illness after a tick bite in Slovenia. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America.* 2001;33(4):503-10.
776. Lotric-Furlan S, Petrovec M, Avsic-Zupanc T, Strle F. Concomitant tickborne encephalitis and human granulocytic ehrlichiosis. *Emerg Infect Dis.* 2005;11(3):485-8.
777. Lotric-Furlan S, Strle F. Thrombocytopenia, leukopenia and abnormal liver function tests in the initial phase of tick-borne encephalitis. *Zentralblatt für Bakteriologie : international journal of medical microbiology.* 1995;282(3):275-8.
778. Lozynskiy I, Shulgan A, Zarichna O, Ben I, Kessler W, Cao X, et al. Seroprevalence of Old World Hantaviruses and Crimean Congo Hemorrhagic Fever Viruses in Human Populations in Northwestern Ukraine. *Frontiers in cellular and infection microbiology.* 2020;10:589464.
779. Lundkvist A, Wallensten A, Vene S, Hjertqvist M. Tick-borne encephalitis increasing in Sweden, 2011. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin.* 2011;16(39).
780. Lundkvist k, Vene S, Golovljova I, Mavtchoutko V, Forsgren M, Kalnina V, et al. Characterization of tick-borne encephalitis virus from Latvia: evidence for co-circulation of three distinct subtypes. *J Med Virol.* 2001;65(4):730-5.
781. Lundu T, Yoshii K, Kobayashi S, Morikawa S, Tsubota T, Misawa N, et al. Serological survey of severe fever with thrombocytopenia syndrome virus infection in Sika deer and rodents in Japan. *Japanese Journal of Veterinary Research.* 2018;66(1):21-8.
782. Lutemiah J, Musila L, Makio A, Ochieng C, Koka H, Chepkorir E, et al. Ticks and tick-borne viruses from livestock hosts in arid and semiarid regions of the eastern and northeastern parts of Kenya. *Journal of medical entomology.* 2014;51(1):269-77.
783. Luvai EAC, Uchida L, Tun MMN, Inoue S, Wei Yin H, Shimoda H, et al. Seroepidemiological surveys of tick-borne encephalitis virus and novel tick-borne viruses in wild boar in Nagasaki, Japan. *Ticks Tick Borne Dis.* 2022;13(1):101860.

784. Lv X, Liu Z, Li L, Xu W, Yuan Y, Liang X, et al. Yezo Virus Infection in Tick-Bitten Patient and Ticks, Northeastern China. *Emerg Infect Dis.* 2023;29(4):797-800.
785. L'Vov D K, Shchelkanov M, Kolobukhina LV, L'Vov D N, Galkina IV, Aristova VA, et al. [Serological monitoring of arbovirus infections in the estuary of the Kuban River (the 2006-2007 data)]. *Voprosy virusologii.* 2008;53(4):30-5.
786. L'Vov D K, Sidorova GA, Gromashevskii VL, Skvortsova TM, Aristova VA. [Isolation of Tamdy virus (Bunyaviridae) pathogenic for man from natural sources in Central Asia, Kazakhstan and Transcaucasia]. *Voprosy virusologii.* 1984;29(4):487-90.
787. Lvov DK, Sidorova GA, Gromashevsky VL, Kurbanov M, Skvoztsova LM, Gofman YP, et al. Virus "Tamdy"--a new arbovirus, isolated in the Uzbee S.S.R. and Turkmen S.S.R. from ticks *Hyalomma asiaticum asiaticum* Schulee et Schlottke, 1929, and *Hyalomma plumbeum plumbeum* Panzer, 1796. *Arch Virol.* 1976;51(1-2):15-21.
788. L'Vov S D, Gromashevskii VL, Semenov VB, Andreev VP, Skvortsova TM, Fadeev ES, et al. [The isolation of tick-borne encephalitis virus strains and the determination of the scope of immune stratification among the population and the domestic animals on the northern Russian plain]. *Meditsinskaia parazitologii i parazitarnye bolezni.* 1990(3):12-4.
789. Lwande OW, Irura Z, Tigoi C, Chepkorir E, Orindi B, Musila L, et al. Seroprevalence of Crimean Congo hemorrhagic fever virus in Ijara District, Kenya. *Vector borne and zoonotic diseases (Larchmont, NY).* 2012;12(9):727-32.
790. Lysholm S, Lindahl JF, Dautu G, Johansson E, Bergkvist PK, Munyeme M, et al. Seroepidemiology of selected transboundary animal diseases in goats in Zambia. *Preventive veterinary medicine.* 2022;206:105708.
791. Lyu Y, Ding F, Sun J, Xu PP, Hu JY, Xie SY, et al. Seroprevalence and risk factors of severe fever with thrombocytopenia syndrome virus infection in endemic areas. *Infectious diseases (London, England).* 2016;48(7):544-9.
792. Ma J, Lv XL, Zhang X, Han SZ, Wang ZD, Li L, et al. Identification of a new orthonairovirus associated with human febrile illness in China. *Nature medicine.* 2021;27(3):434-9.
793. Madani TA. Alkhurma virus infection, a new viral hemorrhagic fever in Saudi Arabia. *The Journal of infection.* 2005;51(2):91-7.
794. Maghsood H, Nabian S, Shayan P, Jalali T, Darbandi MS, Ranjbar MM. Molecular Epidemiology and Phylogeny of Crimean-Congo Haemorrhagic Fever (CCHF) Virus of Ixodid Ticks in Khorasan Razavi Province of Iran. *Journal of arthropod-borne diseases.* 2020;14(4):400-7.
795. Magnaval JF, Tolou H, Gibert M, Innokentiev V, Laborde M, Melnichuk O, et al. Seroepidemiology of nine zoonoses in Viljujsk, Republic of Sakha (Northeastern Siberia, Russian Federation). *Vector borne and zoonotic diseases (Larchmont, NY).* 2011;11(2):157-60.
796. Magouras I, Schoster A, Fouché N, Gerber V, Groschup MH, Ziegler U, et al. Neurological disease suspected to be caused by tick-borne encephalitis virus infection in 6 horses in Switzerland. *Journal of veterinary internal medicine.* 2022;36(6):2254-62.
797. Magyar N, Kis Z, Barabás É, Nagy A, Henczkó J, Damjanova I, et al. New geographical area on the map of Crimean-Congo hemorrhagic fever virus: First serological evidence in the Hungarian population. *Ticks Tick Borne Dis.* 2021;12(1):101555.
798. Mahdi M, Erickson BR, Comer JA, Nichol ST, Rollin PE, AlMazroa MA, et al. Kyasanur Forest Disease virus Alkhurma subtype in ticks, Najran Province, Saudi Arabia. *Emerg Infect Dis.* 2011;17(5):945-7.
799. Mahzounieh M, Dincer E, Faraji A, Akin H, Akkutay AZ, Ozkul A. Relationship between Crimean-Congo hemorrhagic fever virus strains circulating in Iran and Turkey: possibilities for transborder transmission. *Vector borne and zoonotic diseases (Larchmont, NY).* 2012;12(9):782-5.
800. Maiga O, Sas MA, Rosenke K, Kamissoko B, Mertens M, Sogoba N, et al. Serosurvey of Crimean-Congo Hemorrhagic Fever Virus in Cattle, Mali, West Africa. *The American journal of tropical medicine and hygiene.* 2017;96(6):1341-5.
801. Main AJ, Carey AB, Downs WG. Powassan virus in *Ixodes cookei* and *Mustelidae* in New England. *Journal of wildlife diseases.* 1979;15(4):585-91.
802. Main AJ, Downs WG, Shope RE, Wallis RC. Avian arboviruses of the Witless Bay seabird Sanctuary, Newfoundland, Canada. *Journal of wildlife diseases.* 1976;12(2):182-94.
803. Makenov M, Karan L, Shashina N, Akhmetshina M, Zhurenkova O, Kholodilov I, et al. First detection of tick-borne encephalitis virus in *Ixodes ricinus* ticks and their rodent hosts in Moscow, Russia. *Ticks Tick Borne Dis.* 2019;10(6):101265.
804. Málková D, Holubová J, Kolman JM, Marhoul Z, Hanzal F, Kulková H, et al. Antibodies against

- some arboviruses in persons with various neuropathies. *Acta virologica*. 1980;24(4):298.
805. Malonga GA, Maiga AI, Moudiongui Mboundou Malanda D, Saliou M, Malanda-Kiminou JP, Dolo O, et al. Seroprevalence of Crimean-Congo hemorrhagic fever virus among people living with HIV in Brazzaville, Congo and among blood donors in Bamako, Mali. *Ticks Tick Borne Dis*. 2024;15(1):102276.
 806. Mancuso JD, Bazaco S, Stahlman S, Clausen SS, Cost AA. Tick-borne encephalitis surveillance in U.S. military service members and beneficiaries, 2006-2018. *Msmr*. 2019;26(11):4-10.
 807. Mangombi JB, Roqueplo C, Sambou M, Dahmani M, Mediannikov O, Comtet L, et al. Seroprevalence of Crimean-Congo Hemorrhagic Fever in Domesticated Animals in Northwestern Senegal. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2020;20(10):797-9.
 808. Manjunathachar HV, Raut CG, Tiwari P, Chouksey V, Barde PV, Yadav PD, et al. Crimean-Congo hemorrhagic fever virus prevalence in livestock of Jabalpur, Madhya Pradesh, Central India and its implications for public health. *Research in veterinary science*. 2024;171:105243.
 809. Mansbridge CT, Osborne J, Holding M, Dryden M, Aram M, Brown K, et al. Autochthonous tick-borne encephalitis in the United Kingdom: A second probable human case and local eco-epidemiological findings. *Ticks Tick Borne Dis*. 2022;13(1):101853.
 810. Mardani M, Aghazadeh Sarhangipour K, Nikpour S, Hakamifard A. Crimean-Congo hemorrhagic fever in the COVID-19 pandemic: A case study. *Clinical case reports*. 2022;10(3):e05518.
 811. Mardani M, Rahnavardi M, Rajaeinejad M, Naini KH, Chinikar S, Pourmalek F, et al. Crimean-Congo hemorrhagic fever among health care workers in Iran: a seroprevalence study in two endemic regions. *The American journal of tropical medicine and hygiene*. 2007;76(3):443-5.
 812. Marin MS, McKenzie J, Gao GF, Reid HW, Antoniadis A, Gould EA. The virus causing encephalomyelitis in sheep in Spain: a new member of the tick-borne encephalitis group. *Research in veterinary science*. 1995;58(1):11-3.
 813. Marjelund S, Jaaskelainen A, Tikkakoski T, Tuisku S, Vapalahti O. Gadolinium enhancement of cauda equina: a new MR imaging finding in the radiculitic form of tick-borne encephalitis. *AJNR American journal of neuroradiology*. 2006;27(5):995-7.
 814. Markeshin S, Karavanov AS, Kovin VV, Zakharova TF, Evstratov Iu V, Bychkova MV, et al. [The immune status of the population of the Crimea to the tick-borne encephalitis virus]. *Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 1991(10):28-31.
 815. Markovinović L, Kosanović Ličina ML, Tešić V, Vojvodić D, Vladušić Lucić I, Kniewald T, et al. An outbreak of tick-borne encephalitis associated with raw goat milk and cheese consumption, Croatia, 2015. *Infection*. 2016;44(5):661-5.
 816. Marvik Å, Tveten Y, Pedersen AB, Stiasny K, Andreassen Å K, Grude N. Low prevalence of tick-borne encephalitis virus antibodies in Norwegian blood donors. *Infectious diseases (London, England)*. 2021;53(1):44-51.
 817. Masood I, Tahir MJ, Naeem A, Shratch ON, Ahmed A. The new wave of Congo virus in Pakistan: emerging threat. *Tropical medicine and health*. 2023;51(1):62.
 818. Mateo RI, Xiao SY, Lei H, AP DAR, Tesh RB. Dhori virus (Orthomyxoviridae: Thogotovirus) infection in mice: a model of the pathogenesis of severe orthomyxovirus infection. *The American journal of tropical medicine and hygiene*. 2007;76(4):785-90.
 819. Matile H, Ferrari E, Aeschlimann A, Wyler R. [The transmission of tick-borne encephalitis in Switzerland. An attempt at establishing a register of natural reservoirs for a seroepidemiologic examination of forest personnel in the middle of the country]. *Schweizerische medizinische Wochenschrift*. 1981;111(35):1262-9.
 820. Matsumoto C, Shinohara N, Furuta RA, Tanishige N, Shimojima M, Matsubayashi K, et al. Investigation of antibody to severe fever with thrombocytopenia syndrome virus (SFTSV) in blood samples donated in a SFTS-endemic area in Japan. *Vox sanguinis*. 2018;113(3):297-9.
 821. Matsumoto N, Masuoka H, Hirayama K, Yamada A, Hotta K. Detection and phylogenetic analysis of phlebovirus, including severe fever with thrombocytopenia syndrome virus, in ticks collected from Tokyo, Japan. *The Journal of veterinary medical science*. 2018;80(4):638-41.
 822. Matsumura R, Kobayashi D, Itoyama K, Isawa H. First Detection of the Jingmen Tick Virus in *Amblyomma testudinarium* Ticks from the Kanto Region, Japan. *Jpn J Infect Dis*. 2024;77(3):174-7.
 823. Matsuu A, Doi K, Ishijima K, Tatemoto K, Koshida Y, Yoshida A, et al. Increased Risk of Infection with Severe Fever with Thrombocytopenia Virus among Animal Populations on Tsushima Island, Japan, Including an Endangered Species, Tsushima Leopard Cats. *Viruses*. 2022;14(12).
 824. Matsuu A, Hamakubo E, Yabuki M. Seroprevalence of severe fever with thrombocytopenia

- syndrome virus in animals in Kagoshima Prefecture, Japan, and development of Gaussia luciferase immunoprecipitation system to detect specific IgG antibodies. *Ticks Tick Borne Dis.* 2021;12(5):101771.
825. Matsuura Y, Hamakubo E, Nishiguchi A, Momoi Y, Matsuu A. Elucidation of prognostic factors in the acute phase of feline severe fever with thrombocytopenia syndrome virus infection. *The Journal of veterinary medical science.* 2024;86(2):211-20.
 826. Matthews J, Secka A, McVey DS, Dodd KA, Faburay B. Serological Prevalence of Crimean-Congo Hemorrhagic Fever Virus Infection in Small Ruminants and Cattle in The Gambia. *Pathogens (Basel, Switzerland).* 2023;12(6).
 827. Matuszczyk I, Tarnowska H, Zabicka J, Gut W. [The outbreak of an epidemic of tick-borne encephalitis in Kielec province induced by milk ingestion]. *Przegląd epidemiologiczny.* 1997;51(4):381-8.
 828. Maukayeva S, Karimova S. Tick-borne encephalitis in Kazakhstan: A case report. *Journal of Clinical Practice and Research.* 2020;42(2):226.
 829. Mavtchoutko V, Vene S, Haglund M, Forsgren M, Duks A, Kalnina V, et al. Characterization of tick-borne encephalitis virus from Latvia. *J Med Virol.* 2000;60(2):216-22.
 830. Mázló M, Szántó J. Morphological demonstration of the virus of tick-borne encephalitis in the human brain. *Acta neuropathologica.* 1978;43(3):251-3.
 831. Mazzon D, Stetka F, Bernardi L, Ferracci F, Mondardini V, Papa N, et al. [Quadriplegia and prolonged respiratory insufficiency due to tick-borne encephalomyelitis. Case report]. *Minerva anesthesiologica.* 2002;68(7-8):627-9.
 832. Mc LD, Donohue WL. Powassan virus: isolation of virus from a fatal case of encephalitis. *Canadian Medical Association journal.* 1959;80(9):708-11.
 833. McDonald E, George D, Rekant S, Curren E, DeBess E, Hedberg K, et al. Notes from the Field: Investigation of Colorado Tick Fever Virus Disease Cases - Oregon, 2018. *MMWR Morbidity and mortality weekly report.* 2019;68(12):289-90.
 834. McLean DM, Best JM, Mahalingam S, Chernesky MA, Wilson WE. POWASSAN VIRUS: SUMMER INFECTION CYCLE, 1964. *Canadian Medical Association journal.* 1964;91(26):1360-2.
 835. McLean DM, Cobb C, Gooderham SE, Smart CA, Wilson AG, Wilson WE. Powassan virus: persistence of virus activity during 1966. *Canadian Medical Association journal.* 1967;96(11):660-4.
 836. McLean DM, Crawford MA, Ladyman SR, Peers RR, Purvin-Good KW. California encephalitis and Powassan virus activity in British Columbia, 1969. *American journal of epidemiology.* 1970;92(4):266-72.
 837. McLean DM, Devos A, Quantz EJ. POWASSAN VIRUS: FIELD INVESTIGATIONS DURING THE SUMMER OF 1963. *The American journal of tropical medicine and hygiene.* 1964;13:747-53.
 838. McLean DM, Ladyman SR, Purvin-Good KW. Westward extension of Powassan virus prevalence. *Canadian Medical Association journal.* 1968;98(20):946-9.
 839. McLean DM, Larke RP. Powassan and Silverwater viruses: ecology of two Ontario arboviruses. *Canadian Medical Association journal.* 1963;88(4):182-5.
 840. McLean DM, Macpherson LW, Walker SJ, Funk G. Powassan Virus: Surveys of Human and Animal Sera. *American journal of public health and the nation's health.* 1960;50(10):1539-44.
 841. McLean DM, McQueen EJ, Petite HE, Macpherson LW, Scholten TH, Ronald K. Powassan Virus: Field Investigations in Northern Ontario, 1959 to 1961. *Canadian Medical Association journal.* 1962;86(21):971-4.
 842. McLean DM, Smith PA, Livingstone SE, Wilson WE, Wilson AG. Powassan virus: vernal spread during 1965. *Canadian Medical Association journal.* 1966;94(11):532-6.
 843. McLean DM, Walker SJ, Macpherson LW, Scholten TH, Ronald K, Wyllie JC, et al. Powassan virus: investigations of possible natural cycles of infection. *The Journal of infectious diseases.* 1961;109:19-23.
 844. McLean RG, Carey AB, Kirk LJ, Francy DB. Ecology of porcupines (*Erethizon dorsatum*) and Colorado tick fever virus in Rocky Mountain National Park, 1975-1977. *Journal of medical entomology.* 1993;30(1):236-8.
 845. McLean RG, Kirk LJ, Shriner RB, Townsend M. Avian hosts of St. Louis encephalitis virus in Pine Bluff, Arkansas, 1991. *The American journal of tropical medicine and hygiene.* 1993;49(1):46-52.
 846. McLean RG, Shriner RB, Pokorny KS, Bowen GS. The ecology of Colorado tick fever in Rocky

- Mountain National Park in 1974. III. Habitats supporting the virus. *The American journal of tropical medicine and hygiene*. 1989;40(1):86-93.
847. McMinn RJ, Langsjoen RM, Bombin A, Robich RM, Ojeda E, Normandin E, et al. Phylodynamics of deer tick virus in North America. *Virus evolution*. 2023;9(1):vead008.
 848. McMullan LK, Folk SM, Kelly AJ, MacNeil A, Goldsmith CS, Metcalfe MG, et al. A new phlebovirus associated with severe febrile illness in Missouri. *The New England journal of medicine*. 2012;367(9):834-41.
 849. McNeil JG, Lednar WM, Stansfield SK, Prier RE, Miller RN. Central European tick-borne encephalitis: assessment of risk for persons in the armed services and vacationers. *The Journal of infectious diseases*. 1985;152(3):650-1.
 850. Mease LE, Maddox SA, Noss MR, Whitman S. Case report: Tick-borne encephalitis virus infection in beneficiaries of the U.S. military healthcare system in southern Germany. *Msmr*. 2019;26(11):12-5.
 851. Mehla R, Kumar SR, Yadav P, Barde PV, Yergolkar PN, Erickson BR, et al. Recent ancestry of Kyasanur Forest disease virus. *Emerg Infect Dis*. 2009;15(9):1431-7.
 852. Mehlhorn H, Mehlhorn T, Müller M, Vogt M, Rissland J. Tick survey for prevalent pathogens in peri-urban recreation sites in Saarland and Rhineland-Palatinate (Germany). *Parasitology research*. 2016;115(3):1167-72.
 853. Mehran T, Saaid DM, Tahmineh J, Sahar K, Zakkyeh T, Mostafa S-V. Molecular epidemiology of Crimean–Congo hemorrhagic fever virus in ticks collected from western Iran. *Asian Biomedicine*. 2016;10(6):603-7.
 854. Meissner JD, Seregin SS, Seregin SV, Vyshemirskii OI, Yakimenko NV, Netesov SV, et al. The complete genomic sequence of strain ROS/HUVLV-100, a representative Russian Crimean Congo hemorrhagic fever virus strain. *Virus genes*. 2006;33(1):87-93.
 855. Mekata H, Umeki K, Yamada K, Umekita K, Okabayashi T. Nosocomial Severe Fever with Thrombocytopenia Syndrome in Companion Animals, Japan, 2022. *Emerg Infect Dis*. 2023;29(3):614-7.
 856. Mel'nikova OV, Adel'shin RV, Korzun VM, Trushina YN, Andaev EI. Tick-borne encephalitis virus isolates from natural foci of the Irkutsk region: clarification of the genotype landscape. *Voprosy virusologii*. 2016;61(5):229-34.
 857. Mel'nikova OV, Adel'shin RV, Lopatovskaya KV, Trushina YT, Yakovchits NV, Andaev EI. [Biological properties and phylogenetic relationships of tick-borne encephalitis virus (Flaviviridae, Flavivirus) isolates of siberian subtype isolated in the south of East siberia in modern period]. *Voprosy virusologii*. 2021;66(4):310-21.
 858. Meltzer E, Paran Y, Lustig Y, Stienlauf S, Weinberger M, Schwartz E. Travel-Related Tick-Borne Encephalitis, Israel, 2006-2014. *Emerg Infect Dis*. 2017;23(1):119-21.
 859. Memish ZA, Albarrak A, Almazroa MA, Al-Omar I, Alhakeem R, Assiri A, et al. Seroprevalence of Alkhurma and other hemorrhagic fever viruses, Saudi Arabia. *Emerg Infect Dis*. 2011;17(12):2316-8.
 860. Memish ZA, Fagbo SE, Osman Ali A, AlHakeem R, Elnagi FM, Bamgboye EA. Is the epidemiology of alkhurma hemorrhagic fever changing?: A three-year overview in Saudi Arabia. *PLoS One*. 2014;9(2):e85564.
 861. Mendoza MA, Hass RM, Vaillant J, Johnson DR, Theel ES, Toledano M, et al. Powassan Virus Encephalitis: A Tertiary Center Experience. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2024;78(1):80-9.
 862. Meng K, Sun W, Cheng Z, Guo H, Liu J, Chai T. First detection of severe fever with thrombocytopenia syndrome virus in the tick species *Haemaphysalis concinna* in Shandong Province, China. *Parasitology research*. 2015;114(12):4703-7.
 863. Mentese A, Koksali S, Sumer AU, Arslan M, Karahan SC, Yilmaz G. Diagnostic and prognostic value of Ischemia-modified albumin in patients with Crimean-Congo hemorrhagic fever. *Journal of medical virology*. 2013;85(4):684-8.
 864. Mentese A, Yilmaz G, Sümer A, Arslan M, Karahan SC, Köksal I. The diagnostic and prognostic significance of SCUBE1 levels in Crimean-Congo hemorrhagic fever. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2013;17(11):e1042-5.
 865. Mertens M, Schuster I, Sas MA, Vatansever Z, Hubalek Z, Güven E, et al. Crimean-Congo Hemorrhagic Fever Virus in Bulgaria and Turkey. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2016;16(9):619-23.

866. Mertens M, Vatansever Z, Mrenoshki S, Krstevski K, Stefanovska J, Djadjovski I, et al. Circulation of Crimean-Congo Hemorrhagic Fever Virus in the former Yugoslav Republic of Macedonia revealed by screening of cattle sera using a novel enzyme-linked immunosorbent assay. *PLoS neglected tropical diseases*. 2015;9(3):e0003519.
867. Mesquita JR, Cruz R, Esteves F, Santos C, Pousa H, Coelho C, et al. Crimean-Congo hemorrhagic fever virus circulating among sheep of Portugal: a nationwide serosurvey assessment. *Tropical animal health and production*. 2022;54(4):237.
868. Metanat M, Mood BS, Salehi M, Moghaddam AA, Rakhshani M, Rad NS. Viral Load as a Predictor of Severity in Crimean-Congo Hemorrhagic Fever. *Archives of Clinical Infectious Diseases*. 2017;12(1).
869. Metanat M, Sharifi MB, Alavi NR, Kermansaravi F, Hamzehnezhad M. Crimean-Congo Hemorrhagic Fever and Hypertention: A Case Report. *Archives of Clinical Infectious Diseases*. 2014;9(1):e20696.
870. Metanat M, Sharifi-Mood B, Fathollahzadeh N, Kahkha LR, Bahremand F, Sharifi R. Report of a Family with Crimean-Congo Hemorrhagic Fever Following Contact with Frozen Meat: A Case Seires Study. *Archives of Clinical Infectious Diseases*. 2018;13(1).
871. Metanat M, Sharifi-Mood B, Tabatabaei M, Sarraf-Shirazi M. Can serum ferritin level predict disease severity in patients with crimean-congo hemorrhagic Fever? *The Eurasian journal of medicine*. 2013;45(2):108-14.
872. M'Ghirbi Y, Mousson L, Moutailler S, Lecollinet S, Amaral R, Beck C, et al. West Nile, Sindbis and Usutu Viruses: Evidence of Circulation in Mosquitoes and Horses in Tunisia. *Pathogens (Basel, Switzerland)*. 2023;12(3).
873. Mhamadi M, Badji A, Dieng I, Gaye A, Ndiaye EH, Ndiaye M, et al. Multiple genotypes of Crimean-Congo hemorrhagic fever virus detected in ticks during a one health survey in Agnam, Northeastern Senegal. *Emerg Microbes Infect*. 2022;11(1):2711-4.
874. Mhamadi M, Badji A, Dieng I, Gaye A, Ndiaye EH, Ndiaye M, et al. Crimean-Congo Hemorrhagic Fever Virus Survey in Humans, Ticks, and Livestock in Agnam (Northeastern Senegal) from February 2021 to March 2022. *Tropical medicine and infectious disease*. 2022;7(10).
875. Miao D, Liu MJ, Wang YX, Ren X, Lu QB, Zhao GP, et al. Epidemiology and Ecology of Severe Fever With Thrombocytopenia Syndrome in China, 2010–2018. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2021;73(11):e3851-e8.
876. Mickiene A, Laiskonis A, Günther G, Vene S, Lundkvist A, Lindquist L. Tickborne encephalitis in an area of high endemicity in lithuania: disease severity and long-term prognosis. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2002;35(6):650-8.
877. Mickienė A, Vene S, Golovljova I, Laiskonis A, Lindquist L, Plyusnin A, et al. Tick-borne encephalitis virus in Lithuania. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2001;20(12):886-8.
878. Midilli K, Gargili A, Ergonul O, Elevli M, Ergin S, Turan N, et al. The first clinical case due to AP92 like strain of Crimean-Congo Hemorrhagic Fever virus and a field survey. *BMC Infect Dis*. 2009;9:90.
879. Midilli K, Gargili A, Ergonul O, Sengöz G, Ozturk R, Bakar M, et al. Imported Crimean-Congo hemorrhagic fever cases in Istanbul. *BMC Infect Dis*. 2007;7:54.
880. Mikryukova TP, Moskvitina NS, Kononova YV, Korobitsyn IG, Kartashov MY, Tyuten Kov OY, et al. Surveillance of tick-borne encephalitis virus in wild birds and ticks in Tomsk city and its suburbs (Western Siberia). *Ticks Tick Borne Dis*. 2014;5(2):145-51.
881. Miller DS, Covell DF, McLean RG, Adrian WJ, Niezgodá M, Gustafson JM, et al. Serologic survey for selected infectious disease agents in swift and kit foxes from the western United States. *Journal of wildlife diseases*. 2000;36(4):798-805.
882. Misić Majerus L, Daković Rode O, Ruzić Sabljčić E. [Post-encephalitic syndrome in patients with tick-borne encephalitis]. *Acta medica Croatica : casopis Hrvatske akademije medicinskih znanosti*. 2009;63(4):269-78.
883. Misić-Majerus L, Bujić N, Madarić V, Avsić-Zupanc T. [Hepatitis caused by tick-borne meningoencephalitis virus (TBEV)--a rare clinical manifestation outside the central nervous system involvement]. *Acta medica Croatica : casopis Hrvatske akademije medicinskih znanosti*. 2005;59(4):347-52.
884. Mittal SO, Hassan A, Sanchez J, Robertson C. Powassan virus postencephalitic parkinsonism. *Neurology Clinical practice*. 2017;7(6):527-30.
885. Mohamed Al Dabal L, Rahimi Shahmirzadi MR, Baderldin S, Abro A, Zaki A, Dessi Z, et al.

- Crimean-Congo Hemorrhagic Fever in Dubai, United Arab Emirates, 2010: Case Report. *Iranian Red Crescent medical journal*. 2016;18(8):e38374.
886. Mohamed RAEH, Aleanizy FS, Alqahtani FY, Alhmoaidi EA, Mohamed N. Detection of some haemorrhagic fever viruses in wild shrews collected from different habitats in Saudi Arabia: First record in the Middle East. *Journal of King Saud University-Science*. 2021;33(8):101612.
 887. Mohareb E, Christova I, Soliman A, Younan R, Kantardjiev T. Tick-borne encephalitis in Bulgaria, 2009 to 2012. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*. 2013;18(46).
 888. Mohd Shukri M, Ling Kho K, Ghane Kisomi M, Lani R, Marlina S, Muhd Radzi SF, et al. Seroprevalence report on tick-borne encephalitis virus and Crimean-Congo hemorrhagic fever virus among Malaysian's farm workers. *BMC public health*. 2015;15:704.
 889. Molnár E, Kubászova T. Tick-borne encephalitis: a comparative serological survey in Hungary. *Acta microbiologica Academiae Scientiarum Hungaricae*. 1966;13(4):289-94.
 890. Molnár GB, Persecă T, Feder A, Păcuraru D, Marialaki E, Cojan A. [Epidemiological assessment of morbidity and natural foci of TBE-CEE virus infection in Transylvania]. *Revista medico-chirurgicala a Societatii de Medici si Naturalisti din Iasi*. 2008;112(2):471-7.
 891. Moming A, Bai Y, Chen S, Wu Q, Wang J, Jin J, et al. Epidemiological surveys revealed the risk of TAMV spill-over from ticks to hosts. *Infectious diseases (London, England)*. 2024;56(1):59-65.
 892. Moming A, Shen S, Fang Y, Zhang J, Zhang Y, Tang S, et al. Evidence of Human Exposure to Tamdy Virus, Northwest China. *Emerg Infect Dis*. 2021;27(12):3166-70.
 893. Moming A, Yue X, Shen S, Chang C, Wang C, Luo T, et al. Prevalence and Phylogenetic Analysis of Crimean-Congo Hemorrhagic Fever Virus in Ticks from Different Ecosystems in Xinjiang, China. *Virologica Sinica*. 2018;33(1):67-73.
 894. Momoi Y, Matsuu A. Detection of severe fever with thrombocytopenia syndrome virus and other viruses in cats via unbiased next-generation sequencing. *Journal of veterinary diagnostic investigation : official publication of the American Association of Veterinary Laboratory Diagnosticians, Inc*. 2021;33(2):279-82.
 895. Moniuszko A, Dunaj J, Święcicka I, Zambrowski G, Chmielewska-Badora J, Zukiewicz-Sobczak W, et al. Co-infections with *Borrelia* species, *Anaplasma phagocytophilum* and *Babesia* spp. in patients with tick-borne encephalitis. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2014;33(10):1835-41.
 896. Monsalve Arteaga L, Muñoz Bellido JL, Negredo AI, García Criado J, Vieira Lista MC, Sánchez Serrano J, et al. New circulation of genotype V of Crimean-Congo haemorrhagic fever virus in humans from Spain. *PLoS neglected tropical diseases*. 2021;15(2):e0009197.
 897. Monticelli J, Geremia N, D'Agaro P, Petix V, Luzzati R. Aseptic central nervous system infections in adults: what predictor for unknown etiological diagnosis? *Neurological sciences : official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*. 2018;39(5):863-70.
 898. Moon MY, Kim HK, Chung SJ, Byun JH, Kim HN, Lee W, et al. Genetic Diversity, Regional Distribution, and Clinical Characteristics of Severe Fever with Thrombocytopenia Syndrome Virus in Gangwon Province, Korea, a Highly Prevalent Region, 2019-2021. *Microorganisms*. 2023;11(9).
 899. Moore DL, Causey OR, Carey DE, Reddy S, Cooke AR, Akinkugbe FM, et al. Arthropod-borne viral infections of man in Nigeria, 1964-1970. *Annals of tropical medicine and parasitology*. 1975;69(1):49-64.
 900. Moraga-Fernández A, Oliva-Vidal P, Sánchez-Sánchez M, Muñoz-Hernández C, Martínez JM, Margalida A, et al. Health risks associated with argasid ticks, transmitted pathogens, and blood parasites in Pyrenean griffon vulture (*Gyps fulvus*) nestlings. *European Journal of Wildlife Research*. 2023;69(6):112.
 901. Morozkin ES, Makenov MT, Zhurenkova OB, Kholodilov IS, Belova OA, Radyuk EV, et al. Integrated Jingmenvirus Polymerase Gene in *Ixodes ricinus* Genome. *Viruses*. 2022;14(9).
 902. Morozova OV, Dobrotvorsky AK, Livanova NN, Tkachev SE, Bakhvalova VN, Beklemishev AB, et al. PCR detection of *Borrelia burgdorferi sensu lato*, tick-borne encephalitis virus, and the human granulocytic ehrlichiosis agent in *Ixodes persulcatus* ticks from Western Siberia, Russia. *Journal of clinical microbiology*. 2002;40(10):3802-4.
 903. Morozova OV, Grishechkin AE, Karan LS, Isayeva EI, Shchuchinova LD, Loginova NV, et al. [Detection of tick-borne encephalitis virus in *Ixodes* ticks collected in a natural focus of Gornyi Altai]. *Voprosy virusologii*. 2011;56(2):23-6.

904. Morozova OV, Panov VV, Bakhvalova VN. Innate and adaptive immunity in wild rodents spontaneously and experimentally infected with the tick-borne encephalitis virus. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases*. 2020;80:104187.
905. Mostafavi E, Chinikar S, Esmaeili S, Amiri FB, Tabrizi AM, KhakiFirooz S. Seroepidemiological survey of Crimean-Congo hemorrhagic fever among sheep in Mazandaran province, northern Iran. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2012;12(9):739-42.
906. Mostafavi E, Pourhossein B, Esmaeili S, Bagheri Amiri F, Khakifirooz S, Shah-Hosseini N, et al. Seroepidemiology and risk factors of Crimean-Congo Hemorrhagic Fever among butchers and slaughterhouse workers in southeastern Iran. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2017;64:85-9.
907. Mourya DT, Yadav PD, Gurav YK, Pardeshi PG, Shete AM, Jain R, et al. Crimean Congo hemorrhagic fever serosurvey in humans for identifying high-risk populations and high-risk areas in the endemic state of Gujarat, India. *BMC Infect Dis*. 2019;19(1):104.
908. Mourya DT, Yadav PD, Nyayanit DA, Majumdar TD, Jain S, Sarkale P, et al. Characterization of a strain of quaranfil virus isolated from soft ticks in India. Is quaranfil virus an unrecognized cause of disease in human and animals?". *Heliyon*. 2019;5(3):e01368.
909. Mourya DT, Yadav PD, Shete A, Majumdar TD, Kanani A, Kapadia D, et al. Serosurvey of Crimean-Congo hemorrhagic fever virus in domestic animals, Gujarat, India, 2013. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(9):690-2.
910. Mourya DT, Yadav PD, Shete AM, Gurav YK, Raut CG, Jadi RS, et al. Detection, isolation and confirmation of Crimean-Congo hemorrhagic fever virus in human, ticks and animals in Ahmadabad, India, 2010-2011. *PLoS neglected tropical diseases*. 2012;6(5):e1653.
911. Mourya DT, Yadav PD, Shete AM, Sathe PS, Sarkale PC, Pattnaik B, et al. Cross-sectional Serosurvey of Crimean-Congo Hemorrhagic Fever Virus IgG in Livestock, India, 2013-2014. *Emerg Infect Dis*. 2015;21(10):1837-9.
912. Movila A, Alekseev AN, Dubinina HV, Toderas I. Detection of tick-borne pathogens in ticks from migratory birds in the Baltic region of Russia. *Medical and veterinary entomology*. 2013;27(1):113-7.
913. Mrozowska-Nyckowska K, Zbrzeźniak J, Paradowska-Stankiewicz I. Meningitis and encephalitis in Poland in 2020. *Przegląd epidemiologiczny*. 2022;76(3):371-84.
914. Muehlenbachs A, Fata CR, Lambert AJ, Paddock CD, Velez JO, Blau DM, et al. Heartland virus-associated death in tennessee. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2014;59(6):845-50.
915. Müller MA, Devignot S, Lattwein E, Corman VM, Maganga GD, Gloza-Rausch F, et al. Evidence for widespread infection of African bats with Crimean-Congo hemorrhagic fever-like viruses. *Sci Rep*. 2016;6:26637.
916. Müller W, Klein G. [Haemagglutination-inhibiting antibodies against the virus of tick-borne Spring-Summer encephalitis (TBE) in normal human population of lower Franconia Western Germany]. *Deutsche Zeitschrift fur Nervenheilkunde*. 1968;193(3):219-44.
917. Musani SH, Alam MM, Latif A. Covid-19 co-infection with Crimean Congo haemorrhagic fever (CCHF) in a CCHF endemic country: a case report. *JPMA The Journal of the Pakistan Medical Association*. 2023;73(12):2465-8.
918. Muto M, Bazartseren B, Tsevel B, Dashzevege E, Yoshii K, Kariwa H. Isolation and characterization of tick-borne encephalitis virus from *Ixodes persulcatus* in Mongolia in 2012. *Ticks Tick Borne Dis*. 2015;6(5):623-9.
919. Mylonaki E, Seiberl M, Jones N, Bernhard H, Otto F, Pilz G, et al. Tick-Borne Encephalitis Virus RNA Found in Frozen Goat's Milk in a Family Outbreak. *International journal of molecular sciences*. 2022;23(19).
920. Naderi HR, Sheybani F, Bojdi A, Khosravi N, Mostafavi I. Fatal nosocomial spread of Crimean-Congo hemorrhagic fever with very short incubation period. *The American journal of tropical medicine and hygiene*. 2013;88(3):469-71.
921. Nagy A, Nagy O, Tarcsai K, Farkas Á, Takács M. First detection of tick-borne encephalitis virus RNA in clinical specimens of acutely ill patients in Hungary. *Ticks Tick Borne Dis*. 2018;9(3):485-9.
922. Naidenova EV, Zakharov KS, Kartashov MY, Agafonov DA, Senichkina AM, Magassouba N, et al. Prevalence of Crimean-Congo hemorrhagic fever virus in rural areas of Guinea. *Ticks Tick Borne Dis*. 2020;11(5):101475.

923. Nakayasu M, Hirano M, Muto M, Kobayashi S, Kariwa H, Yoshii K. Development of a serodiagnostic IgM-ELISA for tick-borne encephalitis virus using subviral particles with strep-tag. *Ticks Tick Borne Dis.* 2018;9(6):1391-4.
924. Napp S, Llorente F, Beck C, Jose-Cunilleras E, Soler M, Pailler-García L, et al. Widespread Circulation of Flaviviruses in Horses and Birds in Northeastern Spain (Catalonia) between 2010 and 2019. *Viruses.* 2021;13(12).
925. Naren Babu N, Jayaram A, Hemanth Kumar H, Pareet P, Pattanaik S, Auti AM, et al. Spatial distribution of Haemaphysalis species ticks and human Kyasanur Forest Disease cases along the Western Ghats of India, 2017-2018. *Experimental & applied acarology.* 2019;77(3):435-47.
926. Narvaez ZE, Rainey T, Puelle R, Khan A, Jordan RA, Egizi AM, et al. Detection of multiple tick-borne pathogens in Ixodes scapularis from Hunterdon County, NJ, USA. *Current research in parasitology & vector-borne diseases.* 2023;4:100140.
927. Negodenkoa A, Luchinin DN, Konovalov PS, Pavlyukova OA, Skrynnikova EA, Prilepskaya DR, et al. A screening for serum markers of arbovirus infections in healthy blood donors from the Volgograd Region. *Russian Journal of Infection and Immunity.* 2019;9(5-6):743-9.
928. Negredo A, de la Calle-Prieto F, Palencia-Herrejón E, Mora-Rillo M, Astray-Mochales J, Sánchez-Seco MP, et al. Autochthonous Crimean-Congo Hemorrhagic Fever in Spain. *The New England journal of medicine.* 2017;377(2):154-61.
929. Negredo A, Habela MÁ, de Arellano ER, Díez F, Lasala F, López P, et al. Survey of Crimean-Congo hemorrhagic fever enzootic focus, Spain, 2011–2015. *Emerging Infectious Diseases.* 2019;25(6):1177.
930. Negredo A, Sánchez-Arroyo R, Díez-Fuertes F, de Ory F, Budiño MA, Vázquez A, et al. Fatal Case of Crimean-Congo Hemorrhagic Fever Caused by Reassortant Virus, Spain, 2018. *Emerg Infect Dis.* 2021;27(4):1211-5.
931. Neill L, Checkley AM, Benjamin LA, Herdman MT, Carter DP, Pullan ST, et al. Rhombencephalitis and Myeloradiculitis Caused by a European Subtype of Tick-Borne Encephalitis Virus. *Emerg Infect Dis.* 2019;25(12):2317-9.
932. Neitzel DF, Lynfield R, Smith K. Powassan virus encephalitis, Minnesota, USA. *Emerg Infect Dis.* 2013;19(4):686.
933. Németh V, Oldal M, Egyed L, Gyuranecz M, Erdélyi K, Kvell K, et al. Serologic evidence of Crimean-Congo hemorrhagic fever virus infection in Hungary. *Vector borne and zoonotic diseases (Larchmont, NY).* 2013;13(4):270-2.
934. Newman BC, Sutton WB, Moncayo AC, Hughes HR, Taheri A, Moore TC, et al. Heartland Virus in Lone Star Ticks, Alabama, USA. *Emerg Infect Dis.* 2020;26(8):1954-6.
935. Nichter M. Kyasanur forest disease: an ethnography of a disease of development. *Medical Anthropology: Routledge;* 2023. p. 445-62.
936. Nikiforova MA, Kuznetsova NA, Shchetinin AM, Butenko AM, Kozlova AA, Larichev VP, et al. Arboviruses in the Astrakhan region of Russia for 2018 season: The development of multiplex PCR assays and analysis of mosquitoes, ticks, and human blood sera. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases.* 2021;88:104711.
937. Nimo-Paintsil SC, Mosore M, Addo SO, Lura T, Tagoe J, Ladzekpo D, et al. Ticks and prevalence of tick-borne pathogens from domestic animals in Ghana. *Parasites & vectors.* 2022;15(1):86.
938. Niu G, Li J, Liang M, Jiang X, Jiang M, Yin H, et al. Severe fever with thrombocytopenia syndrome virus among domesticated animals, China. *Emerg Infect Dis.* 2013;19(5):756-63.
939. Nofchissey RA, Deardorff ER, Blevins TM, Anishchenko M, Bosco-Lauth A, Berl E, et al. Seroprevalence of Powassan virus in New England deer, 1979-2010. *The American journal of tropical medicine and hygiene.* 2013;88(6):1159-62.
940. Noh JY, Song JY, Bae JY, Park MS, Yoon JG, Cheong HJ, et al. Seroepidemiologic survey of emerging vector-borne infections in South Korean forest/field workers. *PLoS neglected tropical diseases.* 2021;15(8):e0009687.
941. Nord JM, Goldberg NR. Novel Case of Multifocal Choroiditis following Powassan Virus Infection. *Ocular immunology and inflammation.* 2022;30(7-8):1651-3.
942. Normandin E, Solomon IH, Zamirpour S, Lemieux J, Freije CA, Mukerji SS, et al. Powassan Virus Neuropathology and Genomic Diversity in Patients With Fatal Encephalitis. *Open forum infectious diseases.* 2020;7(10):ofaa392.
943. Nosek J, Kožuch O, Grulich I. The structure of tick-borne encephalitis (TBE) foci in Central Europe. *Oecologia.* 1970;5(1):61-73.

944. Nurettin C, Engin B, Sukru T, Munir A, Zati V, Aykut O. The Seroprevalence of Crimean-Congo Hemorrhagic Fever in Wild and Domestic Animals: An Epidemiological Update for Domestic Animals and First Seroevidence in Wild Animals from Turkiye. *Veterinary sciences*. 2022;9(9).
945. Nyakarahuka L, Kyondo J, Telford C, Whitesell A, Tumusiime A, Mulei S, et al. Seroepidemiological investigation of Crimean Congo hemorrhagic fever virus in livestock in Uganda, 2017. *PLoS One*. 2023;18(11):e0288587.
946. Nyakarahuka L, Whitmer S, Kyondo J, Mulei S, Cossaboom CM, Telford CT, et al. Crimean-Congo Hemorrhagic Fever Outbreak in Refugee Settlement during COVID-19 Pandemic, Uganda, April 2021. *Emerg Infect Dis*. 2022;28(11):2326-9.
947. Nyataya J, Maraka M, Lemtudo A, Masakhwe C, Mutai B, Njaanake K, et al. Serological Evidence of Yersiniosis, Tick-Borne Encephalitis, West Nile, Hepatitis E, Crimean-Congo Hemorrhagic Fever, Lyme Borreliosis, and Brucellosis in Febrile Patients Presenting at Diverse Hospitals in Kenya. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2020;20(5):348-57.
948. Obanda V, Agwanda B, Blanco-Penedo I, Mwangi IA, King'ori E, Omondi GP, et al. Livestock Presence Influences the Seroprevalence of Crimean Congo Hemorrhagic Fever Virus on Sympatric Wildlife in Kenya. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2021;21(10):809-16.
949. Ochocka P, Zbrzeźniak J, Paradowska-Stankiewicz I. Meningitis and encephalitis in Poland in 2019. *Przegląd epidemiologiczny*. 2021;75(2):215-28.
950. Oehme R, Hartelt K, Backe H, Brockmann S, Kimmig P. Foci of tick-borne diseases in southwest Germany. *International journal of medical microbiology : IJMM*. 2002;291 Suppl 33:22-9.
951. Ofiaz MB, Bolat F, Kaya A, Guven AS, Kucukdurmaz Z, Karapinar H, et al. Resting heart rate in children with Crimean-Congo hemorrhagic fever: a tool to identify patients at risk? *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(1):59-65.
952. Ofiaz MB, Kucukdurmaz Z, Guven AS, Karapinar H, Kaya A, Sancakdar E, et al. Bradycardia seen in children with Crimean-Congo hemorrhagic fever. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2013;13(11):807-11.
953. Ogata Y, Sato T, Kato K, Kikuchi K, Mitsuhashi K, Watari K, et al. A case of tick-borne Yezo virus infection: Concurrent detection in the patient and tick. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2024;143:107038.
954. Ogawa M, Okubo H, Tsuji Y, Yasui N, Someda K. Chronic progressive encephalitis occurring 13 years after Russian spring-summer encephalitis. *Journal of the neurological sciences*. 1973;19(3):363-73.
955. Ogola EO, Kopp A, Bastos ADS, Slothouwer I, Marklewitz M, Omoga D, et al. Jingmen Tick Virus in Ticks from Kenya. *Viruses*. 2022;14(5).
956. Ogola EO, Kopp A, Bastos ADS, Slothouwer I, Omoga DCA, Osalla J, et al. Phlebovirus diversity in ticks from livestock in arid ecologies in Kenya. *Ticks Tick Borne Dis*. 2023;14(1):102087.
957. Oh SS, Chae JB, Kang JG, Kim HC, Chong ST, Shin JH, et al. Detection of Severe Fever with Thrombocytopenia Syndrome Virus from Wild Animals and Ixodidae Ticks in the Republic of Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2016;16(6):408-14.
958. O'Hearn AE, Voorhees MA, Fetterer DP, Wauquier N, Coomber MR, Bangura J, et al. Serosurveillance of viral pathogens circulating in West Africa. *Virol J*. 2016;13(1):163.
959. Ohira M, Yoshii K, Aso Y, Nakajima H, Yamashita T, Takahashi-Iwata I, et al. First evidence of tick-borne encephalitis (TBE) outside of Hokkaido Island in Japan. *Emerg Microbes Infect*. 2023;12(2):2278898.
960. Okada A, Hotta A, Kimura M, Park ES, Morikawa S, Inoshima Y. A retrospective survey of the seroprevalence of severe fever with thrombocytopenia syndrome virus in wild animals in Japan. *Veterinary medicine and science*. 2021;7(2):600-5.
961. Oksi J, Viljanen MK, Kalimo H, Peltonen R, Marttía R, Salomaa P, et al. Fatal encephalitis caused by concomitant infection with tick-borne encephalitis virus and *Borrelia burgdorferi*. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 1993;16(3):392-6.
962. Okuno T, Oya A, Ito T. The identification of Negishi virus, a presumably new member of Russian spring-summer encephalitis virus family isolated in Japan. *Japanese journal of medical science & biology*. 1961;14:51-9.
963. Okur-Gumusova S, Tamer C, Ozan E, Cavunt A, Kadi H, Muftuoglu B, et al. An investigation of the seroprevalence of Crimean-Congo hemorrhagic fever and lumpy skin disease in domesticated water buffaloes in northern Turkey. *Tropical Biomedicine*. 2020;37(1):165–73.
964. Oludele J, Alho P, Chongo I, Maholela P, Magaia V, Muianga A, et al. Emerging Zoonotic Diseases

- among Pastoral Communities of Caia and Búzi Districts, Sofala, Mozambique: Evidence of Antibodies against Brucella, Leptospira, Rickettsia, and Crimean-Congo Hemorrhagic Fever Virus. *Viruses*. 2023;15(12).
965. Oluwayelu D, Afrough B, Adebisi A, Varghese A, Eun-Sil P, Fukushi S, et al. Prevalence of Antibodies to Crimean-Congo Hemorrhagic Fever Virus in Ruminants, Nigeria, 2015. *Emerg Infect Dis*. 2020;26(4):744-7.
 966. Omazic A, Wallenhammar A, Lahti E, Asghar N, Hanberger A, Hjertqvist M, et al. Dairy milk from cow and goat as a sentinel for tick-borne encephalitis virus surveillance. *Comparative immunology, microbiology and infectious diseases*. 2023;95:101958.
 967. Omoga DCA, Tchouassi DP, Venter M, Ogola EO, Osalla J, Kopp A, et al. Transmission Dynamics of Crimean-Congo Haemorrhagic Fever Virus (CCHFV): Evidence of Circulation in Humans, Livestock, and Rodents in Diverse Ecologies in Kenya. *Viruses*. 2023;15(9).
 968. Orkun Ö, Emir H, Karaer Z. Ticks threatening lineage of Anatolian wild sheep (*Ovis gmelinii anatolica*) and determination of their tick-borne pathogens. *Veterinary parasitology*. 2016;228:77-84.
 969. Orkun Ö, Karaer Z, Çakmak A, Nalbantoğlu S. Crimean-Congo hemorrhagic fever virus in ticks in Turkey: A broad range tick surveillance study. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases*. 2017;52:59-66.
 970. Orlova MV, Mischenko VA, Doronin IV, Zabashta MV, Anisimov NV, Vyalykh IV. Tick-Borne Encephalitis in the Russian Caucasus: Virus Was Detected for the First Time on the Border of Europe and Asia Minor. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2024;24(3):177-80.
 971. Ostapchuk YO, Dmitrovskiy AM, Pak EA, Perfiljeva YV. A Case of Combined Infection with Tick-Borne Encephalitis and Lyme Borreliosis with Severe Meningoencephalitis and Complete Recovery. *J Glob Infect Dis*. 2023;15(2):81-3.
 972. Ott D, Ulrich K, Ginsbach P, Öhme R, Bock-Hensley O, Falk U, et al. Tick-borne encephalitis virus (TBEV) prevalence in field-collected ticks (*Ixodes ricinus*) and phylogenetic, structural and virulence analysis in a TBE high-risk endemic area in southwestern Germany. *Parasites & vectors*. 2020;13(1):303.
 973. Ozan E, Ozkul A. Investigation of Crimean-Congo hemorrhagic fever virus in ruminant species slaughtered in several endemic provinces in Turkey. *Arch Virol*. 2020;165(8):1759-67.
 974. Ozbey SB, Kader Ç, Erbay A, Ergönül Ö. Early use of ribavirin is beneficial in Crimean-Congo hemorrhagic fever. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(4):300-2.
 975. Ozkaya E, Dincer E, Carhan A, Uyar Y, Ertek M, Whitehouse CA, et al. Molecular epidemiology of Crimean-Congo hemorrhagic fever virus in Turkey: occurrence of local topotype. *Virus Res*. 2010;149(1):64-70.
 976. Ozkurt Z, Kiki I, Erol S, Erdem F, Yilmaz N, Parlak M, et al. Crimean-Congo hemorrhagic fever in Eastern Turkey: clinical features, risk factors and efficacy of ribavirin therapy. *The Journal of infection*. 2006;52(3):207-15.
 977. Ozupak T, Albayrak H. Molecular detection of crimean-congo hemorrhagic fever virus (CCHFV) in tick samples but not in blood and milk samples of domestic ruminant species (cattle, sheep and goat) in northern Turkey. *Polish Journal of Veterinary Sciences*. 2020;23(4).
 978. Pach JJ, Zubair AS, Traner C, Falcone GJ, Dewey JJ. Powassan Meningoencephalitis: A Case Report Highlighting Diagnosis and Management. *Cureus*. 2021;13(7):e16592.
 979. Pakanen VM, Sormunen JJ, Sippola E, Blomqvist D, Kallio ER. Questing abundance of adult taiga ticks *Ixodes persulcatus* and their *Borrelia* prevalence at the north-western part of their distribution. *Parasites & vectors*. 2020;13(1):384.
 980. Pakbin B, Rossen JWA, Brück WM, Montazeri N, Allahyari S, Dibazar SP, et al. Prevalence of foodborne and zoonotic viral pathogens in raw cow milk samples. *FEMS microbiology letters*. 2022;369(1).
 981. Palomar AM, Portillo A, Mazuelas D, Roncero L, Arizaga J, Crespo A, et al. Molecular analysis of Crimean-Congo hemorrhagic fever virus and Rickettsia in *Hyalomma marginatum* ticks removed from patients (Spain) and birds (Spain and Morocco), 2009-2015. *Ticks Tick Borne Dis*. 2016;7(5):983-7.
 982. Palomar AM, Portillo A, Santibáñez P, Mazuelas D, Arizaga J, Crespo A, et al. Crimean-Congo hemorrhagic fever virus in ticks from migratory birds, Morocco. *Emerg Infect Dis*. 2013;19(2):260-3.
 983. Palus M, Formanová P, Salát J, Žampachová E, Elsterová J, Růžek D. Analysis of serum levels of cytokines, chemokines, growth factors, and monoamine neurotransmitters in patients with tick-

- borne encephalitis: identification of novel inflammatory markers with implications for pathogenesis. *J Med Virol.* 2015;87(5):885-92.
984. Panayotova E, Papa A, Trifonova I, Christova I. Crimean-Congo hemorrhagic fever virus lineages Europe 1 and Europe 2 in Bulgarian ticks. *Ticks Tick Borne Dis.* 2016;7(5):1024-8.
 985. Panciu AM, Cheran CA, Militaru ED, Rîciu CD, Hristea A. Serosurvey of Tick-Borne Encephalitis Virus Infection in Romania. *Pathogens (Basel, Switzerland).* 2024;13(3).
 986. Panella NA, Nicholson WL, Komar N, Burkhalter KL, Hughes HR, Theuret DP, et al. Field-Collected Ticks From Benton County, Arkansas, and Prevalence of Associated Pathogens. *Journal of medical entomology.* 2024;61(4):1035-42.
 987. Panferova YA, Suvorova MA, Shapar AO, Tokarevich NK. Bacterial and viral pathogens in Ixodes sp. ticks in St. Petersburg and Leningrad district. *Russian Journal of Infection and Immunity.* 2018;8(2):219-22.
 988. Pang Z, Jin Y, Pan M, Zhang Y, Wu Z, Liu L, et al. Geographical distribution and phylogenetic analysis of Jingmen tick virus in China. *iScience.* 2022;25(9):105007.
 989. Papa A, Bino S, Llagami A, Brahimaj B, Papadimitriou E, Pavlidou V, et al. Crimean-Congo hemorrhagic fever in Albania, 2001. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology.* 2002;21(8):603-6.
 990. Papa A, Bino S, Papadimitriou E, Velo E, Dhimolea M, Antoniadis A. Suspected Crimean Congo Haemorrhagic Fever cases in Albania. *Scand J Infect Dis.* 2008;40(11-12):978-80.
 991. Papa A, Bino S, Velo E, Harxhi A, Kota M, Antoniadis A. Cytokine levels in Crimean-Congo hemorrhagic fever. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology.* 2006;36(4):272-6.
 992. Papa A, Bozovi B, Pavlidou V, Papadimitriou E, Pelemis M, Antoniadis A. Genetic detection and isolation of crimean-congo hemorrhagic fever virus, Kosovo, Yugoslavia. *Emerg Infect Dis.* 2002;8(8):852-4.
 993. Papa A, Chaligiannis I, Kontana N, Sourba T, Tsioka K, Tsatsaris A, et al. A novel AP92-like Crimean-Congo hemorrhagic fever virus strain, Greece. *Ticks Tick Borne Dis.* 2014;5(5):590-3.
 994. Papa A, Christova I, Papadimitriou E, Antoniadis A. Crimean-Congo hemorrhagic fever in Bulgaria. *Emerg Infect Dis.* 2004;10(8):1465-7.
 995. Papa A, Kontana A, Tsioka K, Chaligiannis I, Sotiraki S. Molecular detection of Crimean-Congo hemorrhagic fever virus in ticks, Greece, 2012-2014. *Parasitology research.* 2017;116(11):3057-63.
 996. Papa A, Papadimitriou E, Božović B, Antoniadis A. Genetic characterization of the M RNA segment of a Balkan Crimean-Congo hemorrhagic fever virus strain. *J Med Virol.* 2005;75(3):466-9.
 997. Papa A, Papadopoulou E, Tsioka K, Kontana A, Pappa S, Melidou A, et al. Isolation and whole-genome sequencing of a Crimean-Congo hemorrhagic fever virus strain, Greece. *Ticks Tick Borne Dis.* 2018;9(4):788-91.
 998. Papa A, Pappa S, Panayotova E, Papadopoulou E, Christova I. Molecular epidemiology of Crimean-Congo hemorrhagic fever in Bulgaria—An update. *Journal of medical virology.* 2016;88(5):769-73.
 999. Papa A, Sidira P, Kallia S, Ntouska M, Zotos N, Doumbali E, et al. Factors associated with IgG positivity to Crimean-Congo hemorrhagic fever virus in the area with the highest seroprevalence in Greece. *Ticks Tick Borne Dis.* 2013;4(5):417-20.
 1000. Papa A, Tsergouli K, Çağlayık DY, Bino S, Como N, Uyar Y, et al. Cytokines as biomarkers of Crimean-Congo hemorrhagic fever. *J Med Virol.* 2016;88(1):21-7.
 1001. Papa A, Velo E, Kadiaj P, Tsioka K, Kontana A, Kota M, et al. Crimean-Congo hemorrhagic fever virus in ticks collected from livestock in Albania. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases.* 2017;54:496-500.
 1002. Papa A, Velo E, Papadimitriou E, Cahani G, Kota M, Bino S. Ecology of the Crimean-Congo hemorrhagic fever endemic area in Albania. *Vector borne and zoonotic diseases (Larchmont, NY).* 2009;9(6):713-6.
 1003. Papa A, Yagci Caglayık D, Christova I, Tsergouli K, Korukluoglu G, Uyar Y. Crimean-Congo hemorrhagic fever: CXCL10 correlates with the viral load. *J Med Virol.* 2015;87(6):899-903.
 1004. Park KB, Roh JY, Kim SY, Kim NY, Jo YH, Jeong RD, et al. Deep sequencing and phylogenetic analysis of severe fever with thrombocytopenia syndrome virus from the tick, *Haemaphysalis longicornis*, in Korea. *Entomological Research.* 2021;51(1):3-11.
 1005. Park SW, Ryou J, Choi WY, Han MG, Lee WJ. Epidemiological and Clinical Features of Severe Fever with Thrombocytopenia Syndrome During an Outbreak in South Korea, 2013-2015. *The American journal of tropical medicine and hygiene.* 2016;95(6):1358-61.
 1006. Park SW, Song BG, Shin EH, Yun SM, Han MG, Park MY, et al. Prevalence of severe fever

- with thrombocytopenia syndrome virus in *Haemaphysalis longicornis* ticks in South Korea. *Ticks Tick Borne Dis.* 2014;5(6):975-7.
1007. Partington MW, Thomson V, O'Shaughnessy MV. Powassan virus encephalitis in southeastern Ontario. *Canadian Medical Association journal.* 1980;123(7):603-6.
 1008. Pascoe EL, de Vries A, Esser HJ, Koenraadt CJM, Sprong H. Detection of tick-borne encephalitis virus in ear tissue and dried blood spots from naturally infected wild rodents. *Parasites & vectors.* 2023;16(1):103.
 1009. Patel AA, Dalal YD, Parikh A, Gandhi R, Shah A. Crimean-Congo Hemorrhagic Fever: An Emerging Viral Infection in India, Revisited and Lessons Learned. *Cureus.* 2023;15(8):e43315.
 1010. Patel KM, Johnson J, Zacharioudakis IM, Boxerman JL, Flanigan TP, Reece RM. First confirmed case of Powassan neuroinvasive disease in Rhode Island. *IDCases.* 2018;12:84-7.
 1011. Paulsen KM, das Neves CG, Granquist EG, Madslie K, Stuenkel S, Pedersen BN, et al. Cervids as sentinel-species for tick-borne encephalitis virus in Norway - A serological study. *Zoonoses and public health.* 2020;67(4):342-51.
 1012. Paulsen KM, Stuenkel S, das Neves CG, Suhel F, Gurung D, Soleng A, et al. Tick-borne encephalitis virus in cows and unpasteurized cow milk from Norway. *Zoonoses and public health.* 2019;66(2):216-22.
 1013. Pautienius A, Armonaitė A, Simkute E, Zagrabskaite R, Buitkuviene J, Alpizar-Jara R, et al. Cross-Sectional Study on the Prevalence and Factors Influencing Occurrence of Tick-Borne Encephalitis in Horses in Lithuania. *Pathogens (Basel, Switzerland).* 2021;10(2).
 1014. Pautienius A, Dudas G, Simkute E, Grigas J, Zakiene I, Paulauskas A, et al. Bulk Milk Tank Samples Are Suitable to Assess Circulation of Tick-Borne Encephalitis Virus in High Endemic Areas. *Viruses.* 2021;13(9).
 1015. Pavlidou V, Gerou S, Diza E, Antoniadis A, Papa A. Genetic study of the distribution of Greek goat encephalitis virus in Greece. *Vector borne and zoonotic diseases (Larchmont, NY).* 2008;8(3):351-4.
 1016. Pavlidou V, Geroy S, Diza E, Antoniadis A, Papa A. Epidemiological study of tick-borne encephalitis virus in northern Greece. *Vector borne and zoonotic diseases (Larchmont, NY).* 2007;7(4):611-5.
 1017. Pavlov P, Rosický B, Hubálek Z, Daniel M, Bárdos V, Minár J, et al. Isolation of Bhanja virus from ticks of the genus *Haemaphysalis* in southeast Bulgaria and presence of antibodies in pastured sheep. *Folia parasitologica.* 1978;25(1):67-73.
 1018. Pavri KM, Singh KR. Demonstration of antibodies against the virus of Kyasanur Forest disease (KFD) in the frugivorous bat *Rousettus leschenaulti*, near Poona, India. *The Indian journal of medical research.* 1965;53(10):956-61.
 1019. Pazdiora P, Benesová J, Böhmová Z, Králíková J, Kubátová A, Menclová I, et al. The prevalence of tick-borne encephalitis in the region of West Bohemia (Czech Republic) between 1960-2005. *Wiener medizinische Wochenschrift (1946).* 2008;158(3-4):91-7.
 1020. Pchelkina AA, Medvedeva GI. Biological properties of strains of tick-borne encephalitis virus isolated in the natural foci of the eastern part of the Russian plain. *Journal of hygiene, epidemiology, microbiology, and immunology.* 1984;28(1):41-52.
 1021. Peňazziová K, Korytár Ľ, Čingelová Maruščáková I, Schusterová P, Loziak A, Pivka S, et al. Serologic Investigation on Tick-Borne Encephalitis Virus, Kemerovo Virus and Tribeč Virus Infections in Wild Birds. *Microorganisms.* 2022;10(12):2397.
 1022. Perez-Eid C, Hannoun C, Rodhain F. The Alsatian tick-borne encephalitis focus: presence of the virus among ticks and small mammals. *European journal of epidemiology.* 1992;8(2):178-86.
 1023. Perez-Sautu U, Gu SH, Caviness K, Song DH, Kim YJ, Paola ND, et al. A Model for the Production of Regulatory Grade Viral Hemorrhagic Fever Exposure Stocks: From Field Surveillance to Advanced Characterization of SFTSV. *Viruses.* 2020;12(9).
 1024. Perkins SE, Cattadori IM, Tagliapietra V, Rizzoli AP, Hudson PJ. Empirical evidence for key hosts in persistence of a tick-borne disease. *International journal for parasitology.* 2003;33(9):909-17.
 1025. Perkins SE, Cattadori IM, Tagliapietra V, Rizzoli AP, Hudson PJ. Localized deer absence leads to tick amplification. *Ecology.* 2006;87(8):1981-6.
 1026. Petrova ID, Kononova YV, Chaousov EV, Shestopalov AM, Tishkova FH. Genetic variants of the Crimean-Congo hemorrhagic fever virus circulating in endemic areas of Southern Tajikistan in 2009. *Molecular Genetics, Microbiology and Virology.* 2013;28:119-26.
 1027. Pettersson JH, Golovljova I, Vene S, Jaenson TG. Prevalence of tick-borne encephalitis virus

- in *Ixodes ricinus* ticks in northern Europe with particular reference to Southern Sweden. *Parasites & vectors*. 2014;7:102.
1028. Phonera MC, Simuunza MC, Kainga H, Ndebe J, Chembensofu M, Chatanga E, et al. Seroprevalence and Risk Factors of Crimean-Congo Hemorrhagic Fever in Cattle of Smallholder Farmers in Central Malawi. *Pathogens* (Basel, Switzerland). 2021;10(12).
 1029. Piantadosi A, Kanjilal S, Ganesh V, Khanna A, Hyle EP, Rosand J, et al. Rapid Detection of Powassan Virus in a Patient With Encephalitis by Metagenomic Sequencing. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2018;66(5):789-92.
 1030. Piantadosi A, Mukerji SS, Ye S, Leone MJ, Freimark LM, Park D, et al. Enhanced Virus Detection and Metagenomic Sequencing in Patients with Meningitis and Encephalitis. *mBio*. 2021;12(4):e0114321.
 1031. Pintér R, Madai M, Horváth G, Németh V, Oldal M, Kemenesi G, et al. Molecular detection and phylogenetic analysis of tick-borne encephalitis virus in rodents captured in the transdanubian region of Hungary. *Vector borne and zoonotic diseases* (Larchmont, NY). 2014;14(8):621-4.
 1032. Pintér R, Madai M, Vadkerti E, Németh V, Oldal M, Kemenesi G, et al. Identification of tick-borne encephalitis virus in ticks collected in southeastern Hungary. *Ticks Tick Borne Dis*. 2013;4(5):427-31.
 1033. Pogodina VV, Bochkova NG, Koreshkova GV. [Strain properties of the Aina/1448 serotype of the tick-borne encephalitis virus]. *Voprosy virusologii*. 1981(6):741-6.
 1034. Pogorzelski R, Drozdowski W, Rogowski M. Symptomatic palatal myoclonus with ear click after tick-borne meningoencephalitis. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery*. 2006;263(8):711-3.
 1035. Poluga J, Barac A, Katanic N, Rubino S, Milosevic B, Urosevic A, et al. Tick-borne encephalitis in Serbia: A case series. *Journal of infection in developing countries*. 2019;13(6):510-5.
 1036. Pomelova VG, Bychenkova TA, Bekman NI, Osin NS, Korenberg EI, Vorob'eva NN, et al. [Diagnostic efficacy of phosphorescent immunochips for serologic diagnostics of tick-borne encephalitis]. *Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 2009(3):71-5.
 1037. Ponfick M, Hacker S, Gdynia HJ, Linden R, Gränz M, Nowak DA. Meningoencephaloradiculomyelitis after tick-borne encephalitis virus infection: a case series. *European journal of neurology*. 2012;19(5):776-82.
 1038. Ponomareva EP, Mikryukova TP, Gori AV, Kartashov MY, Protopopova EV, Chausov EV, et al. Detection of Far-Eastern subtype of tick-borne encephalitis viral RNA in ticks collected in the Republic of Moldova. *J Vector Borne Dis*. 2015;52(4):334-6.
 1039. Ponomareva EP, Ternovoi VA, Mikryukova TP, Protopopova EV, Tupota NL, Loktev VB. [Genetic Variability of Tick-Borne Encephalitis Virus Genome 5'-UTR from Northern Eurasia]. *Molekuliarnaia biologiya*. 2021;55(3):431-40.
 1040. Ponomareva EP, Ternovoi VA, Mikryukova TP, Protopopova EV, Tupota NL, Loktev VB. Genetic Variability of Tick-Borne Encephalitis Virus Genome 5'-UTR from Northern Eurasia. *Molecular Biology*. 2021;55(3):372-80.
 1041. Popov VL, Korenberg EI, Nefedova VV, Han VC, Wen JW, Kovalevskii YV, et al. Ultrastructural evidence of the ehrlichial developmental cycle in naturally infected *Ixodes persulcatus* ticks in the course of coinfection with *Rickettsia*, *Borrelia*, and a flavivirus. *Vector borne and zoonotic diseases* (Larchmont, NY). 2007;7(4):699-716.
 1042. Popović Dragonjić L, Vrbic M, Tasić A, Simin V, Bogdan I, Mijatović D, et al. Fatal Case of Imported Tick-Borne Encephalitis in South Serbia. *Tropical medicine and infectious disease*. 2022;7(12).
 1043. Potkonjak A, Petrović T, Ristanović E, Lalić I, Vračar V, Savić S, et al. Molecular Detection and Serological Evidence of Tick-Borne Encephalitis Virus in Serbia. *Vector borne and zoonotic diseases* (Larchmont, NY). 2017;17(12):813-20.
 1044. Prejit, Hitziger M, Asha K. Effectiveness of One Health approach for control of Kyasanur Forest Disease in Wayanad, Kerala, India. *J Vector Borne Dis*. 2022;59(1):70-8.
 1045. Price KJ, Tewari D, Witmier BJ, Long J, Chroscinski MS, Livengood JL, et al. Prevalence and distribution of Powassan/deer tick virus in Pennsylvania. *International Journal of Acarology*. 2021;47(8):726-9.
 1046. Prinz M, Fuchs J, Ehrmann S, Scherer-Lorenzen M, Kochs G, Panning M. Molecular identification of novel phlebovirus sequences in European ticks. *Ticks Tick Borne Dis*.

- 2017;8(5):795-8.
1047. Prokopowicz D, Bobrowska E, Bobrowski M, Grzeszczuk A. Prevalence of antibodies against tick-borne encephalitis among residents of north-eastern Poland. *Scand J Infect Dis.* 1995;27(1):15-6.
 1048. Pshenichnaya NY, Nenadskaya SA. Probable Crimean-Congo hemorrhagic fever virus transmission occurred after aerosol-generating medical procedures in Russia: nosocomial cluster. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases.* 2015;33:120-2.
 1049. Pshenichnaya NY, Sydenko IS, Klinovaya EP, Romanova EB, Zhuravlev AS. Possible sexual transmission of Crimean-Congo hemorrhagic fever. *International Journal of Infectious Diseases.* 2016;45:109-11.
 1050. Pugliese A, Beltramo T, Torre D. Seroprevalence study of Tick-borne encephalitis, *Borrelia burgdorferi*, Dengue and Toscana virus in Turin Province. *Cell biochemistry and function.* 2007;25(2):185-8.
 1051. Pukhovskaya NM, Morozova OV, Vysochina NP, Belozerova NB, Bakhmetyeva SV, Zdanovskaya NI, et al. Tick-borne encephalitis virus in arthropod vectors in the Far East of Russia. *Ticks Tick Borne Dis.* 2018;9(4):824-33.
 1052. Punda V, Ropac D, Vesenjaj-Hirjan J. Incidence of hemagglutination-inhibiting antibodies for Bhanja virus in humans along the north-west border of Yugoslavia. *Zentralblatt für Bakteriologie, Mikrobiologie, und Hygiene Series A, Medical microbiology, infectious diseases, virology, parasitology.* 1987;265(1-2):227-34.
 1053. Pýchová M, Straková J, Husa P. Tick-borne Encephalitis: Course and Complications-Our Observations from 2009-2012. *Česká a slovenská neurologie a neurochirurgie.* 2014(3).
 1054. Qin T, Shi M, Zhang M, Liu Z, Feng H, Sun Y. Diversity of RNA viruses of three dominant tick species in North China. *Frontiers in veterinary science.* 2022;9:1057977.
 1055. Qin XC, Shi M, Tian JH, Lin XD, Gao DY, He JR, et al. A tick-borne segmented RNA virus contains genome segments derived from unsegmented viral ancestors. *Proceedings of the National Academy of Sciences of the United States of America.* 2014;111(18):6744-9.
 1056. Qing T, Saijo M, Lei H, Niikura M, Maeda A, Ikegami T, et al. Detection of immunoglobulin G to Crimean-Congo hemorrhagic fever virus in sheep sera by recombinant nucleoprotein-based enzyme-linked immunosorbent and immunofluorescence assays. *Journal of virological methods.* 2003;108(1):111-6.
 1057. Qu L, Li X, Huang B, Liu Y, Li Q, Shah T, et al. Identification and Characterization of Jingmen Tick Virus in Ticks from Yunnan Imported Cattle. *Vector borne and zoonotic diseases (Larchmont, NY).* 2023;23(5):298-302.
 1058. Quillien MC, Monnat JY, Le Lay G, Le Goff F, Hardy E, Chastel C. Avalon virus, Sakhalin group (Nairovirus, Bunyaviridae) from the seabird tick *Ixodes (Ceratiixodes) uriae* White 1852 in France. *Acta virologica.* 1986;30(5):418-27.
 1059. Radzišauskienė D, Urbonienė J, Kaubrys G, Andruškevičius S, Jatužis D, Matulytė E, et al. The epidemiology, clinical presentation, and predictors of severe Tick-borne encephalitis in Lithuania, a highly endemic country: A retrospective study of 1040 patients. *PLoS One.* 2020;15(11):e0241587.
 1060. Rahden P, Adam A, Mika A, Jassoy C. Elevated Human Crimean-Congo Hemorrhagic Fever Virus Seroprevalence in Khashm el Girba, Eastern Sudan. *The American journal of tropical medicine and hygiene.* 2019;100(6):1549-51.
 1061. Raheemi H, Abbas H, Afsheen Z, Rizwan HM, Sajid MS. Epizootiology and seroprevalence of Crimean-Congo hemorrhagic fever virus in ruminant population of East Afghanistan. *Kuwait Journal of Science.* 2024;51(1):100131.
 1062. Rai MA, Khanani MR, Warraich HJ, Hayat A, Ali SH. Crimean-Congo hemorrhagic fever in Pakistan. *Journal of medical virology.* 2008;80(6):1004-6.
 1063. Răileanu C, Tauchmann O, Silaghi C. Sympatric occurrence of *Ixodes ricinus* with *Dermacentor reticulatus* and *Haemaphysalis concinna* and the associated tick-borne pathogens near the German Baltic coast. *Parasites & vectors.* 2022;15(1):65.
 1064. Rajagopalan PK, Paul SD, Sreenivasan MA. Isolation of Kyasanur forest disease virus from the insectivorous bat, *Rhinolophus rouxi* and from *Ornithodoros* ticks. *The Indian journal of medical research.* 1969;57(5):805-8.
 1065. Ramírez de Arellano E, Hernández L, Goyanes MJ, Arsuaga M, Cruz AF, Negrodo A, et al. Phylogenetic Characterization of Crimean-Congo Hemorrhagic Fever Virus, Spain. *Emerg Infect*

- Dis. 2017;23(12):2078-80.
1066. Rathinam B, Sidhik S. Species distribution and ecological suitability analysis for potential tick vectors of Kyasanur forest disease in the Western Ghats of Kerala. *Medical and veterinary entomology*. 2022;36(1):38-42.
 1067. Rattanakomol P, Khongwicht S, Linsuwanon P, Lee KH, Vongpunsawad S, Poovorawan Y. Severe Fever with Thrombocytopenia Syndrome Virus Infection, Thailand, 2019-2020. *Emerg Infect Dis*. 2022;28(12):2572-4.
 1068. Raval M, Singhal M, Guerrero D, Alonto A. Powassan virus infection: case series and literature review from a single institution. *BMC research notes*. 2012;5:594.
 1069. Rehse-Kupper B, Casals J, Danielova V, Ackermann R. Eyach virus: the first relative of Colorado tick fever virus isolated in Germany. New York San Francisco London: ACADEMIC PRESS,INC.; 1979.
 1070. Reiner B, Fischer A. European tickborne meningoencephalitis in dogs in Germany: two case reports. *Kleintierpraxis*. 1998;43(4):255-68.
 1071. Remoli ME, Fiorentini C, Marchi A, Di Renzi S, Vonesch N, Peri MV, et al. Seroprevalence survey of arboviruses in workers from Tuscany, Italy. *La Medicina del lavoro*. 2018;109(2):125-31.
 1072. Ren YT, Tian HP, Xu JL, Liu MQ, Cai K, Chen SL, et al. Extensive genetic diversity of severe fever with thrombocytopenia syndrome virus circulating in Hubei Province, China, 2018-2022. *PLoS neglected tropical diseases*. 2023;17(9):e0011654.
 1073. Reusken C, Reimerink J, Verduin C, Sabbe L, Cleton N, Koopmans M. Case report: tick-borne encephalitis in two Dutch travellers returning from Austria, Netherlands, July and August 2011. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin*. 2011;16(44).
 1074. Reye AL, Hübschen JM, Sausy A, Muller CP. Prevalence and seasonality of tick-borne pathogens in questing *Ixodes ricinus* ticks from Luxembourg. *Applied and environmental microbiology*. 2010;76(9):2923-31.
 1075. Rieger MA, Nübling M, Hess S, Batsford S, Hofmann F. Seroprevalence of antibodies against *Borrelia burgdorferi* s. l. and tick-borne encephalitis virus in the Bergische Land region of Northrhine Westfalia. *International journal of medical microbiology : IJMM*. 2002;291 Suppl 33:216-7.
 1076. Rieger MA, Nübling M, Müller W, Hasselhorn H-M, Hofmann F. Foxes as indicators for TBE endemicity—a comparative serological investigation. *Zentralblatt für Bakteriologie*. 1999;289(5-7):610-8.
 1077. Rieille N, Bressanelli S, Freire CC, Arcioni S, Gern L, Péter O, et al. Prevalence and phylogenetic analysis of tick-borne encephalitis virus (TBEV) in field-collected ticks (*Ixodes ricinus*) in southern Switzerland. *Parasites & vectors*. 2014;7:443.
 1078. Rieille N, Klaus C, Hoffmann D, Péter O, Voordouw MJ. Goats as sentinel hosts for the detection of tick-borne encephalitis risk areas in the Canton of Valais, Switzerland. *BMC veterinary research*. 2017;13(1):217.
 1079. Riemersma KK, Komar N. Heartland Virus Neutralizing Antibodies in Vertebrate Wildlife, United States, 2009-2014. *Emerg Infect Dis*. 2015;21(10):1830-3.
 1080. Rigaud E, Jaulhac B, Garcia-Bonnet N, Hunfeld KP, Féménia F, Huet D, et al. Seroprevalence of seven pathogens transmitted by the *Ixodes ricinus* tick in forestry workers in France. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*. 2016;22(8):735.e1-9.
 1081. Rijks JM, Montizaan MGE, Bakker N, de Vries A, Van Gucht S, Swaan C, et al. Tick-Borne Encephalitis Virus Antibodies in Roe Deer, the Netherlands. *Emerg Infect Dis*. 2019;25(2):342-5.
 1082. Rim JM, Han SW, Cho YK, Kang JG, Choi KS, Chae JS. Serologic and Molecular Prevalence of Severe Fever with Thrombocytopenia Syndrome Virus Among Poultry in the Republic of Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2023;23(12):662-9.
 1083. Rim JM, Han SW, Cho YK, Kang JG, Choi KS, Jeong H, et al. Survey of severe fever with thrombocytopenia syndrome virus in wild boar in the Republic of Korea. *Ticks Tick Borne Dis*. 2021;12(6):101813.
 1084. Rizzoli A, Neteler M, Rosà R, Versini W, Cristofolini A, Bregoli M, et al. Early detection of tick-borne encephalitis virus spatial distribution and activity in the province of Trento, northern Italy. *Geospatial health*. 2007;1(2):169-76.
 1085. Rizzoli A, Rosà R, Mantelli B, Pecchioli E, Hauffe H, Tagliapietra V, et al. [*Ixodes ricinus*,

- transmitted diseases and reservoirs]. *Parassitologia*. 2004;46(1-2):119-22.
1086. Robich RM, Cosenza DS, Elias SP, Henderson EF, Lubelczyk CB, Welch M, et al. Prevalence and Genetic Characterization of Deer Tick Virus (Powassan Virus, Lineage II) in Ixodes scapularis Ticks Collected in Maine. *The American journal of tropical medicine and hygiene*. 2019;101(2):467-71.
 1087. Rodriguez LL, Maupin GO, Ksiazek TG, Rollin PE, Khan AS, Schwarz TF, et al. Molecular investigation of a multisource outbreak of Crimean-Congo hemorrhagic fever in the United Arab Emirates. *The American journal of tropical medicine and hygiene*. 1997;57(5):512-8.
 1088. Roelandt S, Heyman P, De Filette M, Vene S, Van der Stede Y, Caij AB, et al. Tick-borne encephalitis virus seropositive dog detected in Belgium: screening of the canine population as sentinels for public health. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2011;11(10):1371-6.
 1089. Roelandt S, Suin V, Riocreux F, Lamoral S, Van der Heyden S, Van der Stede Y, et al. Autochthonous tick-borne encephalitis virus-seropositive cattle in Belgium: a risk-based targeted serological survey. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2014;14(9):640-7.
 1090. Roelandt S, Suin V, Van der Stede Y, Lamoral S, Marche S, Tignon M, et al. First TBEV serological screening in Flemish wild boar. *Infection ecology & epidemiology*. 2016;6:31099.
 1091. Roggendorf M, Goldhofer E, Heinz FX, Epp C, Deinhardt F. [Epidemiology of tick-borne encephalitis in Southern Germany (author's transl)]. *MMW, Munchener medizinische Wochenschrift*. 1981;123(38):1407-11.
 1092. Romanenko VN, Kondrat'eva LM. [The infection of ixodid ticks collected from humans with the tick-borne encephalitis virus in Tomsk city and its suburbs]. *Parazitologiya*. 2011;45(1):3-10.
 1093. Romeo C, Lecollinet S, Caballero J, Isla J, Luzzago C, Ferrari N, et al. Are tree squirrels involved in the circulation of flaviviruses in Italy? *Transboundary and emerging diseases*. 2018;65(5):1372-6.
 1094. Romer Y, Adcock K, Wei Z, Mead DG, Kirstein O, Bellman S, et al. Isolation of Heartland Virus from Lone Star Ticks, Georgia, USA, 2019. *Emerg Infect Dis*. 2022;28(4):786-92.
 1095. Romero JR, Simonsen KA. Powassan encephalitis and Colorado tick fever. *Infectious disease clinics of North America*. 2008;22(3):545-59, x.
 1096. Rosà R, Tagliapietra V, Manica M, Arnoldi D, Hauffe HC, Rossi C, et al. Changes in host densities and co-feeding pattern efficiently predict tick-borne encephalitis hazard in an endemic focus in northern Italy. *International journal for parasitology*. 2019;49(10):779-87.
 1097. Rossier E, Harrison RJ, Lemieux B. A case of Powassan virus encephalitis. *Canadian Medical Association journal*. 1974;110(10):1173-4 passim.
 1098. Rozeboom LE, Burgdorfer W. Development of Colorado tick fever virus in the Rocky Mountain wood tick, *Dermacentor andersoni*. *American journal of hygiene*. 1959;69(2):138-45.
 1099. Rugarabamu S, Mwanyika GO, Rumisha SF, Sindato C, Lim HY, Misinzo G, et al. Seroprevalence and associated risk factors of selected zoonotic viral hemorrhagic fevers in Tanzania. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2021;109:174-81.
 1100. Rushton JO, Lecollinet S, Hubálek Z, Svobodová P, Lussy H, Nowotny N. Tick-borne encephalitis virus in horses, Austria, 2011. *Emerg Infect Dis*. 2013;19(4):635-7.
 1101. Sadanandane C, Elango A, Marja N, Sasidharan PV, Raju KHK, Jambulingam P. An outbreak of Kyasanur forest disease in the Wayanad and Malappuram districts of Kerala, India. *Ticks Tick Borne Dis*. 2017;8(1):25-30.
 1102. Sadanandane C, Gokhale MD, Elango A, Yadav P, Mourya DT, Jambulingam P. Prevalence and spatial distribution of Ixodid tick populations in the forest fringes of Western Ghats reported with human cases of Kyasanur forest disease and monkey deaths in South India. *Experimental & applied acarology*. 2018;75(1):135-42.
 1103. Sadeuh-Mba SA, Yonga Wansi GM, Demanou M, Gessain A, Njouom R. Serological evidence of rift valley fever Phlebovirus and Crimean-Congo hemorrhagic fever orthonairovirus infections among pygmies in the east region of Cameroon. *Virol J*. 2018;15(1):63.
 1104. Sahay RR, Dhandore S, Yadav PD, Chauhan A, Bhatt L, Garg V, et al. Detection of African genotype in Hyalomma tick pools during Crimean Congo hemorrhagic fever outbreak, Rajasthan, India, 2019. *Virus Res*. 2020;286:198046.
 1105. Sahay RR, Patil DY, Shete AM, Nayak S, Parikh TM, Waghmare VT, et al. A fatal case of Crimean-Congo hemorrhagic fever from Kutch, Gujarat, India 2023. *J Med Virol*. 2023;95(11):e29218.

1106. Sahay RR, Shete AM, Yadav PD, Patil S, Majumdar T, Jain R, et al. Sequential determination of viral load, humoral responses and phylogenetic analysis in fatal and non-fatal cases of Crimean-Congo hemorrhagic fever patients from Gujarat, India, 2019. *PLoS neglected tropical diseases*. 2021;15(8):e0009718.
1107. Saijo M, Tang Q, Shimayi B, Han L, Zhang Y, Asiguma M, et al. Recombinant nucleoprotein-based serological diagnosis of Crimean-Congo hemorrhagic fever virus infections. *J Med Virol*. 2005;75(2):295-9.
1108. Saksida A, Duh D, Lotric-Furlan S, Strle F, Petrovec M, Avsic-Zupanc T. The importance of tick-borne encephalitis virus RNA detection for early differential diagnosis of tick-borne encephalitis. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2005;33(4):331-5.
1109. Saksida A, Duh D, Wraber B, Dedushaj I, Ahmeti S, Avsic-Zupanc T. Interacting roles of immune mechanisms and viral load in the pathogenesis of crimean-congo hemorrhagic fever. *Clinical and vaccine immunology : CVI*. 2010;17(7):1086-93.
1110. Saksida A, Jakopin N, Jelovšek M, Knap N, Fajs L, Lusa L, et al. Virus RNA Load in Patients with Tick-Borne Encephalitis, Slovenia. *Emerg Infect Dis*. 2018;24(7):1315-23.
1111. Salat J, Hunady M, Schanilec P, Strakova P, Stefanik M, Svoboda P, et al. Experimental and Natural Infections of Tick-Borne Encephalitis Virus in Dogs. *Viruses*. 2021;13(10).
1112. Salat J, Mihalca AD, Mihaiu M, Modrý D, Ruzek D. Tick-Borne Encephalitis in Sheep, Romania. *Emerg Infect Dis*. 2017;23(12):2065-7.
1113. Salat J, Strakova P, Stefanik M, Slosarkova S, Ruzek D. Sero-epidemiology of tick-borne encephalitis in small ruminants in the Czech Republic. *Ticks Tick Borne Dis*. 2022;13(5):101996.
1114. Salehi-Vaziri M, Baniasadi V, Jalali T, Mirghiasi SM, Azad-Manjiri S, Zarandi R, et al. The First Fatal Case of Crimean-Congo Hemorrhagic Fever Caused by the AP92-Like Strain of the Crimean-Congo Hemorrhagic Fever Virus. *Jpn J Infect Dis*. 2016;69(4):344-6.
1115. Salehi-Vaziri M, Pouriaeyali MH, Azad-Manjiri S, Vasmehjani AA, Baniasadi V, Fazlalipour M. The seroprevalence of tick-borne encephalitis in rural population of Mazandaran Province, Northern Iran (2018-2019). *Archives of Clinical Infectious Diseases*. 2020;15(1).
1116. Salehi-Vaziri M, Salmanzadeh S, Baniasadi V, Jalali T, Mohammadi T, Azad-Manjiri S, et al. An outbreak of crimean-congo hemorrhagic fever in the south west of Iran. *Jundishapur Journal of Microbiology*. 2017;10(1).
1117. Salehi-Vaziri M, Vatandoost H, Sanei-Dehkordi A, Fazlalipour M, Pouriaeyali MH, Jalali T, et al. Molecular Assay on Detection of Crimean Congo Hemorrhagic Fever (CCHF) Virus in Ixodid Ticks Collected from Livestock in Slaughterhouse from South of Iran. *Journal of arthropod-borne diseases*. 2020;14(3):286-92.
1118. Salih N, Baig KS, Jan MA, Ihtisham M, Ahmad F, Ghani N, et al. Crimean-Congo Hemorrhagic Fever Presented in Dengue Epidemic: A Case Report. *Cureus*. 2023;15(5):e39015.
1119. Saluzzo JF, Aubry P, McCormick JB, Digoutte JP. Haemorrhagic fever caused by Crimean Congo haemorrhagic fever virus in Mauritania. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1985;79(2):268-.
1120. Sánchez-Seco MP, Sierra MJ, Estrada-Peña A, Valcárcel F, Molina R, de Arellano ER, et al. Widespread Detection of Multiple Strains of Crimean-Congo Hemorrhagic Fever Virus in Ticks, Spain. *Emerg Infect Dis*. 2021;28(2):394-402.
1121. Sanchez-Vicente S, Tagliafierro T, Coleman JL, Benach JL, Tokarz R. Polymicrobial Nature of Tick-Borne Diseases. *mBio*. 2019;10(5).
1122. Sang R, Lutomia J, Koka H, Makio A, Chepkorir E, Ochieng C, et al. Crimean-Congo hemorrhagic fever virus in Hyalommid ticks, northeastern Kenya. *Emerg Infect Dis*. 2011;17(8):1502-5.
1123. Sang R, Onyango C, Gachoya J, Mabinda E, Konongoi S, Ofula V, et al. Tickborne arbovirus surveillance in market livestock, Nairobi, Kenya. *Emerg Infect Dis*. 2006;12(7):1074-80.
1124. Sankhe S, Talla C, Thiam MS, Faye M, Barry MA, Diarra M, et al. Seroprevalence of Crimean-Congo Hemorrhagic Fever Virus and Rift Valley Fever Virus in human population in Senegal from October to November 2020. *IJID regions*. 2023;7:216-21.
1125. Sarangi LN, Mulpuri H, Rana SK, Prasad A, Muthappa PN. Seroprevalence of Crimean-Congo haemorrhagic fever in Indian cattle and buffaloes. *J Vector Borne Dis*. 2023;60(3):259-64.
1126. Sargianou M, Panos G, Tsatsaris A, Gogos C, Papa A. Crimean-Congo hemorrhagic fever: seroprevalence and risk factors among humans in Achaia, western Greece. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*.

- 2013;17(12):e1160-5.
1127. Sari T, Temocin F, Demirelli M, Oral B, Tulek N. A case of Crimean Congo hemorrhagic fever complicated with pararenal abscess. *Archives of Clinical Infectious Diseases*. 2015;10(4).
 1128. Sas MA, Mertens M, Isselmou E, Reimer N, El Mamy BO, Doumbia B, et al. Crimean-Congo Hemorrhagic Fever Virus-Specific Antibody Detection in Cattle in Mauritania. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2017;17(8):582-7.
 1129. Sas MA, Mertens M, Kadiat JG, Schuster I, Pongombo CPS, Maloba AGK, et al. Serosurvey for Crimean-Congo hemorrhagic fever virus infections in ruminants in Katanga province, Democratic Republic of the Congo. *Ticks Tick Borne Dis*. 2017;8(6):858-61.
 1130. Sasaki K, Honma M, Nakao M, Sasaki M, Hashimoto Y, Ishida-Yamamoto A, et al. Survey to detect tick-borne encephalitis virus from human-feeding ticks in Hokkaido, Japan. *The Journal of dermatology*. 2021;48(7):1094-7.
 1131. Satoh M, Akashi S, Ogawa M, Wakeyama T, Ogawa H, Fukuma A, et al. Retrospective survey of severe fever with thrombocytopenia syndrome in patients with suspected rickettsiosis in Japan. *Journal of infection and chemotherapy : official journal of the Japan Society of Chemotherapy*. 2017;23(1):45-50.
 1132. Savage HM, Burkhalter KL, Godsey MS, Jr., Panella NA, Ashley DC, Nicholson WL, et al. Bourbon Virus in Field-Collected Ticks, Missouri, USA. *Emerg Infect Dis*. 2017;23(12):2017-22.
 1133. Savage HM, Godsey MS, Lambert A, Panella NA, Burkhalter KL, Harmon JR, et al. First detection of heartland virus (Bunyaviridae: Phlebovirus) from field collected arthropods. *The American journal of tropical medicine and hygiene*. 2013;89(3):445-52.
 1134. Savage HM, Godsey MS, Jr., Panella NA, Burkhalter KL, Ashley DC, Lash RR, et al. Surveillance for Heartland Virus (Bunyaviridae: Phlebovirus) in Missouri During 2013: First Detection of Virus in Adults of *Amblyomma americanum* (Acari: Ixodidae). *Journal of medical entomology*. 2016;53(3):607-12.
 1135. Savage HM, Godsey MS, Jr., Panella NA, Burkhalter KL, Manford J, Trevino-Garrison IC, et al. Surveillance for Tick-Borne Viruses Near the Location of a Fatal Human Case of Bourbon Virus (Family Orthomyxoviridae: Genus Thogotovirus) in Eastern Kansas, 2015. *Journal of medical entomology*. 2018;55(3):701-5.
 1136. Savage HM, Godsey MS, Jr., Tatman J, Burkhalter KL, Hamm A, Panella NA, et al. Surveillance for Heartland and Bourbon Viruses in Eastern Kansas, June 2016. *Journal of medical entomology*. 2018;55(6):1613-6.
 1137. Say Coskun US, Asik Z. Genotypic analysis of S segment of Crimean-Congo hemorrhagic fever virus in Turkey. *Acta microbiologica et immunologica Hungarica*. 2019;66(1):79-89.
 1138. Schaefer I, Mueller E. Tick-borne Encephalitis (TBE) in Dogs, Horses and Ticks in Germany. *TIERAERZTLICHE UMSCHAU*. 2022;77(2):28-33.
 1139. Schönbachler K, Hatt J, Silaghi C, Merz N, Fraefel C, Bachofen C. [Confirmation of Tick-borne encephalitis virus in an European hedgehog (*Erinaceus europaeus*)]. *Schweizer Archiv für Tierheilkunde*. 2019;161(1):23-31.
 1140. Schuhmacher H, Hoen B, Baty V, Henny J, Le Faou A, Canton P. [Seroprevalence of Central European tick-borne encephalitis in the Lorraine region]. *Presse medicale (Paris, France : 1983)*. 1999;28(5):221-4.
 1141. Schuler M, Zimmermann H, Altpeter E, Heininger U. Epidemiology of tick-borne encephalitis in Switzerland, 2005 to 2011. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2014;19(13).
 1142. Schulz A, Barry Y, Stoek F, Ba A, Schulz J, Haki ML, et al. Crimean-Congo hemorrhagic fever virus antibody prevalence in Mauritanian livestock (cattle, goats, sheep and camels) is stratified by the animal's age. *PLoS neglected tropical diseases*. 2021;15(4):e0009228.
 1143. Schulz A, Barry Y, Stoek F, Pickin MJ, Ba A, Chitimia-Dobler L, et al. Detection of Crimean-Congo hemorrhagic fever virus in blood-fed *Hyalomma* ticks collected from Mauritanian livestock. *Parasites & vectors*. 2021;14(1):342.
 1144. Schuster I, Chaintoutis SC, Dovas CI, Groschup MH, Mertens M. Detection of Crimean-Congo hemorrhagic fever virus-specific IgG antibodies in ruminants residing in Central and Western Macedonia, Greece. *Ticks Tick Borne Dis*. 2017;8(4):494-8.
 1145. Schuster I, Mertens M, Mrenoshki S, Staubach C, Mertens C, Brüning F, et al. Sheep and goats as indicator animals for the circulation of CCHFV in the environment. *Experimental & applied acarology*. 2016;68(3):337-46.
 1146. Schwartz S, Calvente E, Rollinson E, Sample Koon Koon D, Chinnici N. Tick-Borne

- Pathogens in Questing Blacklegged Ticks (Acari: Ixodidae) From Pike County, Pennsylvania. *Journal of medical entomology*. 2022;59(5):1793-804.
1147. Schwarz TF, Nitschko H, Jäger G, Nsanze H, Longson M, Pugh RN, et al. Crimean-Congo haemorrhagic fever in Oman. *Lancet (London, England)*. 1995;346(8984):1230.
 1148. Schwarz TF, Nsanze H, Ameen AM. Clinical features of Crimean-Congo haemorrhagic fever in the United Arab Emirates. *Infection*. 1997;25(6):364-7.
 1149. Sedlák K, Zelená H, Křivda V, Šatrán P. [Surveillance of West Nile fever in horses in the Czech Republic from 2011 to 2013]. *Epidemiologie, mikrobiologie, imunologie : casopis Společnosti pro epidemiologii a mikrobiologii České lékařské společnosti JE Purkyne*. 2014;63(4):307-11.
 1150. Sene O, Sagne SN, Ngom D, Diagne MM, Badji A, Khoulé A, et al. Emergence of Crimean-Congo Hemorrhagic Fever Virus in Eastern Senegal in 2022. *Viruses*. 2024;16(2).
 1151. Senel M, Rapp D, Mayer B, Jesse S, Süßmuth SD, Otto M, et al. Tick-Borne Encephalitis: A Differential Pattern of Intrathecal Humoral Immune Response and Inflammatory Cell Composition Compared with Other Viral CNS Infections. *Cells*. 2020;9(10).
 1152. Seo J, Kim G, Lim JA, Song S, Yoo DS, Cho HS, et al. Tick Diversity and Pathogen Transmission in Daejeon, Korea: Implications from Companion Animals and Walking Trails. *Veterinary sciences*. 2024;11(2).
 1153. Seo JW, Han SY, Sung SH, Jung EY, Kim JH, Lee SJ, et al. Survey on tick distribution and tick-borne pathogens in Daejeon and adjacent areas in South Korea. *Ticks Tick Borne Dis*. 2021;12(4):101711.
 1154. Seo MG, Noh BE, Lee HS, Kim TK, Song BG, Lee HI. Nationwide Temporal and Geographical Distribution of Tick Populations and Phylogenetic Analysis of Severe Fever with Thrombocytopenia Syndrome Virus in Ticks in Korea, 2020. *Microorganisms*. 2021;9(8).
 1155. Septfonds A, Rigaud E, Bénézet L, Velay A, Zilliox L, Baldinger L, et al. Seroprevalence for *Borrelia burgdorferi* sensu lato and tick-borne encephalitis virus antibodies and associated risk factors among forestry workers in northern France, 2019 to 2020. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2023;28(32).
 1156. Shabani M, Shakeri H, Salehi-Vaziri M, Sadeghi K, Azadani HN, Hosseini Y, et al. Seroepidemiological Survey of Crimean-Congo Hemorrhagic Fever Among Livestock in Southern Iran, Jahrom, 2015-2016. *Journal of Research in Medical and Dental Science*. 2018;6(4):41-5.
 1157. Shah KV, Work TH. Bhanja virus: a new arbovirus from ticks *Haemaphysalis intermedia* Warburton and Nuttall, 1909, in Orissa, India. *The Indian journal of medical research*. 1969;57(5):793-8.
 1158. Shahhosseini N, Azari-Garmjan G-A, Rezaiyan MK, Haeri A, Nowotny N, Fooks AR, et al. Factors Affecting Transmission of Crimean-Congo hemorrhagic fever among slaughterhouse employees: A serosurvey in Mashhad, Iran. *Jundishapur Journal of Microbiology*. 2018;11(3).
 1159. Shahhosseini N, Jafarbekloo A, Telmadarraiy Z, Chinikar S, Haeri A, Nowotny N, et al. Co-circulation of Crimean-Congo Hemorrhagic Fever virus strains Asia 1 and 2 between the border of Iran and Pakistan. *Heliyon*. 2017;3(11):e00439.
 1160. Shahid MF, Shabbir MZ, Ashraf K, Ali M, Yaqub S, Ul-Rahman A, et al. Sero-Epidemiological Survey of Crimean-Congo Hemorrhagic Fever among the Human Population of the Punjab Province in Pakistan. *Virologica Sinica*. 2020;35(4):486-9.
 1161. Shahid MF, Yaqub T, Ali M, Ul-Rahman A, Bente DA. Prevalence and phylogenetic analysis of Crimean-Congo hemorrhagic fever virus in ticks collected from Punjab province of Pakistan. *Acta tropica*. 2021;218:105892.
 1162. Shao L, Pang Z, Fu H, Chang R, Lin Z, Lv A, et al. Identification of recently identified tick-borne viruses (Dabieshan tick virus and SFTSV) by metagenomic analysis in ticks from Shandong Province, China. *The Journal of infection*. 2020;81(6):973-8.
 1163. Shchuchinova LD, Kozlova IV, Zlobin VI. Influence of altitude on tick-borne encephalitis infection risk in the natural foci of the Altai Republic, Southern Siberia. *Ticks Tick Borne Dis*. 2015;6(3):322-9.
 1164. Shen S, Duan X, Wang B, Zhu L, Zhang Y, Zhang J, et al. A novel tick-borne phlebovirus, closely related to severe fever with thrombocytopenia syndrome virus and Heartland virus, is a potential pathogen. *Emerg Microbes Infect*. 2018;7(1):95.
 1165. Shen W, Lin H, Weng J, Hu Y, Liu Y, Li J, et al. Seroprevalence of severe fever with thrombocytopenia syndrome virus antibodies among inhabitants of Dachen Island, eastern China. *Ticks Tick Borne Dis*. 2019;10(3):647-50.
 1166. Shepherd AJ, Swanepoel R, Leman PA, Shepherd SP. Field and laboratory investigation of

- Crimean-Congo haemorrhagic fever virus (Nairovirus, family Bunyaviridae) infection in birds. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1987;81(6):1004-7.
1167. Sherifi S, Rexhepi A, Robaj A, Hamidi A, Behluli B, Musliu A, et al. A Survey of Crimean-Congo Hemorrhagic Fever in Livestock in Republic of Kosova. *Kafkas Üniversitesi Veteriner Fakültesi Dergisi*. 2016;22(2).
 1168. Shi J, Shen S, Wu H, Zhang Y, Deng F. Metagenomic Profiling of Viruses Associated with *Rhipicephalus microplus* Ticks in Yunnan Province, China. *Virologica Sinica*. 2021;36(4):623-35.
 1169. Shin A, Tukhanova N, Ndenkeh J, Jr., Shapiyeva Z, Yegemberdiyeva R, Yeraliyeva L, et al. Tick-borne encephalitis virus and West-Nile fever virus as causes of serous meningitis of unknown origin in Kazakhstan. *Zoonoses and public health*. 2022;69(5):514-25.
 1170. Shutikova AL, Lubova VA, Leonova GN. Verification of mono- and mixed contaminations transmitting agents tick-borne infections. *Klinicheskaya laboratornaya diagnostika*. 2020;65(10):659-64.
 1171. Si BY, Jiang T, Zhang Y, Deng YQ, Huo QB, Zheng YC, et al. Complete genome sequence analysis of tick-borne encephalitis viruses isolated in northeastern China. *Arch Virol*. 2011;156(8):1485-8.
 1172. Sidorenko M, Radzijeuskaja J, Mickevičius S, Bratčikovienė N, Paulauskas A. Prevalence of tick-borne encephalitis virus in questing *Dermacentor reticulatus* and *Ixodes ricinus* ticks in Lithuania. *Ticks Tick Borne Dis*. 2021;12(1):101594.
 1173. Siemieniako-Werszko A, Czupryna P, Moniuszko-Malinowska A, Dunaj-Małyszko J, Pancewicz S, Grygorczuk S, et al. Anti-TBE Intrathecal Synthesis as a Prediction Marker in TBE Patients. *Pathogens (Basel, Switzerland)*. 2022;11(4).
 1174. Sievert C, Richter H, Beckmann K, Kircher PR, Carrera I. COMPARISON BETWEEN PROTON MAGNETIC RESONANCE SPECTROSCOPY FINDINGS IN DOGS WITH TICK-BORNE ENCEPHALITIS AND CLINICALLY NORMAL DOGS. *Veterinary radiology & ultrasound : the official journal of the American College of Veterinary Radiology and the International Veterinary Radiology Association*. 2017;58(1):53-61.
 1175. Sikutová S, Hornok S, Hubálek Z, Doležalková I, Juricová Z, Rudolf I. Serological survey of domestic animals for tick-borne encephalitis and Bhanja viruses in northeastern Hungary. *Veterinary microbiology*. 2009;135(3-4):267-71.
 1176. Simkute E, Pautienius A, Grigas J, Sidorenko M, Radzijeuskaja J, Paulauskas A, et al. The Prevalence of Tick-Borne Encephalitis Virus in Wild Rodents Captured in Tick-Borne Encephalitis Foci in Highly Endemic Lithuania. *Viruses*. 2024;16(3).
 1177. Simkute E, Pautienius A, Grigas J, Urbute P, Stankevicius A. The Prevalence, Seroprevalence, and Risk Factors of Tick-Borne Encephalitis Virus in Dogs in Lithuania, a Highly Endemic State. *Viruses*. 2023;15(11).
 1178. Simo Tchegnna H, Yousseu FS, Cosset FL, de Freitas NB, Kamgang B, McCall PJ, et al. Molecular and serological evidence of Crimean-Congo hemorrhagic fever orthonairovirus prevalence in livestock and ticks in Cameroon. *Frontiers in cellular and infection microbiology*. 2023;13:1132495.
 1179. Simpson DI, Knight EM, Courtois G, Williams MC, Weinbren MP, Kibukamusoke JW. Congo virus: a hitherto undescribed virus occurring in Africa. I. Human isolations--clinical notes. *East African medical journal*. 1967;44(2):86-92.
 1180. Sioutas G, Tsakou K, Top C, Jongejan F, Papadopoulos E. First clinical case of tick-borne encephalitis (TBE) in a dog in Greece. *Ticks Tick Borne Dis*. 2023;14(6):102226.
 1181. Sirmarová J, Tichá L, Golovchenko M, Salát J, Grubhoffer L, Rudenko N, et al. Seroprevalence of *Borrelia burgdorferi* sensu lato and tick-borne encephalitis virus in zoo animal species in the Czech Republic. *Ticks Tick Borne Dis*. 2014;5(5):523-7.
 1182. Skarpaas T, Golovljova I, Vene S, Ljøstad U, Sjursen H, Plyusnin A, et al. Tickborne encephalitis virus, Norway and Denmark. *Emerg Infect Dis*. 2006;12(7):1136-8.
 1183. Skarpaas T, Ljøstad U, Sundøy A. First human cases of tickborne encephalitis, Norway. *Emerg Infect Dis*. 2004;10(12):2241-3.
 1184. Skarpaas T, Sundøy A, Bruu AL, Vene S, Pedersen J, Eng PG, et al. [Tick-borne encephalitis in Norway]. *Tidsskrift for den Norske lægeforening : tidsskrift for praktisk medicin, ny række*. 2002;122(1):30-2.
 1185. Skarphéðinsson S, Jensen PM, Kristiansen K. Survey of tickborne infections in Denmark. *Emerg Infect Dis*. 2005;11(7):1055-61.
 1186. Slunge D, Boman A, Studahl M. Burden of Tick-Borne Encephalitis, Sweden. *Emerg Infect*

- Dis. 2022;28(2):314-22.
1187. Smalley Rt, Zafar H, Land J, Samour A, Hance D, Brennan RE. Detection of *Borrelia miyamotoi* and Powassan Virus Lineage II (Deer Tick Virus) from *Odocoileus virginianus* Harvested *Ixodes scapularis* in Oklahoma. Vector borne and zoonotic diseases (Larchmont, NY). 2022;22(4):209-16.
 1188. Smego RA, Jr., Sarwari AR, Siddiqui AR. Crimean-Congo hemorrhagic fever: prevention and control limitations in a resource-poor country. Clinical infectious diseases : an official publication of the Infectious Diseases Society of America. 2004;38(12):1731-5.
 1189. Smíšková D, Pícha D, Slížek M, Džupová O. Paretic complications of tick-borne encephalitis and Lyme neuroborreliosis in the Czech Republic: Characteristics and clinical outcome. Ticks Tick Borne Dis. 2024;15(2):102302.
 1190. Smith K, Oesterle PT, Jardine CM, Dibernardo A, Huynh C, Lindsay R, et al. Powassan Virus and Other Arthropod-Borne Viruses in Wildlife and Ticks in Ontario, Canada. The American journal of tropical medicine and hygiene. 2018;99(2):458-65.
 1191. Smith R, Woodall JP, Whitney E, Deibel R, Gross MA, Smith V, et al. Powassan virus infection. A report of three human cases of encephalitis. American journal of diseases of children (1960). 1974;127(5):691-3.
 1192. Smith RP, Jr., Elias SP, Cavanaugh CE, Lubelczyk CB, Lacombe EH, Brancato J, et al. Seroprevalence of *Borrelia burgdorferi*, *B. miyamotoi*, and Powassan Virus in Residents Bitten by *Ixodes* Ticks, Maine, USA. Emerg Infect Dis. 2019;25(4):804-7.
 1193. Smorodintsev AA, Dubov AV, Ilyenko VI, Platonov VG. New approach to development of live vaccine against tick-borne encephalitis. Archives of environmental health. 1969;18(1):96-104.
 1194. Smura T, Tonteri E, Jääskeläinen A, von Troil G, Kuivanen S, Huitu O, et al. Recent establishment of tick-borne encephalitis foci with distinct viral lineages in the Helsinki area, Finland. Emerg Microbes Infect. 2019;8(1):675-83.
 1195. Snodgrass DR, Herring JA, Reid HW, Scott FM, Gray EW. Virus infections in cattle and sheep in Scotland 1975-1978. The Veterinary record. 1980;106(9):193-4.
 1196. Soleng A, Edgar KS, Paulsen KM, Pedersen BN, Okbaldet YB, Skjetne IEB, et al. Distribution of *Ixodes ricinus* ticks and prevalence of tick-borne encephalitis virus among questing ticks in the Arctic Circle region of northern Norway. Ticks Tick Borne Dis. 2018;9(1):97-103.
 1197. Sonenshine DE, Yunker CE, Clifford CM, Clark GM, Rudbach JA. Contributions to the ecology of Colorado tick fever virus. 2. Population dynamics and host utilization of immature stages of the Rocky Mountain wood tick, *Dermacentor andersoni*. Journal of medical entomology. 1976;12(6):651-6.
 1198. Song H, Zou S, Huang Y, Wang Y, Wang T, Wei W, et al. The pathogenic and clinical characteristics of severe fever with thrombocytopenia syndrome patients with co-infections. Frontiers in cellular and infection microbiology. 2023;13:1298050.
 1199. Sonmez M, Aydin K, Durmus A, Sucu N, Yilmaz M, Akdogan E, et al. Plasma activity of thrombin activatable fibrinolysis inhibitor in Crimean-Congo hemorrhagic fever. Journal of Infection. 2007;55(2):184-7.
 1200. Sonnenberg K, Niedrig M, Steinhagen K, Rohwäder E, Meyer W, Schlumberger W, et al. State-of-the-art serological techniques for detection of antibodies against tick-borne encephalitis virus. International journal of medical microbiology : IJMM. 2004;293 Suppl 37:148-51.
 1201. Sormunen JJ, Klemola T, Vesterinen EJ, Vuorinen I, Hytönen J, Hänninen J, et al. Assessing the abundance, seasonal questing activity, and *Borrelia* and tick-borne encephalitis virus (TBEV) prevalence of *Ixodes ricinus* ticks in a Lyme borreliosis endemic area in Southwest Finland. Ticks Tick Borne Dis. 2016;7(1):208-15.
 1202. Sormunen JJ, Penttinen R, Klemola T, Vesterinen EJ, Hänninen J. *Anaplasma phagocytophilum* in questing *Ixodes ricinus* ticks in southwestern Finland. Experimental & applied acarology. 2016;70(4):491-500.
 1203. Soto RA, Baldry E, Vahey GM, Lehman J, Silver M, Panella A, et al. Increase in Colorado Tick Fever Virus Disease Cases and Effect of COVID-19 Pandemic on Behaviors and Testing Practices, Montana, 2020. Emerg Infect Dis. 2023;29(3):561-8.
 1204. Souza WM, Fumagalli MJ, Torres Carrasco AO, Romeiro MF, Modha S, Seki MC, et al. Viral diversity of *Rhipicephalus microplus* parasitizing cattle in southern Brazil. Sci Rep. 2018;8(1):16315.
 1205. Spagnolo EV, Mondello C, Roccuzzo S, Cardia L, Raffino C. A lethal tick-borne encephalitis (TBE) due to TBE virus in Sicily (Italy): a case of IgG+/IgM-response. La Clinica terapeutica.

- 2018;169(4):e145-e8.
1206. Sreenivasan MA, Bhat HR, Rajagopalan PK. The epizootics of Kyasanur Forest disease in wild monkeys during 1964 to 1973. *Trans R Soc Trop Med Hyg.* 1986;80(5):810-4.
 1207. Stadtbäumer K, Leschnik MW, Nell B. Tick-borne encephalitis virus as a possible cause of optic neuritis in a dog. *Veterinary ophthalmology.* 2004;7(4):271-7.
 1208. Staples JE, Pastula DM, Panella AJ, Rabe IB, Kosoy OI, Walker WL, et al. Investigation of Heartland Virus Disease Throughout the United States, 2013-2017. *Open forum infectious diseases.* 2020;7(5):ofaa125.
 1209. Stefanoff P, Rubikowska B, Bratkowski J, Ustrnul Z, Vanwambeke SO, Rosinska M. A Predictive Model Has Identified Tick-Borne Encephalitis High-Risk Areas in Regions Where No Cases Were Reported Previously, Poland, 1999-2012. *International journal of environmental research and public health.* 2018;15(4).
 1210. Stefanoff P, Siennicka J, Kaba J, Nowicki M, Ferenczi E, Gut W. Identification of new endemic tick-borne encephalitis foci in Poland—a pilot seroprevalence study in selected regions. *International Journal of Medical Microbiology.* 2008;298:102-7.
 1211. Stefanoff P, Zielicka-Hardy A, Hlebowicz M, Konior R, Lipowski D, Szenborn L, et al. New endemic foci of tick-borne encephalitis (TBE) identified in districts where testing for TBE was not available before 2009 in Poland. *Parasites & vectors.* 2013;6:180.
 1212. Stegmüller S, Fraefel C, Kubacki J. Genome Sequence of Alongshan Virus from *Ixodes ricinus* Ticks Collected in Switzerland. *Microbiology resource announcements.* 2023;12(3):e0128722.
 1213. Steininger P, Ensser A, Knöll A, Korn K. Results of Tick-Borne Encephalitis Virus (TBEV) Diagnostics in an Endemic Area in Southern Germany, 2007 to 2022. *Viruses.* 2023;15(12).
 1214. Stiasny K, Holzmann H, Heinz FX. Characteristics of antibody responses in tick-borne encephalitis vaccination breakthroughs. *Vaccine.* 2009;27(50):7021-6.
 1215. Stiasny K, Santonja I, Holzmann H, Essl A, Stanek G, Kundi M, et al. The regional decline and rise of tick-borne encephalitis incidence do not correlate with Lyme borreliosis, Austria, 2005 to 2018. *Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin.* 2021;26(35).
 1216. Stimbirys A, Bagdonas J, Jokimas J, Nekrosiene N. Dairy goats—indicators of some zoonotic pathogens in the environment. *Med Weter.* 2006;62:644-8.
 1217. Stoefs A, Heyndrickx L, De Winter J, Coeckelbergh E, Willekens B, Alonso-Jiménez A, et al. Autochthonous Cases of Tick-Borne Encephalitis, Belgium, 2020. *Emerg Infect Dis.* 2021;27(8):2179-82.
 1218. Strle F, Bogovič P, Cimperman J, Maraspin V, Ogrinc K, Rojko T, et al. Are patients with erythema migrans who have leukopenia and/or thrombocytopenia coinfecting with *Anaplasma phagocytophilum* or tick-borne encephalitis virus? *PLoS One.* 2014;9(7):e103188.
 1219. Stupica D, Strle F, Avšič-Županc T, Logar M, Pečavar B, Bajrović FF. Tick borne encephalitis without cerebrospinal fluid pleocytosis. *BMC Infect Dis.* 2014;14:614.
 1220. Suh JH, Kim HC, Yun SM, Lim JW, Kim JH, Chong ST, et al. Detection of SFTS Virus in *Ixodes nipponensis* and *Amblyomma testudinarium* (Ixodida: Ixodidae) Collected From Reptiles in the Republic of Korea. *Journal of medical entomology.* 2016;53(3):584-90.
 1221. Sulik M, Toczyłowski K, Grygorczuk S. Epidemiology of tick-borne encephalitis in Poland (2010-2019) and the impact of the COVID-19 pandemic on the notified incidence of the disease. *Przegląd epidemiologiczny.* 2021;75(1):76-85.
 1222. Suliman HM, Adam IA, Saeed SI, Abdelaziz SA, Haroun EM, Aradaib IE. Crimean Congo hemorrhagic fever among the one-humped camel (*Camelus dromedaries*) in Central Sudan. *Viol J.* 2017;14(1):147.
 1223. Sultankulova KT, Shynybekova GO, Kozhabergenov NS, Mukhami NN, Chervyakova OV, Burashev YD, et al. The Prevalence and Genetic Variants of the CCHF Virus Circulating among Ticks in the Southern Regions of Kazakhstan. *Pathogens (Basel, Switzerland).* 2022;11(8).
 1224. Sun JM, Zhang YJ, Gong ZY, Zhang L, Lv HK, Lin JF, et al. Seroprevalence of severe fever with thrombocytopenia syndrome virus in southeastern China and analysis of risk factors. *Epidemiology and infection.* 2015;143(4):851-6.
 1225. Sun S, Dai X, Aishan M, Wang X, Meng W, Feng C, et al. Epidemiology and phylogenetic analysis of crimean-congo hemorrhagic fever viruses in xinjiang, china. *Journal of clinical microbiology.* 2009;47(8):2536-43.
 1226. Sun Y, Liu MM, Luo LM, Zhao L, Wen HL, Zhang ZT, et al. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus in Hedgehog from China. *Vector borne and zoonotic*

- diseases (Larchmont, NY). 2017;17(5):347-50.
1227. Sun Y, Zhang D, Liu H, Ruan C, Dou X, Ren Z, et al. The first reported cases of severe fever with thrombocytopenia syndrome virus from domestic sick camel to humans in China. *Emerg Microbes Infect.* 2024;13(1):2309990.
 1228. Sung S, Wurcel AG, Whittier S, Kulas K, Kramer LD, Flam R, et al. Powassan meningoencephalitis, New York, New York, USA. *Emerg Infect Dis.* 2013;19(9):1549-51.
 1229. Susanti HN, Noor SM, Dharmayanti N, Randusari P, Shimizu K, Hirayama K, et al. Serological Surveillance of Zoonotic Pathogens in Rats in Markets in Bogor, Indonesia. *Vector borne and zoonotic diseases (Larchmont, NY).* 2022;22(11):568-70.
 1230. Süss J, Béziat P, Ramelow C, Kahl O. Tick-borne encephalitis virus (TBEV)-specific RT-PCR for characterization of natural foci of TBE and for other applications. *Zentralblatt für Bakteriologie : international journal of medical microbiology.* 1997;286(1):125-38.
 1231. Süss J, Béziat P, Rohr HP, Treib J, Haass A. Detection of the tick-borne encephalitis virus (TBEV) in ticks in several federal "Länder" of Germany by means of the polymerase chain reaction (PCR)--characterization of the virus. *Infection.* 1996;24(5):403-4.
 1232. Süss J, Béziat P, Schrader C. Viral zoonosis from the viewpoint of their epidemiological surveillance: tick-borne encephalitis as a model. *Archives of virology Supplementum.* 1997;13:229-43.
 1233. Süss J, Dobler G, Zöller G, Essbauer S, Pfeffer M, Klaus C, et al. Genetic characterisation of a tick-borne encephalitis virus isolated from the brain of a naturally exposed monkey (*Macaca sylvanus*). *International Journal of Medical Microbiology.* 2008;298:295-300.
 1234. Süss J, Gelpi E, Klaus C, Bagon A, Liebler-Tenorio EM, Budka H, et al. Tickborne encephalitis in naturally exposed monkey (*Macaca sylvanus*). *Emerg Infect Dis.* 2007;13(6):905-7.
 1235. Süss J, Klaus C, Diller R, Schrader C, Wohanka N, Abel U. TBE incidence versus virus prevalence and increased prevalence of the TBE virus in *Ixodes ricinus* removed from humans. *International journal of medical microbiology : IJMM.* 2006;296 Suppl 40:63-8.
 1236. Süss J, Schrader C, Abel U, Bormane A, Duks A, Kalnina V. Characterization of tick-borne encephalitis (TBE) foci in Germany and Latvia (1997-2000). *International journal of medical microbiology : IJMM.* 2002;291 Suppl 33:34-42.
 1237. Süss J, Sinnecker H, Sinnecker R, Berndt D, Zilske E, Dedek G, et al. Epidemiology and ecology of tick-borne encephalitis in the eastern part of Germany between 1960 and 1990 and studies on the dynamics of a natural focus of tick-borne encephalitis. *Zentralblatt für Bakteriologie : international journal of medical microbiology.* 1992;277(2):224-35.
 1238. Sutherland LJ, Cash AA, Huang YJ, Sang RC, Malhotra I, Moormann AM, et al. Serologic evidence of arboviral infections among humans in Kenya. *The American journal of tropical medicine and hygiene.* 2011;85(1):158-61.
 1239. Švec P, Hönig V, Zubriková D, Wittmann M, Pfister K, Grubhoffer L. The use of multi-criteria evaluation for the selection of study plots for monitoring of *I. ricinus* ticks - Example from Central Europe. *Ticks Tick Borne Dis.* 2019;10(4):905-10.
 1240. Svensson J, Christiansen CB, Persson KEM. A Serosurvey of Tick-Borne Encephalitis Virus in Sweden: Different Populations and Geographical Locations. *Vector borne and zoonotic diseases (Larchmont, NY).* 2021;21(8):614-9.
 1241. Tahmasebi F, Ghiasi SM, Mostafavi E, Moradi M, Piazak N, Mozafari A, et al. Molecular epidemiology of Crimean-Congo hemorrhagic fever virus genome isolated from ticks of Hamadan province of Iran. *Journal of vector borne diseases.* 2010;47(4):211-6.
 1242. Tajima Y, Yaguchi H, Mito Y. Fatal Meningoencephalomyelitis due to the Tick-borne Encephalitis Virus: The First Detailed Neurological Observation in a Japanese Patient from the Central Part of Hokkaido Island. *Internal medicine (Tokyo, Japan).* 2018;57(6):873-6.
 1243. Takahashi Y, Kobayashi S, Ishizuka M, Hirano M, Muto M, Nishiyama S, et al. Characterization of tick-borne encephalitis virus isolated from a tick in central Hokkaido in 2017. *The Journal of general virology.* 2020;101(5):497-509.
 1244. Takahashi Y, Kobayashi S, Nakao R, Kariwa H, Yoshii K. Characterization of tick-borne encephalitis virus isolated from tick infesting dog in central Hokkaido in 2018. *Ticks Tick Borne Dis.* 2022;13(2):101900.
 1245. Takashima I. Epidemiology of tick-borne encephalitis in Japan. *Comparative immunology, microbiology and infectious diseases.* 1998;21(2):81-90.
 1246. Takashima I, Morita K, Chiba M, Hayasaka D, Sato T, Takezawa C, et al. A case of tick-borne encephalitis in Japan and isolation of the the virus. *Journal of clinical microbiology.*

- 1997;35(8):1943-7.
1247. Takeda T, Ito T, Osada M, Takahashi K, Takashima I. Isolation of tick-borne encephalitis virus from wild rodents and a seroepizootologic survey in Hokkaido, Japan. *The American journal of tropical medicine and hygiene*. 1999;60(2):287-91.
 1248. Tambo E, El-Dessouky AG. Defeating re-emerging Alkhurma hemorrhagic fever virus outbreak in Saudi Arabia and worldwide. *PLoS neglected tropical diseases*. 2018;12(9):e0006707.
 1249. Tang Q, Saijo M, Zhang Y, Asiguma M, Tianshu D, Han L, et al. A patient with Crimean-Congo hemorrhagic fever serologically diagnosed by recombinant nucleoprotein-based antibody detection systems. *Clinical and diagnostic laboratory immunology*. 2003;10(3):489-91.
 1250. Tariq S, Niaz F, Safi Vahidy A, Qidwai M, Ishaq M, Abbasher Hussien Mohamed Ahmed K, et al. Crimean-Congo Hemorrhagic Fever (CCHF) in Pakistan: The Daunting Threat of an Outbreak as Eid-ul-Azha Approaches. *Disaster medicine and public health preparedness*. 2023;17:e404.
 1251. Tatemoto K, Ishijima K, Kuroda Y, Mendoza MV, Inoue Y, Park E, et al. Roles of raccoons in the transmission cycle of severe fever with thrombocytopenia syndrome virus. *The Journal of veterinary medical science*. 2022;84(7):982-91.
 1252. Tatemoto K, Virhuez Mendoza M, Ishijima K, Kuroda Y, Inoue Y, Taira M, et al. Risk assessment of infection with severe fever with thrombocytopenia syndrome virus based on a 10-year serosurveillance in Yamaguchi Prefecture. *The Journal of veterinary medical science*. 2022;84(8):1142-5.
 1253. Tavakoli NP, Wang H, Dupuis M, Hull R, Ebel GD, Gilmore EJ, et al. Fatal case of deer tick virus encephalitis. *The New England journal of medicine*. 2009;360(20):2099-107.
 1254. Tavernier P, Sys SU, De Clercq K, De Leeuw I, Caij AB, De Baere M, et al. Serologic screening for 13 infectious agents in roe deer (*Capreolus capreolus*) in Flanders. *Infection ecology & epidemiology*. 2015;5:29862.
 1255. Taylor L, Condon T, Destrampe EM, Brown JA, McGavic J, Gould CV, et al. Powassan Virus Infection Likely Acquired Through Blood Transfusion Presenting as Encephalitis in a Kidney Transplant Recipient. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2021;72(6):1051-4.
 1256. Taylor RM, Hurlbut HS, Work TH, Kingston JR, Hoogstraal H. Arboviruses isolated from ARGAS TICKS IN Egypt: Quarafil, Chenuda, and Nyamanini. *The American journal of tropical medicine and hygiene*. 1966;15(1):76-86.
 1257. Tekin S, Bursali A, Mutluay N, Keskin A, Dundar E. Crimean-Congo hemorrhagic fever virus in various ixodid tick species from a highly endemic area. *Veterinary parasitology*. 2012;186(3-4):546-52.
 1258. Telford SR, 3rd, Armstrong PM, Katavolos P, Foppa I, Garcia AS, Wilson ML, et al. A new tick-borne encephalitis-like virus infecting New England deer ticks, *Ixodes dammini*. *Emerg Infect Dis*. 1997;3(2):165-70.
 1259. Temmam S, Bigot T, Chrétien D, Gondard M, Pérot P, Pommelet V, et al. Insights into the Host Range, Genetic Diversity, and Geographical Distribution of Jingmenviruses. *mSphere*. 2019;4(6).
 1260. Temocin F, Köse H, Sarı T, Duygu F, Şahin RO. Seroprevalence of Crimean-Congo hemorrhagic fever among health care workers in a hospital in an endemic region of Turkey. *The Journal of Infection in Developing Countries*. 2018;12(07):587-91.
 1261. Teramoto K, Tamura S, Yoshida K, Inada Y, Yamashita Y, Morimoto M, et al. Clinical Characteristics and Diagnostic Prediction of Severe Fever with Thrombocytopenia Syndrome and Rickettsiosis in the Co-Endemic Wakayama Prefecture, Japan. *Medicina (Kaunas, Lithuania)*. 2023;59(11).
 1262. Ternovoi VA, Kurzhukov GP, Sokolov YV, Ivanov GY, Ivanisenko VA, Loktev AV, et al. Tick-borne encephalitis with hemorrhagic syndrome, Novosibirsk region, Russia, 1999. *Emerg Infect Dis*. 2003;9(6):743-6.
 1263. Ternovoi VA, Protopopova EV, Chaousov EV, Novikov DV, Leonova GN, Netesov SV, et al. Novel variant of tickborne encephalitis virus, Russia. *Emerg Infect Dis*. 2007;13(10):1574-8.
 1264. Tezer H, Sucakli IA, Sayli TR, Celikel E, Yakut I, Kara A, et al. Crimean-Congo hemorrhagic fever in children. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2010;48(3):184-6.
 1265. Tezer H, Tavit B, Sucaklı IA, Korukluoğlu G, Uyar Y, Dinçer E, et al. Concurrent Crimean-Congo hemorrhagic fever and visceral leishmaniasis in a Turkish girl. *Vector-Borne and Zoonotic Diseases*. 2011;11(6):743-5.

1266. Thalmann P, Ehrhard S, Summerfield A, Ricklin ME. Retrospective Study of Tick Bites Associated with Neurological Disease in a Level Three University Hospital in Switzerland. *Infectious disease reports*. 2023;15(2):150-7.
1267. Thomas LA, Kennedy RC, Eklund CM. Isolation of a virus closely related to Powassan virus from *Dermacentor andersoni* collected along North Cache la Poudre River, Colo. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine* (New York, NY). 1960;104:355-9.
1268. Thomm AM, Schotthoefer AM, Dupuis AP, 2nd, Kramer LD, Frost HM, Fritsche TR, et al. Development and Validation of a Serologic Test Panel for Detection of Powassan Virus Infection in U.S. Patients Residing in Regions Where Lyme Disease Is Endemic. *mSphere*. 2018;3(1).
1269. Thorin C, Rigaud E, Capek I, André-Fontaine G, Oster B, Gastinger G, et al. [Seroprevalence of Lyme Borreliosis and tick-borne encephalitis in workers at risk, in eastern France]. *Medecine et maladies infectieuses*. 2008;38(10):533-42.
1270. Thortveit ET, Aase A, Petersen LB, Lorentzen Å R, Mygland Å, Ljøstad U. Human seroprevalence of antibodies to tick-borne microbes in southern Norway. *Ticks Tick Borne Dis*. 2020;11(4):101410.
1271. Tian H, Yu P, Chowell G, Li S, Wei J, Tian H, et al. Severe Fever with Thrombocytopenia Syndrome Virus in Humans, Domesticated Animals, Ticks, and Mosquitoes, Shaanxi Province, China. *The American journal of tropical medicine and hygiene*. 2017;96(6):1346-9.
1272. Tigoï C, Lwande O, Orindi B, Irura Z, Ongus J, Sang R. Seroepidemiology of selected arboviruses in febrile patients visiting selected health facilities in the lake/river basin areas of Lake Baringo, Lake Naivasha, and Tana River, Kenya. *Vector borne and zoonotic diseases* (Larchmont, NY). 2015;15(2):124-32.
1273. Tkachev SE, Fomenko NV, Rar VA, Igolkina YP, Kazakova YV, Chernousova NY. PCR-detection and molecular-genetic analysis of tick-transmitted pathogens in patients of Novosibirsk region, Russia. *International Journal of Medical Microbiology*. 2008;298:365-7.
1274. Todd CS, Mansoor GF, Buhler C, Rahimi H, Zekria R, Fernandez S, et al. Prevalence of Zoonotic and Vector-Borne Infections Among Afghan National Army Recruits in Afghanistan. *Vector borne and zoonotic diseases* (Larchmont, NY). 2016;16(8):501-6.
1275. Tokarevich NK, Blinova OV, Stoyanova NA, Baimova RR, Siuziumova EA, Lomonosova VI, et al. Seroprevalence of tick-borne diseases in the Northwest Federal District of the Russian Federation. *Инфекция и иммунитет*. 2022;12(5):891-901.
1276. Tokarz R, Jain K, Bennett A, Briese T, Lipkin WI. Assessment of polymicrobial infections in ticks in New York state. *Vector borne and zoonotic diseases* (Larchmont, NY). 2010;10(3):217-21.
1277. Tokarz R, Williams SH, Sameroff S, Sanchez Leon M, Jain K, Lipkin WI. Virome analysis of *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks reveals novel highly divergent vertebrate and invertebrate viruses. *Journal of virology*. 2014;88(19):11480-92.
1278. Tomao P, Ciceroni L, D'Ovidio MC, De Rosa M, Vonesch N, Iavicoli S, et al. Prevalence and incidence of antibodies to *Borrelia burgdorferi* and to tick-borne encephalitis virus in agricultural and forestry workers from Tuscany, Italy. *European journal of clinical microbiology & infectious diseases* : official publication of the European Society of Clinical Microbiology. 2005;24(7):457-63.
1279. Tomazic J, Ihan A, Strle F, Cimperman J, Stare J, Maticic M, et al. Immunological differentiation between tickborne encephalitis with and without concomitant neuroborreliosis. *European journal of clinical microbiology & infectious diseases* : official publication of the European Society of Clinical Microbiology. 1997;16(12):920-3.
1280. Tonbak S, Aktas M, Altay K, Azkur AK, Kalkan A, Bolat Y, et al. Crimean-Congo hemorrhagic fever virus: genetic analysis and tick survey in Turkey. *Journal of clinical microbiology*. 2006;44(11):4120-4.
1281. Tonteri E, Jääskeläinen AE, Tikkakoski T, Voutilainen L, Niemimaa J, Henttonen H, et al. Tick-borne encephalitis virus in wild rodents in winter, Finland, 2008-2009. *Emerg Infect Dis*. 2011;17(1):72-5.
1282. Tonteri E, Jokelainen P, Matala J, Pusenius J, Vapalahti O. Serological evidence of tick-borne encephalitis virus infection in moose and deer in Finland: sentinels for virus circulation. *Parasites & vectors*. 2016;9:54.
1283. Tonteri E, Kurkela S, Timonen S, Manni T, Vuorinen T, Kuusi M, et al. Surveillance of endemic foci of tick-borne encephalitis in Finland 1995-2013: evidence of emergence of new foci. *Euro surveillance* : bulletin Europeen sur les maladies transmissibles = European communicable

- disease bulletin. 2015;20(37).
1284. Toporkova MG, Aleshin SE, Ozherelkov SV, Nadezhkina MV, Stephenson JR, Timofeev AV. Serum levels of interleukin 6 in recently hospitalized tick-borne encephalitis patients correlate with age, but not with disease outcome. *Clinical and experimental immunology*. 2008;152(3):517-21.
 1285. Topp AK, Springer A, Dobler G, Bestehorn-Willmann M, Monazahian M, Strube C. New and Confirmed Foci of Tick-Borne Encephalitis Virus (TBEV) in Northern Germany Determined by TBEV Detection in Ticks. *Pathogens (Basel, Switzerland)*. 2022;11(2).
 1286. Topp AK, Springer A, Mischke R, Rieder J, Feige K, Ganter M, et al. Seroprevalence of tick-borne encephalitis virus in wild and domestic animals in northern Germany. *Ticks Tick Borne Dis*. 2023;14(6):102220.
 1287. Traavik T. Serological investigations indicating the existence of tick-borne encephalitis virus foci along the Norwegian coast. *Acta pathologica et microbiologica Scandinavica Section B: Microbiology and immunology*. 1973;81(1):138-42.
 1288. Traavik T. Antibodies to tick-borne encephalitis virus in human sera from the western coast of Norway. *Acta pathologica et microbiologica Scandinavica Section B, Microbiology*. 1979;87b(1):9-13.
 1289. Traavik T, Mehl R, Wiger R. The first tick-borne encephalitis virus isolates from Norway. *Acta pathologica et microbiologica Scandinavica Section B, Microbiology*. 1978;86(4):253-5.
 1290. Tran NTB, Shimoda H, Ishijima K, Yonemitsu K, Minami S, Kuroda Y, et al. Zoonotic Infection with Oz Virus, a Novel Thogotovirus. *Emerg Infect Dis*. 2022;28(2):436-9.
 1291. Tran XC, Kim SH, Lee JE, Kim SH, Kang SY, Binh ND, et al. Serological Evidence of Severe Fever with Thrombocytopenia Syndrome Virus and IgM Positivity Were Identified in Healthy Residents in Vietnam. *Viruses*. 2022;14(10).
 1292. Tran XC, Yun Y, Van An L, Kim SH, Thao NTP, Man PKC, et al. Endemic Severe Fever with Thrombocytopenia Syndrome, Vietnam. *Emerg Infect Dis*. 2019;25(5):1029-31.
 1293. Trávníček M, Guryčová D, Halánová M, Kožuch O, Nadzamová D, Miško J. Presence of antibodies to some zoonoses in mouflon (*Ovis musimon* Pall.) and fallow deer (*Dama dama* L.) in eastern Slovakia. *Veterinárni Medicína*. 1999;44(7):215-9.
 1294. Treib J, Haass A, Mueller-Lantzsch N, Ehrfeld H, Mueller-Rheiland D, Woessner R, et al. Tick-borne encephalitis in the Saarland and the Rhineland-Palatinate. *Infection*. 1996;24(3):242-4.
 1295. Treib J, Woessner R, Grauer MT, Mueller-Reiland D, Haass A, Schimrigk K. Prevalence of antibodies to tick-borne encephalitis virus and *Borrelia burgdorferi* sensu lato in samples from patients with abnormalities in the cerebrospinal fluid. *Zentralblatt für Bakteriologie : international journal of medical microbiology*. 1998;288(2):253-66.
 1296. Trozzi G, Adjadj NR, Vervaeke M, Matthijs S, Sohier C, De Regge N. Comparison of Serological Methods for Tick-Borne Encephalitis Virus-Specific Antibody Detection in Wild Boar and Sheep: Impact of the Screening Approach on the Estimated Seroprevalence. *Viruses*. 2023;15(2).
 1297. Tsapko NV, Volynkina AS, Evchenko AY, Lisitskaya YV, Shaposhnikova LI. Detection of Crimean-Congo hemorrhagic fever virus in ticks collected from South Russia. *Ticks Tick Borne Dis*. 2022;13(2):101890.
 1298. Tuomi J, Brummer-Korvenkontio M. Antibodies against viruses of the tick-borne encephalitis group in cattle sera in Finland. *Annales medicinae experimentalis et biologiae Fenniae*. 1965;43(3):149-54.
 1299. Ture Z, Kalin-Unuvar G. A case of Crimean Congo hemorrhagic fever complicated with acute pulmonary embolism. *Journal of Medical Virology*. 2021;93(6):3925-8.
 1300. Turkdogan KA, Zorlu A, Engin A, Guven FMK, Polat MM, Turgut OO, et al. C-type natriuretic peptide is associated with the severity of Crimean-Congo hemorrhagic fever. *International Journal of Infectious Diseases*. 2012;16(8):e616-e20.
 1301. Turković B, Brudnjak Z. Natural foci of some viral zoonoses in Croatia. *Acta medica Croatica : casopis Hrvatske akademije medicinskih znanosti*. 1999;53(4-5):195-8.
 1302. Tutolo JW, Staples JE, Sosa L, Bennett N. Notes from the Field: Powassan Virus Disease in an Infant - Connecticut, 2016. *MMWR Morbidity and mortality weekly report*. 2017;66(15):408-9.
 1303. Tuygun N, Tanir G, Caglayik DY, Uyar Y, Korukluoglu G, Cenesiz F. Pediatric cases of Crimean-Congo hemorrhagic fever in Turkey. *Pediatrics international : official journal of the Japan Pediatric Society*. 2012;54(3):402-6.
 1304. Uchida L, Hayasaka D, Ngwe Tun MM, Morita K, Muramatsu Y, Hagiwara K. Survey of tick-borne zoonotic viruses in wild deer in Hokkaido, Japan. *The Journal of veterinary medical science*. 2018;80(6):985-8.

1305. Umair M, Khurshid A, Alam MM, Akhtar R, Salman M, Ikram A. Genetic diversity and phylogenetic analysis of Crimean-Congo Hemorrhagic Fever viruses circulating in Pakistan during 2019. *PLoS neglected tropical diseases*. 2020;14(6):e0008238.
1306. Umair M, Rehman Z, Haider SA, Ali Q, Hakim R, Bibi S, et al. Whole-genome sequencing of Crimean-Congo hemorrhagic fever virus circulating in Pakistan during 2022. *J Med Virol*. 2023;95(3):e28604.
1307. Umair M, Rehman Z, Whitmer S, Mobley M, Fahim A, Ikram A, et al. Crimean-Congo Hemorrhagic Fever Virus Diversity and Reassortment, Pakistan, 2017-2020. *Emerg Infect Dis*. 2024;30(4):654-64.
1308. Ungureanu A, van der Meer J, Bievic A, Abbuehl L, Chiffi G, Jaques L, et al. Meningitis, meningoencephalitis and encephalitis in Bern: an observational study of 258 patients. *BMC neurology*. 2021;21(1):474.
1309. Uysal İÖ, Kaya A, Güven AS, Altuntaş EE, Muderis S. Evaluation of cochlear involvement by transient evoked otoacoustic emission test in children with Crimean-Congo hemorrhagic fever. *International Journal of Pediatric Otorhinolaryngology*. 2011;75(6):858-60.
1310. Vahey GM, Wilson N, McDonald E, Fitzpatrick K, Lehman J, Clark S, et al. Seroprevalence of Powassan Virus Infection in an Area Experiencing a Cluster of Disease Cases: Sussex County, New Jersey, 2019. *Open forum infectious diseases*. 2022;9(3):ofac023.
1311. Van Cuong N, Carrique-Mas J, Vo Be H, An NN, Tue NT, Anh NL, et al. Rodents and risk in the Mekong Delta of Vietnam: seroprevalence of selected zoonotic viruses in rodents and humans. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2015;15(1):65-72.
1312. van der Poel WH, Van der Heide R, Bakker D, De Looft M, De Jong J, Van Manen N, et al. Attempt to detect evidence for tick-borne encephalitis virus in ticks and mammalian wildlife in The Netherlands. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2005;5(1):58-64.
1313. van Heusden HC, Voet W, Sprong H, Brandwagt DAH, Thijsen SFT. [Tick-borne encephalitis in the Netherlands]. *Nederlands tijdschrift voor geneeskunde*. 2020;164.
1314. Vanhomwegen J, Beck C, Després P, Figuerola A, García R, Lecollinet S, et al. Circulation of Zoonotic Arboviruses in Equine Populations of Mallorca Island (Spain). *Vector borne and zoonotic diseases (Larchmont, NY)*. 2017;17(5):340-6.
1315. Vargas M, Costa A, Raimundo R, Mendes M, Velon AG. A Complex Pattern of Involuntary Movements Following Infection by Tick-Borne Encephalitis Virus of Western/European Variant, Single Case Report. *Movement disorders clinical practice*. 2023;10(12):1800-5.
1316. Varma MG, Page RJ. The epidemiology of louping ill in Ayrshire, Scotland: ectoparasites of small mammals. I. (Siphonaptera). *Journal of medical entomology*. 1966;3(3):331-5.
1317. Vasić A, Răileanu C, Körsten C, Vojinović D, Manić M, Urošević A, et al. West Nile virus in the Republic of Serbia-Diagnostic performance of five serological tests in dog and horse sera. *Transboundary and emerging diseases*. 2022;69(5):e2506-e15.
1318. Vawda S, Goedhals D, Bester PA, Burt F. Seroepidemiologic Survey of Crimean-Congo Hemorrhagic Fever Virus in Selected Risk Groups, South Africa. *Emerg Infect Dis*. 2018;24(7):1360-3.
1319. Veje M, Studahl M, Johansson M, Johansson P, Nolskog P, Bergström T. Diagnosing tick-borne encephalitis: a re-evaluation of notified cases. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2018;37(2):339-44.
1320. Veje M, Studahl M, Norberg P, Roth A, Möbius U, Brink M, et al. Detection of tick-borne encephalitis virus RNA in urine. *Journal of clinical microbiology*. 2014;52(11):4111-2.
1321. Velay A, Janssen-Langenstein R, Kremer S, Laugel E, Lutz M, Pierson AL, et al. Tick-Borne Encephalitis in Pregnant Woman and Long-Term Sequelae. *Emerg Infect Dis*. 2023;29(3):669-71.
1322. Velay A, Solis M, Kack-Kack W, Gantner P, Maquart M, Martinot M, et al. A new hot spot for tick-borne encephalitis (TBE): A marked increase of TBE cases in France in 2016. *Ticks Tick Borne Dis*. 2018;9(1):120-5.
1323. Ventura Spagnolo E, Mondello C, Roccuzzo S, Cardia L, Raffino C. A lethal Tick-Borne Encephalitis (TBE) due to TBE Virus in Sicily (Italy): a case of IgG+/IgM- response? *La Clinica terapeutica*. 2018;169(4):e145-e8.
1324. Vereta LA, Aleksandrov VI, Nikolaeva SP, Vladimirova TP, Kazantseva SI. [Clinico-virologic analysis of the incidence of tick-borne encephalitis in the Khabarovsk region]. *Zhurnal nevrologii i psikiatrii imeni SS Korsakova (Moscow, Russia : 1952)*. 1981;81(2):41-3.
1325. Vereta LA, Ostrovskaia OV, Nikolaeva SP, Pukhovskaia NM. [Detection of the natural

- heterogeneity of natural populations of tick-borne encephalitis viruses and a grouping of the strains]. *Voprosy virusologii*. 1983;28(6):706-10.
1326. Vereta LA, Skorobrekha VZ, Nikolaeva SP, Aleksandrov VI, Tolstonogova VI, Zakharycheva TA, et al. [The transmission of the tick-borne encephalitis virus via cow's milk]. *Meditinskaiia parazitologiiia i parazitarnye bolezni*. 1991(3):54-6.
 1327. Vial L, Stachurski F, Leblond A, Huber K, Vourc'h G, René-Martellet M, et al. Strong evidence for the presence of the tick *Hyalomma marginatum* Koch, 1844 in southern continental France. *Ticks and Tick-borne Diseases*. 2016;7(6):1162-7.
 1328. Vikse R, Paulsen KM, Edgar KS, J HOP, Ottesen PS, Okbaldet YB, et al. Geographical distribution and prevalence of tick-borne encephalitis virus in questing *Ixodes ricinus* ticks and phylogeographic structure of the *Ixodes ricinus* vector in Norway. *Zoonoses and public health*. 2020;67(4):370-81.
 1329. Vilibic-Cavlek T, Krcmar S, Bogdanic M, Tomljenovic M, Barbic L, Roncevic D, et al. An Overview of Tick-Borne Encephalitis Epidemiology in Endemic Regions of Continental Croatia, 2017-2023. *Microorganisms*. 2024;12(2).
 1330. Vilibic-Cavlek T, Stevanovic V, Krcmar S, Savic V, Kovac S, Bogdanic M, et al. Detection of Bhanja Bandavirus in Patients with Neuroinvasive Disease of Unknown Etiology in Croatia. *Microorganisms*. 2023;11(9).
 1331. Vinograd IA, Krasovskaia IA, Sidorova GA, Sazonov AA, Bosh R. [Isolation of Bhanja arbovirus from *Boophilus decoloratus* ticks in Cameroon]. *Voprosy virusologii*. 1975(1):63-7.
 1332. Voelker I, Hoffmann B, Nessler J, Baumgaertner W, Wohlsein P. First tick-borne encephalitis in a dog resident in Northern Germany. *Berliner und Munchener tierarztliche Wochenschrift*. 2017;130(3/4):154-60.
 1333. Vogels CBF, Brackney DE, Dupuis AP, 2nd, Robich RM, Fauver JR, Brito AF, et al. Phylogeographic reconstruction of the emergence and spread of Powassan virus in the northeastern United States. *Proceedings of the National Academy of Sciences of the United States of America*. 2023;120(16):e2218012120.
 1334. Voloĭ VP, Gmyl LV, Belyaletdinova IK, Karganova GG, Dekonenko EP. Progressive Course of Chronic Tick-Borne Encephalitis Manifesting as Amyotrophic Lateral Sclerosis-like Syndrome 35 Years after the Acute Disease. *Brain sciences*. 2022;12(8).
 1335. Volynkina A, Lisitskaya Y, Kolosov A, Shaposhnikova L, Pisarenko S, Dedkov V, et al. Molecular epidemiology of Crimean-Congo hemorrhagic fever virus in Russia. *PLoS One*. 2022;17(5):e0266177.
 1336. Voorhees MA, Padilla SL, Jamsransuren D, Koehler JW, Delp KL, Adiyadorj D, et al. Crimean-Congo Hemorrhagic Fever Virus, Mongolia, 2013-2014. *Emerg Infect Dis*. 2018;24(12):2202-9.
 1337. Wagner E, Shin A, Tukhanova N, Turebekov N, Nurmakhanov T, Sutyagin V, et al. First Indications of Omsk Haemorrhagic Fever Virus beyond Russia. *Viruses*. 2022;14(4).
 1338. Wahlberg P, Carlsson SA, Granlund H, Jansson C, Lindén M, Nyberg C, et al. TBE in Åland Islands 1959-2005: Kumlinge disease. *Scand J Infect Dis*. 2006;38(11-12):1057-62.
 1339. Wald M, Merisor S, Zachary P, Augereau O, Gravier S, Jaulhac B, et al. Microbiological Outcomes Associated With Low Leukocyte Counts in Cerebrospinal Fluid. *Open forum infectious diseases*. 2021;8(2):ofaa597.
 1340. Waldeck M, Winqvist N, Henriksson G, Dyrdaĭ R, Settergren B, Lindgren PE. Surveillance of tick-borne encephalitis in emerging risk areas in southern Sweden: a retrospective case finding study. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2023;42(1):13-22.
 1341. Waldenström J, Lundkvist A, Falk KI, Garpmo U, Bergström S, Lindegren G, et al. Migrating birds and tickborne encephalitis virus. *Emerg Infect Dis*. 2007;13(8):1215-8.
 1342. Walder G, Dierich MP, Würzner R. First documented case of infection with the tick-borne encephalitis virus in Vorarlberg, Austria. *Wiener klinische Wochenschrift*. 2001;113(11-12):454-8.
 1343. Walder G, Lkhamsuren E, Shagdar A, Bataa J, Batmunkh T, Orth D, et al. Serological evidence for tick-borne encephalitis, borreliosis, and human granulocytic anaplasmosis in Mongolia. *International journal of medical microbiology : IJMM*. 2006;296 Suppl 40:69-75.
 1344. Waldvogel K, Bossart W, Huisman T, Boltshauser E, Nadal D. Severe tick-borne encephalitis following passive immunization. *European journal of pediatrics*. 1996;155(9):775-9.
 1345. Wallenhammar A, Lindqvist R, Asghar N, Gunaltay S, Fredlund H, Davidsson Å, et al. Revealing new tick-borne encephalitis virus foci by screening antibodies in sheep milk. *Parasites &*

- vectors. 2020;13(1):185.
1346. Walsh MG, Bhat R, Nagarajan-Radha V, Narayanan P, Vyas N, Sawleshwarkar S, et al. Low mammalian species richness is associated with Kyasanur Forest disease outbreak risk in deforested landscapes in the Western Ghats, India. *One health (Amsterdam, Netherlands)*. 2021;13:100299.
 1347. Wang G, Tian X, Peng R, Huang Y, Li Y, Li Z, et al. Genomic and phylogenetic profiling of RNA of tick-borne arboviruses in Hainan Island, China. *Microbes Infect*. 2024;26(1-2):105218.
 1348. Wang GS, Wang JB, Tian FL, Zhang HJ, Yin FF, Xu C, et al. Severe Fever with Thrombocytopenia Syndrome Virus Infection in Minks in China. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2017;17(8):596-8.
 1349. Wang J, Luo M, Li T, Liu Y, Jiang G, Wu Y, et al. The ecological and etiological investigation of ticks and rodents in China: results from an ongoing surveillance study in Zhejiang Province. *Frontiers in veterinary science*. 2023;10:1268440.
 1350. Wang J, Zhang H, Fu S, Wang H, Ni D, Nasci R, et al. Isolation of kyasanur forest disease virus from febrile patient, yunnan, china. *Emerg Infect Dis*. 2009;15(2):326-8.
 1351. Wang R, Liu S, Sun H, Xu C, Wen Y, Wu X, et al. Metatranscriptomics Reveals the RNA Virome of Ixodes Persulcatus in the China-North Korea Border, 2017. *Viruses*. 2023;16(1).
 1352. Wang S, Li J, Niu G, Wang X, Ding S, Jiang X, et al. SFTS virus in ticks in an endemic area of China. *The American journal of tropical medicine and hygiene*. 2015;92(4):684-9.
 1353. Wang YC, Wei Z, Lv X, Han S, Wang Z, Fan C, et al. A new nairo-like virus associated with human febrile illness in China. *Emerg Microbes Infect*. 2021;10(1):1200-8.
 1354. Wang ZD, Wang B, Wei F, Han SZ, Zhang L, Yang ZT, et al. A New Segmented Virus Associated with Human Febrile Illness in China. *The New England journal of medicine*. 2019;380(22):2116-25.
 1355. Wang ZD, Wang W, Wang NN, Qiu K, Zhang X, Tana G, et al. Prevalence of the emerging novel Alongshan virus infection in sheep and cattle in Inner Mongolia, northeastern China. *Parasites & vectors*. 2019;12(1):450.
 1356. Wasfi F, Dowall S, Ghabbari T, Bosworth A, Chakroun M, Varghese A, et al. Sero-epidemiological survey of Crimean-Congo hemorrhagic fever virus in Tunisia. *Parasite (Paris, France)*. 2016;23:10.
 1357. Weidmann M, Schmidt P, Hufert FT, Krivanec K, Meyer H. Tick-borne encephalitis virus in *Clethrionomys glareolus* in the Czech Republic. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2006;6(4):379-81.
 1358. Weisheit S, Villar M, Tykalová H, Popara M, Loecherbach J, Watson M, et al. Ixodes scapularis and Ixodes ricinus tick cell lines respond to infection with tick-borne encephalitis virus: transcriptomic and proteomic analysis. *Parasites & vectors*. 2015;8:599.
 1359. Weiss S, Dabrowski PW, Kurth A, Leendertz SAJ, Leendertz FH. A novel Coltivirus-related virus isolated from free-tailed bats from Côte d'Ivoire is able to infect human cells in vitro. *Virology journal*. 2017;14:1-7.
 1360. Weissenböck H, Suchy A, Holzmann H. Tick-borne encephalitis in dogs: neuropathological findings and distribution of antigen. *Acta neuropathologica*. 1998;95(4):361-6.
 1361. Wen Y, Fang Y, Cao F, Zhang G, Cheng S, Yu Y, et al. A person-to-person transmission cluster of severe fever with thrombocytopenia syndrome characterized by mixed viral infections with familial and nosocomial clustering. *Heliyon*. 2024;10(2):e24502.
 1362. Weststrate AC, Knapen D, Laverman GD, Schot B, Prick JJ, Spit SA, et al. Increasing evidence of tick-borne encephalitis (TBE) virus transmission, the Netherlands, June 2016. *Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin*. 2017;22(11).
 1363. Whitehouse CA. Crimean-Congo hemorrhagic fever. *Antiviral research*. 2004;64(3):145-60.
 1364. Whitney E, Jamnback H. THE FIRST ISOLATIONS OF POWASSAN VIRUS IN NEW YORK STATE. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 1965;119:432-5.
 1365. Wicki R, Sauter P, Mettler C, Natsch A, Enzler T, Pusterla N, et al. Swiss Army Survey in Switzerland to determine the prevalence of Francisella tularensis, members of the Ehrlichia phagocytophila genogroup, Borrelia burgdorferi sensu lato, and tick-borne encephalitis virus in ticks. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2000;19(6):427-32.
 1366. Williams RJ, Al-Busaidy S, Mehta FR, Maupin GO, Wagoner KD, Al-Awaidy S, et al. Crimean-congo haemorrhagic fever: a seroepidemiological and tick survey in the Sultanate of Oman.

- Tropical medicine & international health : TM & IH. 2000;5(2):99-106.
1367. Williamson BN, Fischer RJ, Lopez JE, Ebihara H, Schwan TG. Prevalence and Strains of Colorado Tick Fever Virus in Rocky Mountain Wood Ticks in the Bitterroot Valley, Montana. *Vector borne and zoonotic diseases* (Larchmont, NY). 2019;19(9):694-702.
 1368. Wilson C, Gasmi S, Bourgeois AC, Badcock J, Carr J, Chahil N, et al. Surveillance for Ixodes scapularis and Ixodes pacificus ticks and their associated pathogens in Canada, 2020. *Canada communicable disease report = Relevé des maladies transmissibles au Canada*. 2023;49(6):288-98.
 1369. Wilson CH, Gasmi S, Bourgeois AC, Badcock J, Chahil N, Kulkarni MA, et al. Surveillance for Ixodes scapularis and Ixodes pacificus ticks and their associated pathogens in Canada, 2019. *Canada communicable disease report = Relevé des maladies transmissibles au Canada*. 2022;48(5):208-18.
 1370. Wilson MS, Wherrett BA, Mahdy MS. Powassan virus meningoencephalitis: a case report. *Canadian Medical Association journal*. 1979;121(3):320-3.
 1371. Win AM, Nguyen YTH, Kim Y, Ha NY, Kang JG, Kim H, et al. Genotypic Heterogeneity of Orientia tsutsugamushi in Scrub Typhus Patients and Thrombocytopenia Syndrome Co-infection, Myanmar. *Emerg Infect Dis*. 2020;26(8):1878-81.
 1372. Woessner R, Grauer MT, Langenbach J, Dobler G, Kroeger J, Mielke HG, et al. The Erve virus: possible mode of transmission and reservoir. *Infection*. 2000;28(3):164-6.
 1373. Wójcik-Fatla A, Cisak E, Zając V, Zwoliński J, Dutkiewicz J. Prevalence of tick-borne encephalitis virus in Ixodes ricinus and Dermacentor reticulatus ticks collected from the Lublin region (eastern Poland). *Ticks Tick Borne Dis*. 2011;2(1):16-9.
 1374. Wójcik-Fatla A, Krzowska-Firych J, Czajka K, Nozdryn-Plotnicka J, Sroka J. The Consumption of Raw Goat Milk Resulted in TBE in Patients in Poland, 2022 "Case Report". *Pathogens* (Basel, Switzerland). 2023;12(5).
 1375. Work TH, Trapido H, Murthy DP, Rao RL, Bhatt PN, Kulkarni KG. Kyasanur forest disease. III. A preliminary report on the nature of the infection and clinical manifestations in human beings. *Indian journal of medical sciences*. 1957;11(8):619-45.
 1376. Wu Z, Chen J, Zhang L, Zhang Y, Liu L, Niu G. Molecular evidence for potential transovarial transmission of Jingmen tick virus in Haemaphysalis longicornis fed on cattle from Yunnan Province, China. *J Med Virol*. 2023;95(1):e28357.
 1377. Wu Z, Lu L, Du J, Yang L, Ren X, Liu B, et al. Comparative analysis of rodent and small mammal viromes to better understand the wildlife origin of emerging infectious diseases. *Microbiome*. 2018;6(1):178.
 1378. Wurm R, Dobler G, Peters M, Kiessig ST. Serological investigations of red foxes (Vulpes vulpes L.) for determination of the spread of tick-borne encephalitis in Northrhine-Westphalia. *Journal of veterinary medicine B, Infectious diseases and veterinary public health*. 2000;47(7):503-9.
 1379. Wyler R, Schmidtke W, Kunz C, Radda A, Henn V, Meyer R. [Tick-borne encephalitis in the Schaffhausen region: isolation of virus from ticks and serological studies]. *Schweizerische medizinische Wochenschrift*. 1973;103(43):1487-92.
 1380. Xia H, Li P, Yang J, Pan L, Zhao J, Wang Z, et al. Epidemiological survey of Crimean-Congo hemorrhagic fever virus in Yunnan, China, 2008. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2011;15(7):e459-63.
 1381. Xiao J, Yao X, Guan X, Xiong J, Fang Y, Zhang J, et al. Viromes of Haemaphysalis longicornis reveal different viral abundance and diversity in free and engorged ticks. *Virologica Sinica*. 2024;39(2):194-204.
 1382. Xing X, Guan X, Liu L, Zhan J, Jiang H, Liu L, et al. Natural Transmission Model for Severe Fever With Thrombocytopenia Syndrome Bunyavirus in Villages of Hubei Province, China. *Medicine*. 2016;95(4):e2533.
 1383. Xing Y, Liu J, Niu G, Ding S, Gong L, Liu J. [Epidemiological investigation of predominance tick and the infectious status of severe fever thrombocytopenia syndrome virus in Penglai and Laizhou counties, Shandong province]. *Zhonghua yu fang yi xue za zhi [Chinese journal of preventive medicine]*. 2015;49(11):993-7.
 1384. Xing Z, Scheifers J, Schwabenlander M, Jiao Y, Liang M, Qi X, et al. Novel bunyavirus in domestic and captive farmed animals, Minnesota, USA. *Emerg Infect Dis*. 2013;19(9):1487-9.
 1385. Xu G, Siegel E, Fernandez N, Bechtold E, Daly T, Dupuis AP, 2nd, et al. Active Surveillance of Powassan Virus in Massachusetts Ixodes scapularis Ticks, Comparing Detection Using a New Triplex Real-Time PCR Assay with a Luminex Vector-Borne Panel. *Viruses*. 2024;16(2).

1386. Yadav PD, Cherian SS, Zawar D, Kokate P, Gunjekar R, Jadhav S, et al. Genetic characterization and molecular clock analyses of the Crimean-Congo hemorrhagic fever virus from human and ticks in India, 2010-2011. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases*. 2013;14:223-31.
1387. Yadav PD, Gurav YK, Mistry M, Shete AM, Sarkale P, Deoshatwar AR, et al. Emergence of Crimean-Congo hemorrhagic fever in Amreli District of Gujarat State, India, June to July 2013. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2014;18:97-100.
1388. Yadav PD, Patil DY, Shete AM, Kokate P, Goyal P, Jadhav S, et al. Nosocomial infection of CCHF among health care workers in Rajasthan, India. *BMC Infect Dis*. 2016;16(1):624.
1389. Yadav PD, Shete AM, Patil DY, Sandhya VK, Prakash KS, Surgihalli R, et al. Outbreak of Kyasanur Forest disease in Thirthahalli, Karnataka, India, 2014. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*. 2014;26:132-4.
1390. Yadav PD, Thacker S, Patil DY, Jain R, Mourya DT. Crimean-Congo Hemorrhagic Fever in Migrant Worker Returning from Oman to India, 2016. *Emerg Infect Dis*. 2017;23(6):1005-8.
1391. Yagci-Caglayik D, Korukluoglu G, Uyar Y. Seroprevalence and risk factors of Crimean-Congo hemorrhagic fever in selected seven provinces in Turkey. *J Med Virol*. 2014;86(2):306-14.
1392. Yang L, Zhao Z, Hou G, Zhang C, Liu J, Xu L, et al. Genomes and seroprevalence of severe fever with thrombocytopenia syndrome virus and Nairobi sheep disease virus in *Haemaphysalis longicornis* ticks and goats in Hubei, China. *Virology*. 2019;529:234-45.
1393. Yaser SA, Sadegh C, Zakkyeh T, Hassan V, Maryam M, Ali OM, et al. Crimean--Congo hemorrhagic fever: a molecular survey on hard ticks (Ixodidae) in Yazd province, Iran. *Asian Pacific journal of tropical medicine*. 2011;4(1):61-3.
1394. Yashina L, Vyshemirskii O, Seregin S, Petrova I, Samokhvalov E, Lvov D, et al. Genetic analysis of Crimean-Congo hemorrhagic fever virus in Russia. *Journal of clinical microbiology*. 2003;41(2):860-2.
1395. Yashina LN, Malyshev BS, Netesova NA, Volynkina AS, Vasilenko NF. Crimean-Congo hemorrhagic fever virus in Stavropol krai in 2011. *Molecular Genetics, Microbiology and Virology*. 2014;29:186-9.
1396. Yendell SJ, Fischer M, Staples JE. Colorado tick fever in the United States, 2002-2012. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2015;15(5):311-6.
1397. Yesilbag K, Aydin L, Dincer E, Alpay G, Girisgin AO, Tuncer P, et al. Tick survey and detection of Crimean-Congo hemorrhagic fever virus in tick species from a non-endemic area, South Marmara region, Turkey. *Experimental & applied acarology*. 2013;60(2):253-61.
1398. Yeşilbağ Z, Karadeniz A, Koçulu S, Kayhan CB. Epidemiological characteristics, clinical and laboratory findings supporting preliminary diagnosis of Crimean-Congo hemorrhagic fever in an endemic region in Turkey. *Wiener klinische Wochenschrift*. 2020;132(19-20):581-8.
1399. Yilmaz G, Koksali I, Topbas M, Yilmaz H, Aksoy F. The effectiveness of routine laboratory findings in determining disease severity in patients with Crimean-Congo hemorrhagic fever: severity prediction criteria. *Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology*. 2010;47(4):361-5.
1400. Yilmaz H, Barut K, Karakullukcu A, Kasapcopur O, Kocazeybek B, Altan E, et al. Serological Evidence of Tick-Borne Encephalitis and West Nile Virus Infections Among Children with Arthritis in Turkey. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2019;19(6):446-9.
1401. Yilmaz H, Yilmaz G, Kostakoğlu U, Yaman H, Örem A, Köksal İ. The prognostic significance of serum troponin T levels in Crimean-Congo hemorrhagic fever patients. *J Med Virol*. 2017;89(3):408-12.
1402. Yilmaz R, Karaaslan E, Albayrak SE, Gul A, Kasap T. Analysis of pediatric intensive care unit admissions for Crimean-Congo hemorrhagic fever in Turkey. *Journal of Pediatric Infectious Diseases*. 2020;15(05):242-7.
1403. Yoo JR, Heo ST, Kim M, Song SW, Boo JW, Lee KH. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome in the Agricultural Population of Jeju Island, Korea, 2015-2017. *Infection & chemotherapy*. 2019;51(4):337-44.
1404. Yoo JR, Heo ST, Song SW, Bae SG, Lee S, Choi S, et al. Severe Fever with Thrombocytopenia Syndrome Virus in Ticks and SFTS Incidence in Humans, South Korea. *Emerg Infect Dis*. 2020;26(9):2292-4.
1405. Yoo JR, Lee KH, Heo ST. Surveillance results for family members of patients with severe

- fever with thrombocytopenia syndrome. *Zoonoses and public health*. 2018;65(8):903-7.
1406. Yoo JR, Oh JH, Lee KH, Song SW. Serological evidence of tick-borne encephalitis virus infection in South Korea, 2015-2018. *Ticks Tick Borne Dis*. 2020;11(3):101408.
 1407. Yoshii K, Kojima R, Nishiura H. Unrecognized Subclinical Infection with Tickborne Encephalitis Virus, Japan. *Emerg Infect Dis*. 2017;23(10):1753-4.
 1408. Yoshii K, Mottate K, Omori-Urabe Y, Chiba Y, Seto T, Sanada T, et al. Epizootiological study of tick-borne encephalitis virus infection in Japan. *The Journal of veterinary medical science*. 2011;73(3):409-12.
 1409. Yoshii K, Sato K, Ishizuka M, Kobayashi S, Kariwa H, Kawabata H. Serologic Evidence of Tick-Borne Encephalitis Virus Infection in a Patient with Suspected Lyme Disease in Japan. *The American journal of tropical medicine and hygiene*. 2018;99(1):180-1.
 1410. You AG, Li Y, Li DX, Du YH, Wang HF, Ye Y, et al. [Surveillance for severe fever with thrombocytopenia syndrome in Henan province, 2017-2020]. *Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi*. 2021;42(11):2024-9.
 1411. You E, Wang L, Zhang L, Wu J, Zhao K, Huang F. Epidemiological characteristics of severe fever with thrombocytopenia syndrome in Hefei of Anhui Province: a population-based surveillance study from 2011 to 2018. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2021;40(5):929-39.
 1412. Ytrehus B, Vainio K, Dudman SG, Gilray J, Willoughby K. Tick-borne encephalitis virus and louping-ill virus may co-circulate in Southern Norway. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2013;13(10):762-8.
 1413. Yu KM, Yu MA, Park SJ, Kim YI, Robles NJ, Kwon HI, et al. Seroprevalence and genetic characterization of severe fever with thrombocytopenia syndrome virus in domestic goats in South Korea. *Ticks Tick Borne Dis*. 2018;9(5):1202-6.
 1414. Yu MA, Yu KM, Park SJ, Kim YI, Robles NJ, Si YJ, et al. Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Phlebovirus in Domesticated Deer in South Korea. *Virologica Sinica*. 2019;34(5):501-7.
 1415. Yu Q, Matkovic E, Reagan-Steiner S, Denison AM, Osborn R, Salamat SM. A Fatal Case of Powassan Virus Encephalitis. *Journal of neuropathology and experimental neurology*. 2020;79(11):1239-43.
 1416. Yu XJ, Liang MF, Zhang SY, Liu Y, Li JD, Sun YL, et al. Fever with thrombocytopenia associated with a novel bunyavirus in China. *The New England journal of medicine*. 2011;364(16):1523-32.
 1417. Yu ZM, Chen JT, Qin J, Guo JJ, Li K, Xu QY, et al. Identification and characterization of Jingmen tick virus in rodents from Xinjiang, China. *Infection, genetics and evolution : journal of molecular epidemiology and evolutionary genetics in infectious diseases*. 2020;84:104411.
 1418. Yuan Q, Llanos-Soto SG, Gangloff-Kaufmann JL, Lampman JM, Frye MJ, Benedict MC, et al. Active surveillance of pathogens from ticks collected in New York State suburban parks and schoolyards. *Zoonoses and public health*. 2020;67(6):684-96.
 1419. Yuan S. Crimean-Congo haemorrhagic fever in Iraq. *The Lancet Microbe*. 2023;4(9):e669.
 1420. Yun SM, Kim SY, Han MG, Jeong YE, Yong TS, Lee CH, et al. Analysis of the envelope (E) protein gene of tick-borne encephalitis viruses isolated in South Korea. *Vector borne and zoonotic diseases (Larchmont, NY)*. 2009;9(3):287-93.
 1421. Yun SM, Kim SY, Ju YR, Han MG, Jeong YE, Ryou J. First complete genomic characterization of two tick-borne encephalitis virus isolates obtained from wild rodents in South Korea. *Virus genes*. 2011;42(3):307-16.
 1422. Yun SM, Lee YJ, Choi W, Kim HC, Chong ST, Chang KS, et al. Molecular detection of severe fever with thrombocytopenia syndrome and tick-borne encephalitis viruses in ixodid ticks collected from vegetation, Republic of Korea, 2014. *Ticks Tick Borne Dis*. 2016;7(5):970-8.
 1423. Yun SM, Song BG, Choi W, Park WI, Kim SY, Roh JY, et al. Prevalence of tick-borne encephalitis virus in ixodid ticks collected from the republic of Korea during 2011-2012. *Osong public health and research perspectives*. 2012;3(4):213-21.
 1424. Yuqing JIA, Shiyi W, Meihua Y, Ulzhan N, Omarova K, Zhiqiang LIU, et al. First detection of Tacheng tick virus 2 in hard ticks from southeastern Kazakhstan. *Kafkas Üniversitesi Veteriner Fakültesi Dergisi*. 2022;28(1).
 1425. Yurchenko OO, Dubyna DO, Vynograd NO, Rogovskyy AS. Tick-borne encephalitis cases recorded in Ukraine over 1990-2018. *Journal of travel medicine*. 2020;27(4).
 1426. Yurchenko OO, Dubyna DO, Vynograd NO, Rogovskyy AS. Phylogenetic analysis of tick-

- borne encephalitis virus strains found in an engorged tick and traveler returning from Russia. *Ticks Tick Borne Dis.* 2021;12(3):101670.
1427. Zachary KC, LaRocque RC, Gonzalez RG, Branda JA. Case 3-2019: A 70-Year-Old Woman with Fever, Headache, and Progressive Encephalopathy. *The New England journal of medicine.* 2019;380(4):380-7.
 1428. Zając V, Wójcik-Fatla A, Sawczyn A, Cisak E, Sroka J, Kloc A, et al. Prevalence of infections and co-infections with 6 pathogens in *Dermacentor reticulatus* ticks collected in eastern Poland. *Annals of agricultural and environmental medicine : AAEM.* 2017;24(1):26-32.
 1429. Zając Z, Kulisz J, Bartosik K, Woźniak A, Dzierżak M, Khan A. Environmental determinants of the occurrence and activity of *Ixodes ricinus* ticks and the prevalence of tick-borne diseases in eastern Poland. *Sci Rep.* 2021;11(1):15472.
 1430. Zajkowska J, Czupryna P, Pancewicz S, Adamczyk-Przychodzeń A, Kondrusik M, Grygorczuk S, et al. Fatal outcome of tick-borne encephalitis - a case series. *Neurologia i neurochirurgia polska.* 2011;45(4):402-6.
 1431. Zajkowska J, Moniuszko A, Czupryna P, Drozdowski W, Krupa W, Guziejko K, et al. Chorea and tick-borne encephalitis, Poland. *Emerg Infect Dis.* 2013;19(9):1544-5.
 1432. Zajkowska J, Waluk E, Dunaj J, Świerzbńska R, Hordowicz M, Zajkowska O, et al. Assessment of the potential effect of the implementation of serological testing tick-borne encephalitis on the detection of this disease on areas considered as non-endemic in Poland - preliminary report. *Przegląd epidemiologiczny.* 2021;75(4):515-23.
 1433. Zakham F, Albalawi AE, Alanazi AD, Truong Nguyen P, Alouffi AS, Alaoui A, et al. Viral RNA Metagenomics of Hyalomma Ticks Collected from Dromedary Camels in Makkah Province, Saudi Arabia. *Viruses.* 2021;13(7).
 1434. Zakotnik S, Knap N, Bogović P, Zorec TM, Poljak M, Strle F, et al. Complete Genome Sequencing of Tick-Borne Encephalitis Virus Directly from Clinical Samples: Comparison of Shotgun Metagenomic and Targeted Amplicon-Based Sequencing. *Viruses.* 2022;14(6).
 1435. Zarnke RL, Yuill TM. Powassan virus infection in snowshoe hares (*Lepus americanus*). *Journal of wildlife diseases.* 1981;17(2):303-10.
 1436. Zasada J, Kutylowska E. Ticks transmit not only Lyme disease: a case report of tick-borne encephalitis. *Paediatrics and Family Medicine.* 2019;15(3):306.
 1437. Zeller HG, Cornet JP, Camicas JL. Crimean-Congo haemorrhagic fever virus infection in birds: field investigations in Senegal. *Research in virology.* 1994;145:105-9.
 1438. Zeller HG, Cornet JP, Diop A, Camicas JL. Crimean-Congo hemorrhagic fever in ticks (Acari: Ixodidae) and ruminants: field observations of an epizootic in Bandia, Senegal (1989-1992). *Journal of medical entomology.* 1997;34(5):511-6.
 1439. Zeman P, Bene C. A tick-borne encephalitis ceiling in Central Europe has moved upwards during the last 30 years: possible impact of global warming? *International journal of medical microbiology : IJMM.* 2004;293 Suppl 37:48-54.
 1440. Zeman P, Januska J, Orolinova M, Stuen S, Struhar V, Jebavy L. High seroprevalence of granulocytic ehrlichiosis distinguishes sheep that were the source of an alimentary epidemic of tick-borne encephalitis. *Wiener klinische Wochenschrift.* 2004;116(17-18):614-6.
 1441. Zeng P, Ma L, Gao Z, Wang J, Liu J, Huang X, et al. A study of seroprevalence and rates of asymptomatic viremia of severe fever with thrombocytopenia syndrome virus among Chinese blood donors. *Transfusion.* 2015;55(5):965-71.
 1442. Zenz W, Pansi H, Zoehrer B, Mutz I, Holzmann H, Kraigher A, et al. Tick-borne encephalitis in children in Styria and Slovenia between 1980 and 2003. *The Pediatric infectious disease journal.* 2005;24(10):892-6.
 1443. Zhan J, Cheng J, Hu B, Li J, Pan R, Yang Z, et al. Pathogens and epidemiologic feature of severe fever with thrombocytopenia syndrome in Hubei province, China. *Virus Res.* 2017;232:63-8.
 1444. Zhang GL, Liu R, Sun X, Zheng Y, Liu XM, Zhao Y, et al. [Investigation on the endemic foci of new emerged tick-borne encephalitis in Charles Hilary, Xinjiang]. *Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi.* 2013;34(5):438-42.
 1445. Zhang H, Sun Y, Jiang H, Huo X. Prevalence of Severe Febrile and Thrombocytopenic Syndrome Virus, *Anaplasma* spp. and *Babesia microti* in Hard Ticks (Acari: Ixodidae) from Jiaodong Peninsula, Shandong Province. *Vector borne and zoonotic diseases (Larchmont, NY).* 2017;17(2):134-40.
 1446. Zhang J, Zheng YC, Chu YL, Cui XM, Wei R, Bian C, et al. Skin infectome of patients with

- a tick bite history. *Frontiers in cellular and infection microbiology*. 2023;13:1113992.
1447. Zhang L, Sun J, Yan J, Lv H, Chai C, Sun Y, et al. Antibodies against severe fever with thrombocytopenia syndrome virus in healthy persons, China, 2013. *Emerg Infect Dis*. 2014;20(8):1355-7.
 1448. Zhang L, Ye L, Ojcius DM, Lou X, Wang C, feng C, et al. Characterization of severe fever with thrombocytopenia syndrome in rural regions of Zhejiang, China. *PLoS One*. 2014;9(10):e111127.
 1449. Zhang M, Lu D, Sun H, Zheng H, Cang M, Du Y. Serum Metabolomics of Tick-Borne Encephalitis Based on Orbitrap-Mass Spectrometry. *International journal of general medicine*. 2021;14:7995-8005.
 1450. Zhang MZ, Bian C, Ye RZ, Cui XM, Yao NN, Yang JH, et al. A series of patients infected with the emerging tick-borne Yezo virus in China: an active surveillance and genomic analysis. *The Lancet Infectious diseases*. 2024.
 1451. Zhang Q, Liu W, Wang W, Zhang L, Li J, Tang R, et al. Analysis of spatial-temporal distribution characteristics and natural infection status of SFTS cases in Hefei from 2015 to 2021. *Environmental health and preventive medicine*. 2023;28:70.
 1452. Zhang S, Leng Y, Zhang FX, Fu BK, Wu BZ, Chen JH, et al. Severe fever with thrombocytopenia syndrome virus infection attributed to cat contact: A case report in Beijing, China. *Virologica Sinica*. 2024;39(3):513-5.
 1453. Zhang X, Li HY, Shao JW, Pei MC, Cao C, Huang FQ, et al. Genomic characterization and phylogenetic analysis of a novel Nairobi sheep disease genogroup Orthonairovirus from ticks, Southeastern China. *Frontiers in microbiology*. 2022;13:977405.
 1454. Zhang X-A, Ma Y-D, Zhang Y-F, Hu Z-Y, Zhang J-T, Han S, et al. A new orthonairovirus associated with human febrile illness. *New England Journal of Medicine*. 2024;391(9):821-31.
 1455. Zhang Y, Jiang L, Yang Y, Xie S, Yuan W, Wang Y. A tick bite patient with fever and meningitis co-infected with *Rickettsia raoultii* and Tacheng tick virus 1: a case report. *BMC Infect Dis*. 2021;21(1):1187.
 1456. Zhang Y, Li Z, Pang Z, Wu Z, Lin Z, Niu G. Identification of Jingmen tick virus (JMTV) in *Amblyomma testudinarium* from Fujian Province, southeastern China. *Parasites & vectors*. 2022;15(1):339.
 1457. Zhang Z, Hu X, Jiang Q, Jiao F, Du Q, Liu J, et al. Systemic inflammatory response syndrome in patients with severe fever with thrombocytopenia syndrome: prevalence, characteristics, and impact on prognosis. *BMC Infect Dis*. 2024;24(1):149.
 1458. Zhao C, Zhang X, Si X, Ye L, Lawrence K, Lu Y, et al. Hedgehogs as Amplifying Hosts of Severe Fever with Thrombocytopenia Syndrome Virus, China. *Emerg Infect Dis*. 2022;28(12):2491-9.
 1459. Zhao L, Zhai S, Wen H, Cui F, Chi Y, Wang L, et al. Severe fever with thrombocytopenia syndrome virus, Shandong Province, China. *Emerg Infect Dis*. 2012;18(6):963-5.
 1460. Zhou H, Ma Z, Hu T, Bi Y, Mamuti A, Yu R, et al. Tamdy Virus in Ixodid Ticks Infesting Bactrian Camels, Xinjiang, China, 2018. *Emerg Infect Dis*. 2019;25(11):2136-8.
 1461. Zhou Z, Meng W, Deng F, Xia H, Li T, Sun S, et al. Complete genome sequences of two crimean-congo hemorrhagic Fever viruses isolated in china. *Genome announcements*. 2013;1(4).
 1462. Zhu H, Li X, Chen H, Qian P. Genetic characterization and pathogenicity of a Eurasian avian-like H1N1 swine influenza reassortant virus. *Virol J*. 2022;19(1):205.
 1463. Zhuang L, Du J, Cui XM, Li H, Tang F, Zhang PH, et al. Identification of tick-borne pathogen diversity by metagenomic analysis in *Haemaphysalis longicornis* from Xinyang, China. *Infectious diseases of poverty*. 2018;7(1):45.
 1464. Zidovec-Lepej S, Vilibic-Cavlek T, Ilic M, Gorenec L, Grgic I, Bogdanic M, et al. Quantification of Antiviral Cytokines in Serum, Cerebrospinal Fluid and Urine of Patients with Tick-Borne Encephalitis in Croatia. *Vaccines*. 2022;10(11).
 1465. Ziegler U, Angenvoort J, Klaus C, Nagel-Kohl U, Sauerwald C, Thalheim S, et al. Use of competition ELISA for monitoring of West Nile virus infections in horses in Germany. *International journal of environmental research and public health*. 2013;10(8):3112-20.
 1466. Zindel W, Wyler R. [Tick-borne encephalitis in a goat in lower Prätigau]. *Schweizer Archiv für Tierheilkunde*. 1983;125(6):383-6.
 1467. Zlomy M, Haberlandt E, Brunner J, Dozcy L, Rostasy K. Tick-borne encephalitis in a child with previous history of completed primary vaccination. *Pediatrics international : official journal of the Japan Pediatric Society*. 2016;58(1):56-8.

1468. Zohaib A, Saqib M, Athar MA, Hussain MH, Sial AU, Tayyab MH, et al. Crimean-Congo Hemorrhagic Fever Virus in Humans and Livestock, Pakistan, 2015-2017. *Emerg Infect Dis.* 2020;26(4):773-7.
1469. Zohaib A, Saqib M, Beck C, Hussain MH, Lowenski S, Lecollinet S, et al. High prevalence of West Nile virus in equines from the two provinces of Pakistan. *Epidemiology and infection.* 2015;143(9):1931-5.
1470. Zohaib A, Zhang J, Saqib M, Athar MA, Hussain MH, Chen J, et al. Serologic Evidence of Severe Fever with Thrombocytopenia Syndrome Virus and Related Viruses in Pakistan. *Emerg Infect Dis.* 2020;26(7):1513-6.
1471. Zöldi V, Juhász A, Nagy C, Papp Z, Egyed L. Tick-borne encephalitis and Lyme disease in Hungary: the epidemiological situation between 1998 and 2008. *Vector borne and zoonotic diseases (Larchmont, NY).* 2013;13(4):256-65.
1472. Zöldi V, Papp T, Reiczigel J, Egyed L. Bank voles show high seropositivity rates in a natural TBEV focus in Hungary. *Infectious diseases (London, England).* 2015;47(3):178-81.
1473. Zöldi V, Papp T, Rigó K, Farkas J, Egyed L. A 4-year study of a natural tick-borne encephalitis virus focus in Hungary, 2010-2013. *EcoHealth.* 2015;12(1):174-82.
1474. Zouaghi K, Bouattour A, Aounallah H, Surtees R, Krause E, Michel J, et al. First Serological Evidence of Crimean-Congo Hemorrhagic Fever Virus and Rift Valley Fever Virus in Ruminants in Tunisia. *Pathogens (Basel, Switzerland).* 2021;10(6).
1475. Zu Z, Lin H, Hu Y, Zheng X, Chen C, Zhao Y, et al. Seroprevalence and transmission of severe fever with thrombocytopenia syndrome virus in a coastal endemic area in Southeastern China. *Ticks Tick Borne Dis.* 2024;15(1):102277.
1476. Zhang M-Z, Bian C, Ye R-Z, Cui X-M, Chu Y-L, Yao N-N, et al. Human Infection with a Novel Tickborne Orthonairovirus Species in China. *New England Journal of Medicine.* 2025;392(2):200-2.
1477. Nyakarahuka L, Mulei S, Shannon J, Kyondo B T, Alex M S, Amy B, et al. First laboratory confirmation and sequencing of Zaire ebolavirus in Uganda following two independent introductions of cases from the 10th Ebola Outbreak in the Democratic Republic of the Congo, June 2019. *PLoS neglected tropical diseases.* 2022;16(2), p.e0010205.
1478. Quan L, Wang Z-D, Gao Y, Lv X, Song M, et al. Identification of a new chuvirus associated with febrile illness in China. Preprint. 2020; DOI: 10.21203/rs.3.rs-104938/v1.