

CROSSTABS

```
/TABLES=Q19_Practical_Exercises BY Q9_Idiomatic_Expressions
```

```
/FORMAT=AVALUE TABLES
```

```
/CELLS=COUNT
```

```
/COUNT ROUND CELL
```

```
/BARChart.
```

Crosstabs

Notes


Output Created		19-JUL-2025 12:01:36	
Comments			
Input	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	100	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.	
Syntax		CROSSTABS /TABLES=Q19_Practical_Exercises BY Q9_Idiomatic_Expressions /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL /BARChart.	
Resources	Processor Time	00:00:01.09	
	Elapsed Time	00:00:01.57	
	Dimensions Requested	2	
	Cells Available	174734	

Case Processing Summary

	Cases		
	Valid		Miss
	N	Percent	N
Q19_Practical_Exercises * Q9_Idiomatic_Expressions	100	100.0%	0

Q19_Practical_Exercises * Q9_Idiomatic_Expressions Crosstabulation

Count		Q9_Idiomatic_Expressions	
		N	A
Q19_Practical_Exercises	D	0	9
	N	9	26
	A	16	29
Total		25	64



sing	Total	
Percent	N	Percent
0.0%	100	100.0%

SA	Total
0	9
11	46
0	45
11	100