

Article Title: The Effect of Dune Age and Microtopography on *Triadica sebifera* (Chinese tallow tree) Recovery from Hurricane Disturbance

Journal Title: Plant Ecology

Authors: Jonathan P. Evans^{1*}, George Burruss¹, and J.T. Michel¹

Affiliation: ¹Sewanee: The University of the South, Department of Biology

*Corresponding Author: jon.evans@sewanee.edu

Table 2 Pairwise contrasts (Bonferroni-adjusted) of estimated marginal means from negative binomial GLMMs, showing changes in *Triadica sebifera* adult stem counts across years within microtopography

Microtopography	Contrast	Estimate (log scale)	SE	z ratio	p-value (Bonferroni)
Swale	Pre - 2018	3.064	0.525	5.839	<0.001***
	2018 - 2021	-3.355	0.531	-6.319	<0.001***
	Pre - 2021	-0.291	0.422	-0.689	1.000
Slope	Pre - 2018	0.477	0.437	1.090	0.827
	2018 - 2021	0.087	0.455	0.192	1.000
	Pre - 2021	0.564	0.419	1.346	0.535
Ridge	Pre - 2018	0.000	0.783	0.000	1.000
	2018 - 2021	0.957	0.865	1.107	0.805
	Pre - 2021	0.957	0.865	1.107	0.805