

Supplementary Information

Salvianolic Acid B Inhibits Ferroptosis Through ACSL4 Pathway

Regulation in sepsis-associated encephalopathy Mice

Xingyao Li^{a,1}, Zhizhun Mo^{b,1}, Yumei Yang^{c,1}, Chunxia Zhao^{d,e}, Shuwen Zhang^{d,e}, Yan Lin^{d,e}, Yuxiang Liu^b, Ling Wang^b, Xiaolong Xu^{d,e,*}, Qingquan Liu^{d,e,*}, Kai Fan^{a,**}

* Corresponding author.


¹ Xingyao Li, Zhizhun Mo, and Yumei Yang contributed equally to this work and shared the first authorship.


Supplementary Information

Fig. S1 The uncropped blots for Fig. 8A. Red squares were the blots used in Fig. 8A. 2


Fig. S2 The uncropped blots for Fig. 8E. Red squares were the blots used in Fig. 8E. 8

Fig. S1 The uncropped blots for Fig. 8A. Red squares were the blots used in Fig. 8A.








GAPDH
36 kDa






GAPDH
36 kDa




GAPDH
36 kDa







LPCAT3
56 kDa



LPCAT3
56 kDa













Fig. S2 The uncropped blots for Fig. 8E. Red squares were the blots used in Fig. 8E.








SLC7A11
37 kDa



SLC7A11
37 kDa



SLC7A11
37 kDa

