

Effects of Multifrequency Electromagnetic Pulses on tumor growth in immunocompetent mice

Roberta Piredda¹, Luis G Rodríguez Martínez², Jorge Martinez-Ortega¹, Alejandro López Ferráz⁴, Sandra Villatoro-Gómez³, Elena Martín-García³, María Laura García-Bermejo³, José M Almendral¹, Konstantinos Stamatakis^{1,3,*}, and Yolanda Revilla^{1,*}

1. *Centro de Biología Molecular Severo Ochoa (CSIC-UAM), Universidad Autónoma de Madrid, Cantoblanco, Madrid, 28049, Spain.*
2. *Paso Alto Biotechnology INC, FL, EE.UU*
3. *Instituto Ramón y Cajal de Investigación Sanitaria (IRYCIS), Madrid, Spain.*
4. *Universidad de La Laguna, Santa Cruz de Tenerife, Spain.*

*Corresponding authors: Yolanda Revilla and Konstantinos Stamatakis. Centro de Biología Molecular "Severo Ochoa" (CSIC-UAM). Universidad Autónoma de Madrid. 28049 Cantoblanco, Madrid. Spain. Phone: 34-91-1964559/4570. E-mail: yrevilla@cbm.csic.es, k.s@csic.es.

Blood test of mouse 1-0




Figure S1. Blood analysis of previously MEMP treated and remitted tumor mouse 1-0. Mouse 1-0 was subjected to blood analysis after tumor remission following MEMP treatment and before to reinoculated it with the same cancer cell line MC-38-Luc. Samples were analyzed by Element HT5 hematology system (Scilvet Company).