

	A1	A2	A3	A4	A5	Mixed
# of individuals at follow-up	16	17	18	33	25	84
with anapsychiatric diagnosis at follow-up (none at baseline)	7 (44%)	4 (24%)	9 (50%)	4 (12%)	4 (16%)	12 (14%)
with any psychiatric diagnosis at follow-up	9 (56%)	6 (35%)	9 (50%)	10 (30%)	5 (20%)	21 (25%)
with comorbid psychiatric diagnosis at follow-up	5 (31%)	2 (12%)	4 (22%)	2 (6%)	1 (4%)	10 (12%)
with comorbid psychiatric diagnosis across baseline and follow-up	6 (38%)	4 (24%)	6 (33%)	3 (9%)	1 (4%)	11 (13%)
with any psychiatric diagnosis at baseline or follow-up	14 (88%)	9 (53%)	12 (67%)	10 (30%)	5 (20%)	24 (29%)

Diagnostic entities:

Depression	8	3	4	6	2	14
Bipolar disorder	0	0	0	0	0	0
Schizophrenia	0	0	0	0	0	0
Other psychosis or psychotic illness	0	0	1	0	0	0
Personality disorder	0	0	0	0	0	1
Autism	0	0	1	0	0	4
ADHD	4	1	4	0	1	6
OCD	0	0	0	0	0	0
Anxiety or nerves	3	2	2	2	2	4
Generalized anxiety disorder	1	0	2	2	2	3
Social anxiety or phobia	1	1	1	1	0	3
Agoraphobia	0	0	0	0	0	0
Other phobias	1	0	1	1	0	0
Panic attacks	3	0	2	0	0	2
Panic disorder	0	0	0	0	0	0
PTSD	0	0	1	0	0	1
Anorexia nervosa	1	0	0	0	0	0
Bulimia nervosa	1	1	0	0	0	0
Binge eating disorder	0	0	0	1	0	0
Other eating disorder	0	0	0	0	1	0