



Ref#: INU/REHAB/XC108 Date: 25/010/2022

Study Protocol Sequenced Hybrid Electromechanically Assisted and Conventional Gait Training for Concurrent Optimization of Weight Management, Blood Pressure Regulation, and Functional Mobility in Chronic Stroke Survivors: A Multicenter Randomized Controlled Trial

December 2025 (pre-trial approval) Principal Investigator: Muslim Khan, Associate Professor, Faculty of Rehabilitation Sciences, IQRA National University, Swat, Pakistan

Co-Investigators: Ayman Abdullah Alhammad, Mshari Alghadier, Saeed Mufleh Alnasser, Abdullah Basheer Alanazi, Hasan Ali Abdullah AlAidarous, Engy BadrEldin Saleh Moustafa, Ibrahim Abuzaid, Abdulmajeed R. Almalty (affiliations as listed in main manuscript)

Ethical Approval: Obtained from institutional review boards of all participating centers

Registration: <https://doi.org/10.6084/m9.figshare.30983740> Data

OSF Reg <https://osf.io/bf3jd/overview>

Preprint https://osf.io/preprints/medRxiv/hm8ze_v1

Funding: Institutional resources only; no external funding

- 1. Background & Rationale** Stroke is a leading cause of long-term disability and death worldwide, with chronic survivors often experiencing gait disturbances (affecting up to 80%), reduced physical activity, and cardiometabolic comorbidities like obesity and hypertension. These increase risks of recurrent events and diminish quality of life. Electromechanically assisted gait training (EAGT) provides high-intensity, repetitive practice, while conventional gait training (CGT) enhances real-world functional transfer. Evidence gaps exist in the optimal sequencing of these approaches for concurrent improvements in weight management, blood pressure (BP), and mobility, particularly in high-risk chronic stroke populations. This multicenter RCT addresses these gaps by evaluating a sequenced hybrid protocol.
- 2. Objectives & Hypotheses** **Primary Objective:** Evaluate the efficacy of sequenced hybrid EAGT followed by CGT compared to EAGT-only or CGT-only in promoting concurrent improvements in body weight, BP, and gait parameters in chronic stroke survivors with overweight/obesity and hypertension. **Secondary Objectives:** Assess retention of gains at 3-month follow-up; explore mechanistic insights into cardiometabolic loading; identify prognostic factors.

Hypotheses: Hybrid sequencing leads to greater weight loss (≥ 3 kg) and systolic BP reduction (≥ 10 mmHg) without compromising gait improvements. Obese participants ($\text{BMI} \geq 30 \text{ kg/m}^2$) show stronger cardiometabolic responses. Gains are retained better in the hybrid group at follow up.



3. **Study Design** Prospective, assessor-blinded, three-arm parallel-group RCT Allocation: 1:1:1 Duration: 12 weeks intervention + 3-month follow-up (total 6 months) Setting: Five rehabilitation centers in Pakistan (e.g., Swat Psychiatric Care & Rehabilitation Center,

Al-Makki Rehabilitation Center, Hashoo Foundation Rehabilitation Center, Model Addiction Treatment & Rehabilitation Centre - Swat, and one additional site).

4. **Participants Inclusion:** Age 45–78; ischemic/hemorrhagic stroke ≥ 6 months prior; Functional Ambulation Category (FAC) ≥ 3 ; BMI ≥ 25 kg/m²; systolic BP ≥ 130 mmHg (stable antihypertensives allowed); able to provide informed consent. Exclusion: Unstable cardiovascular conditions; severe cognitive impairment (MMSE < 20); other neurological disorders affecting gait; musculoskeletal issues limiting training; recent intensive exercise programs; life expectancy < 12 months. Recruitment: Outpatient clinics, stroke registries, referrals, community outreach. Target sample: 144 (48 per group) Sample size justification: Detect 3 kg weight change (SD 4 kg) and 10 mmHg systolic BP change (SD 12 mmHg), 80% power, $\alpha=0.05$, 15% attrition, accounting for multicenter clustering (ICC 0.01).
5. **Randomization & Blinding Sequence:** Computer-generated permuted blocks (sizes 3,6,9), stratified by FAC (3 vs. ≥ 4) and BMI (25–29.9 vs. ≥ 30 kg/m²) Concealment: Secure web-based central system (backup: sequentially numbered, opaque envelopes) Implementation: Site coordinators enroll; independent platform assigns Blinding: Assessors and statisticians blinded; participants/therapists unblinded (intervention nature); groups coded in database.
6. **Interventions All groups:** 30 sessions over 12 weeks (3–5/week, 45–60 min), heart rate monitored (60–80% reserve). No additional exercise or diet interventions.

Group A (Hybrid: EAGT → CGT): Weeks 1–6: EAGT (exoskeleton/end-effector devices; 30–50% body-weight support, speed 1.5–2 km/h, ≥ 800 –1200 steps/session). Weeks 7–12: CGT (overground walking, obstacles, stairs, dual-tasks).

Group B (EAGT-only): Full 12 weeks EAGT, progressing parameters for intensity.

Group C (CGT-only): Full 12 weeks CGT, progressing complexity and demands.

7. **Outcome Measures Primary:** Change in body weight; systolic/diastolic BP. Secondary: 10-Meter Walk Test (speed); 6-Minute Walk Test (endurance); Berg Balance Scale; Barthel Index. Timepoints: Baseline, 6 weeks, 12 weeks, 3-month follow-up.
8. **Data Collection & Management Standardized forms;** secure, anonymized electronic

- storage; adherence logs (attendance, steps, heart rate, adverse events).
9. **Statistical Analysis Intention-to-treat**; linear mixed-effects models (SPSS v28/R v4.3.2); fixed effects: group, time, interaction; random effects: participant/center;

Main Mingora Road, Odigram, Tel: 1946-883946-47 Swat, Khyber Pakhtunkhwa Email:
info@inuswat.edu.pk



multiple imputation for missing data; subgroup analyses (BMI, post-stroke duration); Bonferroni adjustments; effect sizes (η^2p , Cohen's d).

10. Ethical Considerations Written informed consent; data confidentiality; minimized risks (fatigue monitoring); independent data monitoring committee for safety; adherence to Helsinki Declaration and GCP.
11. Timeline Recruitment: January 2022 – June 2024, Follow-up: Until June 2025
12. Protocol Deviations Any deviations will be reported and documented.

Sincerely,
Assistant Registrar

IRAN KHAN

Main Mingora Road, Odigram, Tel: 1946-883946-47 Swat, Khyber Pakhtunkhwa Email:
info@inuswat.edu.pk