
The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.


Click on the hyperlinks for more details of the test.

 **Alert level B**

PLAT971_ALERT_2_B Check Calcd Resid. Dens. 1.22Ang From Os1

3.09 eA-3


Author Response: There is the relatively high positive electron density residue near the Os atom due to the significant absorption effects, which can not be corrected completely.

 **Alert level C**

PLAT094_ALERT_2_C Ratio of Maximum / Minimum Residual Density 2.69 Report

PLAT911_ALERT_3_C Missing FCF Refl Between Thmin & STh/L= 0.600 8 Report

2 0 0, 2 1 0, 9 3 1, 11 2 1, 1 0 2, 1 1 2,
6 0 2, 10 2 4,

 **Alert level G**

PLAT019_ALERT_1_G _diffn_measured_fraction_theta_full/*_max < 1.0 0.998 Report

PLAT232_ALERT_2_G Hirshfeld Test Diff (M-X) Os1 --Cl1 . 11.0 s.u.

PLAT232_ALERT_2_G Hirshfeld Test Diff (M-X) Os1 --Cl2 . 6.7 s.u.

PLAT232_ALERT_2_G Hirshfeld Test Diff (M-X) Os1 --S1 . 6.3 s.u.

PLAT794_ALERT_5_G Tentative Bond Valency for Os1 (IV) . 3.99 Info

PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L= 0.600 2 Note

PLAT913_ALERT_3_G Missing # of Very Strong Reflections in FCF 1 Note

2 0 0,

PLAT933_ALERT_2_G Number of HKL-OMIT Records in Embedded .res File 9 Note

2 1 0, 1 1 2, 1 0 2, 9 3 1, 6 0 2, 11 2 1,

2 0 0, 10 2 4, 12 2 7,

PLAT969_ALERT_5_G The 'Henn et al.' R-Factor-gap value 1.77 Note

Predicted wR2: Based on SigI**2 3.81 or SHELX Weight 6.35

0 **ALERT level A** = Most likely a serious problem - resolve or explain

1 **ALERT level B** = A potentially serious problem, consider carefully

2 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight

9 **ALERT level G** = General information/check it is not something unexpected

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data

6 ALERT type 2 Indicator that the structure model may be wrong or deficient

2 ALERT type 3 Indicator that the structure quality may be low

1 ALERT type 4 Improvement, methodology, query or suggestion

2 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 06/01/2024; check.def file version of 05/01/2024

