

**Table 3: Wound area and wound depth across the five evaluated time points**

ID	Wound Area (cm <sup>2</sup> )					Wound Depth (mm)				
	V2	V4	V8	V9	V10	V2	V4	V8	V9	V10
BSM1-1	16.95	13.78	3.80	1.58	0.23	NA	1.52	0.73	0.22	0.25
BSM1-2	20.25	12.99	4.84	3.05	0.83	1.17	0.79	0.42	0.45	0.51
BSM1-3	27.56	17.06	6.40	5.25	3.65	1.33	0.55	0.24	0.19	0.97
BSM1-4	20.25	7.85	1.08	0.13	0.03	3.00	2.74	0.65	0.19	0.59
BSM1-5	29.03	10.67	1.97	0.00	0.00	2.61	2.74	0.41	0.00	0.00
BSM1-6	14.49	18.33	5.34	0.83	0.00	4.55	1.35	0.48	0.25	0.00
BSM1-7	9.23	9.35	3.42	4.22	2.73	0.98	1.01	0.56	0.55	0.28
BSM1-8	2.54	5.35	2.99	1.05	0.53	1.50	2.59	2.12	1.19	1.20
BSM1-9	4.42	3.76	0.01	3.40	3.69	0.40	0.32	0.20	0.18	0.21
BSM1-10	4.20	3.30	0.67	0.00	0.00	2.31	2.61	0.20	0.00	0.00

BSM: Biosheet maker, NA: not applicable, V2: At embedding of BSM1, V4: At application of biococktail, V8: 1 month after application, V9: 2 months after application, V10: 3 months after application