

Computing EQ-5D-5L index values with SPSS using the Indian (Jyani et al) value set

Version 1.1 (Updated 05/01/2022)

The variables for the 5 dimensions of the EQ-5D-5L descriptive system should be named 'mobility', 'selfcare', 'activity', 'pain', and 'anxiety'.

If they are given different names the syntax code below will not work properly.

The 5 variables should contain the values for the different dimensions

in the EQ-5D health profile (i.e. 1, 2, 3, 4 or 5). The variable 'EQindex' contains the values of the

EQ-5D-5L index values on the basis of the Indian set of weights.

You can copy and paste the syntax below directly into a SPSS syntax window.

\*\*\*\*\*

\*SPSS syntax code for the computation of index\*

\*values with the Indian (Jyani et al) value set\*

\*\*\*\*\*

IF (mobility=1) disut\_mo=0.

IF (mobility=2) disut\_mo=0.0497.

IF (mobility=3) disut\_mo=0.0989.

IF (mobility=4) disut\_mo=0.2542.

IF (mobility=5) disut\_mo=0.3875.

IF (selfcare=1) disut\_sc=0.

IF (selfcare=2) disut\_sc=0.0513.

IF (selfcare=3) disut\_sc=0.1306.

IF (selfcare=4) disut\_sc=0.3015.

IF (selfcare=5) disut\_sc=0.3799.

IF (activity=1) disut\_ua=0.

IF (activity=2) disut\_ua=0.0455.

IF (activity=3) disut\_ua=0.0886.

IF (activity=4) disut\_ua=0.2415.

IF (activity=5) disut\_ua=0.3239.

IF (pain=1) disut\_pd=0.

IF (pain=2) disut\_pd=0.0514.

IF (pain=3) disut\_pd=0.1255.

IF (pain=4) disut\_pd=0.3898.

IF (pain=5) disut\_pd=0.5843.

IF (anxiety=1) disut\_ad=0.

IF (anxiety=2) disut\_ad=0.0163.

IF (anxiety=3) disut\_ad=0.0627.

IF (anxiety=4) disut\_ad=0.1636.

IF (anxiety=5) disut\_ad=0.2471.

Compute disut\_total= disut\_mo +disut\_sc +disut\_ua +disut\_pd +disut\_ad.

Compute EQindex = 1-disut\_total.

Formats EQindex(F8.3).

execute.

## Sensitivity Analysis Using EQ-VAS Score

**Table 1.** Sensitivity Analysis: Multivariable Linear Regression Model with EQ-VAS (Self-Rated Health) as Outcome (N = 362)

# Model Fit Measures

| Model | R      | R <sup>2</sup> | Adjusted R <sup>2</sup> | AIC  | BIC  | RMSE  |
|-------|--------|----------------|-------------------------|------|------|-------|
| 1     | 0.6869 | 0.4719         | 0.4257                  | 3007 | 3128 | 14.14 |

Note. Models estimated using sample size of N=362

**Table 2.** Type III Analysis of Variance (ANOVA) for Multivariable General Linear Model Predicting EQ-VAS Scores (Sensitivity Analysis, N = 362)

|                                    | Sum of Squares | df | Mean Square | F        | p     |
|------------------------------------|----------------|----|-------------|----------|-------|
| <b>TOTAL_PHQ</b>                   | 26512.3        | 1  | 26512.3     | 121.5435 | <.001 |
| <b>TOTAL_GAD (2)</b>               | 1777.6         | 1  | 1777.6      | 8.1493   | 0.005 |
| <b>Gender</b>                      | 729.0          | 1  | 729.0       | 3.3420   | 0.068 |
| <b>Household_income</b>            | 131.5          | 1  | 131.5       | 0.6029   | 0.438 |
| <b>Relationship__patients</b>      | 1106.0         | 5  | 221.2       | 1.0141   | 0.409 |
| <b>daily_hours_caregiving@</b>     | 14227.4        | 19 | 748.8       | 3.4329   | <.001 |
| <b>Duration_caregiving__months</b> | 262.4          | 1  | 262.4       | 1.2029   | 0.274 |

**Table 2.** Type III Analysis of Variance (ANOVA) for Multivariable General Linear Model Predicting EQ-VAS Scores (Sensitivity Analysis, N = 362)

|                  | Sum of Squares | df  | Mean Square | F | p |
|------------------|----------------|-----|-------------|---|---|
| <b>Residuals</b> | 72419.3        | 332 | 218.1       |   |   |

Note. Type 3 sum of squares

Table 3. Sensitivity Analysis: Adjusted Multivariable Linear Regression Model with EQ-VAS as the Outcome (N = 362)

| Predictor              | Estimate | SE      | 95% Confidence Interval |           | t         | p     |
|------------------------|----------|---------|-------------------------|-----------|-----------|-------|
|                        |          |         | Lower                   | Upper     |           |       |
| Intercept <sup>a</sup> | 94.57411 | 4.67257 | 85.38254                | 103.76567 | 20.24030  | <.001 |
| TOTAL_PHQ              | -2.33459 | 0.21176 | -2.75115                | -1.91803  | -11.02468 | <.001 |
| TOTAL_GAD (2)          | 0.68106  | 0.23858 | 0.21175                 | 1.15037   | 2.85470   | 0.005 |
| Gender:                |          |         |                         |           |           |       |
| 2 – 1                  | 3.26825  | 1.78778 | -0.24856                | 6.78506   | 1.82810   | 0.068 |

Table 3. Sensitivity Analysis: Adjusted Multivariable Linear Regression Model with EQ-VAS as the Outcome (N = 362)

| Predictor              | Estimate  | SE       | 95% Confidence Interval |          | t        | p     |
|------------------------|-----------|----------|-------------------------|----------|----------|-------|
|                        |           |          | Lower                   | Upper    |          |       |
| Household_income       | -2.930e-5 | 3.773e-5 | -1.035e-4               | 4.493e-5 | -0.77649 | 0.438 |
| Relationship_patients: |           |          |                         |          |          |       |
| 2 – 1                  | 0.39063   | 4.91972  | -9.28713                | 10.06839 | 0.07940  | 0.937 |
| 3 – 1                  | 4.11745   | 5.48025  | -6.66294                | 14.89785 | 0.75133  | 0.453 |
| 11 – 1                 | 0.30654   | 2.27258  | -4.16392                | 4.77700  | 0.13489  | 0.893 |
| 12 – 1                 | -3.83697  | 2.58923  | -8.93034                | 1.25641  | -1.48189 | 0.139 |
| 22 – 1                 | 1.33209   | 2.89596  | -4.36466                | 7.02883  | 0.45998  | 0.646 |
| daily_hours_caregiving |           |          |                         |          |          |       |

Table 3. Sensitivity Analysis: Adjusted Multivariable Linear Regression Model with EQ-VAS as the Outcome (N = 362)

| Predictor | Estimate | SE    | 95% Confidence Interval |        | t     | p   |
|-----------|----------|-------|-------------------------|--------|-------|-----|
|           |          |       | Lower                   | Upper  |       |     |
| 2 – 1     | -        | 4.409 | -                       | -      | -     | 0.0 |
|           | 9.002    | 31    | 17.67                   | 0.3284 | 2.041 | 42  |
|           | 17       |       | 587                     | 6      | 63    |     |
| 3 – 1     | -        | 4.230 | -                       | 3.5367 | -     | 0.2 |
|           | 4.785    | 72    | 13.10                   | 5      | 1.131 | 59  |
|           | 64       |       | 804                     |        | 17    |     |
| 4 – 1     | -        | 4.383 | -                       | 4.9237 | -     | 0.3 |
|           | 3.699    | 91    | 12.32                   | 6      | 0.843 | 99  |
|           | 98       |       | 373                     |        | 99    |     |
| 5 – 1     | -        | 5.387 | -                       | -      | -     | <.0 |
|           | 18.37    | 20    | 28.96                   | 7.7729 | 3.409 | 01  |
|           | 027      |       | 761                     | 3      | 99    |     |
| 6 – 1     | -        | 5.944 | -                       | -      | -     | 0.0 |
|           | 14.85    | 72    | 26.54                   | 3.1601 | 2.498 | 13  |
|           | 415      |       | 821                     | 0      | 72    |     |
| 7 – 1     | -        | 7.231 | -                       | -      | -     | 0.0 |
|           | 14.86    | 56    | 29.09                   | 0.6401 | 2.055 | 41  |
|           | 558      |       | 104                     | 1      | 65    |     |
| 8 – 1     | -        | 5.986 | -                       | -      | -     | <.0 |
|           | 20.09    | 91    | 31.87                   | 8.3198 | 3.356 | 01  |
|           | 687      |       | 393                     | 2      | 80    |     |

Table 3. Sensitivity Analysis: Adjusted Multivariable Linear Regression Model with EQ-VAS as the Outcome (N = 362)

| Predictor | Estimate | SE    | 95% Confidence Interval |        | t     | p   |
|-----------|----------|-------|-------------------------|--------|-------|-----|
|           |          |       | Lower                   | Upper  |       |     |
| 9 – 1     | -        | 6.904 | -                       | -      | -     | 0.0 |
|           | 19.51    | 83    | 33.09                   | 5.9322 | 2.826 | 05  |
|           | 493      |       | 767                     | 0      | 27    |     |
| 10 – 1    | -        | 5.427 | -                       | -      | -     | 0.0 |
|           | 17.05    | 95    | 27.73                   | 6.3822 | 3.142 | 02  |
|           | 975      |       | 726                     | 4      | 94    |     |
| 12 – 1    | -        | 5.157 | -                       | 2.9000 | -     | 0.1 |
|           | 7.245    | 32    | 17.39                   | 0      | 1.404 | 61  |
|           | 16       |       | 031                     |        | 83    |     |
| 13 – 1    | -        | 15.38 | -                       | 19.902 | -     | 0.5 |
|           | 10.36    | 807   | 40.63                   | 10     | 0.673 | 01  |
|           | 831      |       | 872                     |        | 79    |     |
| 14 – 1    | -        | 8.428 | -                       | 10.029 | -     | 0.4 |
|           | 6.550    | 59    | 23.13                   | 68     | 0.777 | 38  |
|           | 49       |       | 066                     |        | 18    |     |
| 15 – 1    | -        | 6.491 | -                       | -      | -     | <.0 |
|           | 28.07    | 67    | 40.84                   | 15.300 | 4.324 | 01  |
|           | 026      |       | 025                     | 28     | 05    |     |
| 16 – 1    | -        | 8.372 | -                       | 13.885 | -     | 0.7 |
|           | 2.583    | 25    | 19.05                   | 49     | 0.308 | 58  |
|           | 86       |       | 320                     |        | 62    |     |

Table 3. Sensitivity Analysis: Adjusted Multivariable Linear Regression Model with EQ-VAS as the Outcome (N = 362)

| Predictor             | Estimate | SE    | 95% Confidence Interval |        | t     | p   |
|-----------------------|----------|-------|-------------------------|--------|-------|-----|
|                       |          |       | Lower                   | Upper  |       |     |
| 17 – 1                | -        | 15.43 | -                       | 23.007 | -     | 0.6 |
|                       | 7.355    | 538   | 37.71                   | 59     | 0.476 | 34  |
|                       | 89       |       | 937                     |        | 56    |     |
| 18 – 1                | 4.986    | 15.38 | -                       | 35.251 | 0.324 | 0.7 |
|                       | 25       | 546   | 25.27                   | 54     | 09    | 46  |
|                       |          |       | 903                     |        |       |     |
| 20 – 1                | -        | 15.45 | -                       | 13.715 | -     | 0.2 |
|                       | 16.68    | 661   | 47.09                   | 86     | 1.079 | 81  |
|                       | 938      |       | 462                     |        | 76    |     |
| 22 – 1                | -        | 15.56 | -                       | 20.164 | -     | 0.5 |
|                       | 10.44    | 046   | 41.05                   | 93     | 0.671 | 03  |
|                       | 459      |       | 411                     |        | 23    |     |
| 24 – 1                | -        | 4.629 | -                       | -      | -     | <.0 |
|                       | 16.64    | 58    | 25.75                   | 7.5390 | 3.595 | 01  |
|                       | 607      |       | 309                     | 6      | 59    |     |
| Duration_caregiving__ | -        | 0.017 | -                       | 0.0152 | -     | 0.2 |
| months                | 0.019    | 46    | 0.053                   | 0      | 1.096 | 74  |
|                       | 15       |       | 49                      |        | 76    |     |

<sup>a</sup> Represents reference level



## Health Questionnaire

English version for the USA

**VERSION FOR INTERVIEWER ADMINISTRATION**

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. USA (English) v1.2

 Previous

Next 

*Note to interviewer: although allowance should be made for the interviewer's particular style of speaking, the wording of the questionnaire instructions should be followed as closely as possible. In the case of the EQ-5D-5L descriptive system of the questionnaire, the precise wording must be followed.*

*If the respondent has difficulty choosing a response, or asks for clarification, the interviewer should repeat the question word for word and ask the respondent to answer in a way that most closely resembles his or her thoughts about his or her health today.*

# INTRODUCTION

*(Note to interviewer: please read the following to the respondent.)*

**We are trying to find out what you think about your health. I will explain what to do as I go along, but please interrupt me if you do not understand something or if things are not clear to you. There are no right or wrong answers. We are interested only in your personal view.**

**First, I am going to read out some questions. Each question has a choice of five answers. Please tell me which answer best describes your health TODAY.**

**Do not choose more than one answer in each group of questions.**

*(Note to interviewer: first read all five options for each question. Then ask the respondent to choose which one applies to him/herself. Repeat the question and options if necessary. Mark the appropriate box under each heading. You may need to remind the respondent regularly that the timeframe is TODAY.)*

# EQ-5D DESCRIPTIVE SYSTEM

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. USA (English) v1.2

 Previous

Next 

**First, I would like to ask you about MOBILITY. Would you say that:**

You have no problems walking?

☐

You have slight problems walking?

☐

You have moderate problems walking?

☐

You have severe problems walking?

☐

You are unable to walk?

☐

**Next, I would like to ask you about SELF-CARE. Would you say that:**

You have no problems washing or dressing yourself?

☐

You have slight problems washing or dressing yourself?

☐

You have moderate problems washing or dressing yourself?

☐

You have severe problems washing or dressing yourself?

☐

You are unable to wash or dress yourself?

☐

**Next, I would like to ask you about USUAL ACTIVITIES, such as work, study, housework, family or leisure activities. Would you say that:**

You have no problems doing your usual activities?

☐

You have slight problems doing your usual activities?

☐

You have moderate problems doing your usual activities?

☐

You have severe problems doing your usual activities?

☐

You are unable to do your usual activities?

☐

**Next, I would like to ask you about PAIN OR DISCOMFORT. Would you say that:**

You have no pain or discomfort?

☐

You have slight pain or discomfort?

☐

You have moderate pain or discomfort?

☐

You have severe pain or discomfort?

☐

You have extreme pain or discomfort?

☐

**Finally, I would like to ask you about ANXIETY OR DEPRESSION. Would you say that:**

You are not anxious or depressed?

☐

You are slightly anxious or depressed?

☐

You are moderately anxious or depressed?

☐

You are severely anxious or depressed?

☐

You are extremely anxious or depressed?

☐

## EQ-5D VAS

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. USA (English) v1.2

 Previous

Next 

- Now, I would like to ask you to say how good or bad your health is **TODAY**.

- I would like you to picture in your mind a vertical line that is numbered from 0 to 100.

*(Note to interviewer: if interviewing face-to-face, please show the respondent the VAS line.)*


- 100 at the top of the line means the best health you can imagine. 0 at the bottom of the line means the worst health you can imagine.

- I would now like you to tell me the point on this line where you would put your health **TODAY**.

*(Note to interviewer: mark the line at the point indicating the respondent's health today.)*

THE  
RESPONDENT'S  
HEALTH TODAY =  
**50**

The best health  
you can imagine




The worst health  
you can imagine

**Thank you for taking the time to answer these questions.**

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. USA (English) v1.2

 Previous

Next 



سوال نامہ برائے صحت

اُردو ورژن برائے پاکستان

*(Urdu version for Pakistan)*

انٹرویو لینے والے/والی کے لیے ورژن

انٹرویو لینے والے لوالی کے لیے نوٹ: اگرچہ انٹرویو لینے والے لوالی کے بولنے کے مخصوص انداز کو گنجائش ملنی چاہیئے، سوالنامے کی ہدایات کے متن کی، جتنا ممکن ہو، پوری طرح تعمیل کی جانی چاہیئے۔ سوالنامے کے EQ-5D-5L بیانیہ نظام کی صورت میں، متن کی بالکل ٹھیک ٹھیک تعمیل کی جانی چاہیئے۔

اگر جواب دہندہ کو کسی جواب کے انتخاب میں مشکل ہو، یا وہ وضاحت کے لیے کہے، تو انٹرویو لینے والے لوالی کو سوال کے متن کو دہرانا چاہیئے اور جواب دہندہ کو ایسا جواب دینے کے لیے کہنا چاہیئے جو اس کے آج کے دن اپنی صحت کے متعلق خیالات سے سب سے قریبی طور پر مشابہ ہو۔

## تعارف

(انٹرویو لینے والے/والی کے لیے نوٹ: براہ کرم جواب دہندہ کو مندرجہ ذیل پڑھ کر سنائیں۔)

ہم یہ جاننے کی کوشش کر رہے ہیں کہ آپ اپنی صحت کے بارے میں کیا سوچتے/سوچتی ہیں۔ جیسے جیسے میں آگے بڑھوں گا/گی، میں اس کی وضاحت کروں گا/گی کہ کیا کرنا ہے، لیکن اگر آپ کو کسی چیز کی سمجھ نہ آئے یا آپ پر کوئی چیز واضح نہ ہو تو براہ کرم مجھے درمیان میں ٹوک دیں۔ کوئی بھی جوابات درست یا غلط نہیں ہیں۔ ہم صرف آپ کے ذاتی طرز فکر کو جاننے کے متمنی ہیں۔

پہلے میں کچھ سوالات پڑھوں گا/گی۔ ہر سوال کے لیے پانچ جوابات کی چوائس ہے۔ براہ کرم مجھے بتائیں کہ کون سا جواب آپ کی آج کی صحت کی بہترین عکاسی کرتا ہے۔

سوالات کے ہر گروپ کے لیے ایک سے زیادہ جواب مت چنیں۔

(انٹرویو لینے والے/والی کے لیے نوٹ: پہلے ہر سوال کے لیے پانچوں آپشنز پڑھیں۔ پھر جواب دہندہ سے اس آپشن کا انتخاب کرنے کو کہیں جس کا اس پر اطلاق ہوتا ہے۔ اگر ضروری ہو تو سوال اور آپشنز دہرائیں۔ ہر سرخی کے نیچے موزوں خانے پر نشان لگائیں۔ آپ کو جواب دہندہ کو باقاعدگی سے یاد دہانی کروانی پڑ سکتی ہے کہ سوالات آج صرف آج کے دن تک محدود ہیں۔)

## EQ-5D-5L کا بیانیہ نظام

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. Pakistan (Urdu) v1.2

پہلے، میں آپ سے چلنے پھرنے کے بارے میں پوچھنا چاہوں گا/گی۔ کیا آپ کہیں گے/گی کہ:

☐

آپ کو چلنے پھرنے میں کوئی مشکل نہیں ہوتی ہے؟

☐

آپ کو چلنے پھرنے میں تھوڑی سی مشکل ہوتی ہے؟

☐

آپ کو چلنے پھرنے میں درمیانے درجے کی مشکل ہوتی ہے؟

☐

آپ کو چلنے پھرنے میں سخت مشکل ہوتی ہے؟

☐

آپ چلنے پھرنے کے قابل نہیں ہیں؟

اب میں آپ سے اپنی دیکھ بھال کرنے کے بارے میں پوچھنا چاہوں گا/گی۔ کیا آپ کہیں گے/گی کہ:

☐

آپ کو خود نہانے یا کپڑے پہننے میں کوئی مشکل نہیں ہوتی ہے؟

☐

آپ کو خود نہانے یا کپڑے پہننے میں تھوڑی سی مشکل ہوتی ہے؟

☐

آپ کو خود نہانے یا کپڑے پہننے میں درمیانے درجے کی مشکل ہوتی ہے؟

☐

آپ کو خود نہانے یا کپڑے پہننے میں سخت مشکل ہوتی ہے؟

☐

آپ کو خود نہانے یا کپڑے پہننے کے قابل نہیں ہیں؟

اب میں آپ سے عمومی کام کاج، مثلاً کام، پڑھائی، گھریلو کام کاج، خاندانی یا تفریحی مصروفیات، کے بارے میں پوچھنا چاہوں گا/گی۔ کیا آپ کہیں گے/گی کہ:

☐

آپ کو اپنے عمومی کام کاج کرنے میں کوئی مشکل نہیں ہوتی ہے؟

☐

آپ کو اپنے عمومی کام کاج کرنے میں تھوڑی سی مشکل ہوتی ہے؟

☐

آپ کو اپنے عمومی کام کاج کرنے میں درمیانے درجے کی مشکل ہوتی ہے؟

☐

آپ کو اپنے عمومی کام کاج کرنے میں سخت مشکل ہوتی ہے؟

☐

آپ اپنے عمومی کام کاج کرنے کے قابل نہیں ہیں؟

اب میں آپ سے درد یا بے آرامی کے بارے میں پوچھنا چاہوں گا/گی۔ کیا آپ کہیں گے/گی کہ:

☐

آپ کو کوئی درد یا بے آرامی نہیں ہے؟

☐

آپ کو تھوڑا سا درد یا بے آرامی ہے؟

☐

آپ کو درمیانے درجے کا درد یا بے آرامی ہے؟

☐

آپ کو سخت درد یا بے آرامی ہے؟

☐

آپ کو شدید درد یا بے آرامی ہے؟

آخر میں، میں آپ سے بے چینی یا ذہنی پریشانی کے بارے میں پوچھنا چاہوں گا/گی۔ کیا آپ کہیں گے/گی نہ:

☐

آپ کو کوئی بے چینی یا ذہنی پریشانی نہیں ہے؟

☐

آپ کو تھوڑی سی بے چینی یا ذہنی پریشانی ہے؟

☐

آپ کو درمیانے درجے کی بے چینی یا ذہنی پریشانی ہے؟

☐

آپ کو سخت بے چینی یا ذہنی پریشانی ہے؟

☐


آپ کو شدید بے چینی یا ذہنی پریشانی ہے؟

## EQ-5D VAS

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. Pakistan (Urdu) v1.2



بہترین صحت جو آپ تصور کر سکتے/سکتی ہیں



خراب ترین صحت جو آپ تصور کر سکتے/سکتی ہیں

- اب میں آپ سے پوچھنا چاہوں گا/گی کہ آپ بتائیں کہ آج آپ کی صحت کتنی اچھی یا خراب ہے۔
- میں چاہوں گا/گی کہ آپ اپنے ذہن میں ایک ایسی عمودی لائن کا تصور کریں جس پر 0 سے 100 تک اعداد لکھے ہوئے ہیں۔  
(انٹرویو لینے والے/والی کے لیے نوٹ: اگر انٹرویو بالمشافہ ہے، تو براہ کرم جواب دہندہ کو VAS لائن دکھائیں۔)
- لائن کے اوپری سرے پر لکھے 100 کا مطلب ہے بہترین صحت ہے جو آپ تصور کر سکتے/سکتی ہیں۔  
لائن کے نچلے سرے پر لکھے 0 کا مطلب ہے خراب ترین صحت ہے جو آپ تصور کر سکتے/سکتی ہیں۔
- اب میں چاہوں گا/گی کہ آپ مجھے اس لائن پر وہ پوائنٹ بتائیں جہاں آپ آج اپنی صحت کو سمجھتے ہیں۔  
(انٹرویو لینے والے/والی کے لیے نوٹ: جواب دہندہ کی آج کی صحت کو ظاہر کرنے والے پوائنٹ پر لائن کے اوپر نشان لگائیں۔)

آج جواب دہندہ کی صحت  
=  
50

ان سوالات کے جوابات دینے کے لیے وقت نکالنے کا شکریہ۔