

Point-of-Care Ultrasound in Primary Care: Survey 1

Consent Form

Title of Research Protocol: Delphi Consensus Study: Core Curriculum for Point-of-Care Ultrasound in Primary Care
Principal Investigator: Sudipta Mohanty, MD
Protocol Number: 2025P000470

Dr. Sudipta Mohanty is conducting a study to develop expert consensus on point-of-care ultrasound (POCUS) examinations that are relevant to clinical practice within Primary Care. This will help guidance of educational programs to build curricula for POCUS for Primary Care. You are invited to participate in this study as an expert panelist, given your clinical expertise in ultrasound and extensive experience in medical education.

If you choose to be in the study, you will complete a series of surveys. Each survey will illicit your thoughtful feedback. Please complete the survey within 2 weeks of receiving the survey link.

You can skip any survey questions that you do not want to answer. Even if you start the survey, you are not required to complete it. Partial answers can be used for the study. You can stop at any time. All your answers will be confidential and will not be shared with anyone outside the research team.

Being in this study is voluntary. Please contact Dr. Sudipta Mohanty at smohant1@bidmc.harvard.edu with questions about this study. If you have questions about your rights participating in research or would like to speak with someone independent from the research team, please contact the Human Subject Protection Office at (617) 975-8500. If you do not wish to receive further communication about this study, please contact Dr. Sudipta Mohanty at smohant1@bidmc.harvard.edu with a request to be removed from the contact list for this study.

Do you consent to participate in this study?

☐ Yes
☐ No

Instructions

This is the first round of the Delphi process aiming obtain expert consensus on point-of-care ultrasound (POCUS) examinations that are relevant for Primary Care.

We hope to create a list of POCUS examinations that would be clinically useful in Primary Care clinical practice in North America.

For this study, the scope of Primary Care is defined as:

- Internal Medicine or Family Medicine physicians.
- Outpatient ambulatory clinic.
- Includes BOTH chronic follow up visits and episodic/urgent care visits.
- Does NOT include pediatric care.
- Does NOT include obstetric care.

For each of the 62 POCUS examinations below, please answer the following TWO questions:

Question 1

For each examination, please select one of the following options:

- Likely to be useful for all PCPs - This POCUS exam is clinically useful for Primary Care AND feasible for Primary Care physicians to perform.
- Useful only for some PCPs - This POCUS exam is clinically useful for Primary Care, but more challenging to perform and feasible only for Primary Care physicians with advanced skillsets/training in POCUS.
- Unlikely to be useful - This POCUS exam is not clinically useful in Primary Care settings.

Question 2A

If you selected "Useful for all or some PCPs," please indicate if this POCUS examination can sufficiently rule in the diagnosis, rule out the diagnosis, or both.

- Rule in the diagnosis - This POCUS exam has good specificity, so a positive exam can help confirm a diagnosis.
- Rule out the diagnosis - This POCUS exam has good sensitivity, so a normal exam can help confirm the absence of the pathology.
- Both - The POCUS exam has good sensitivity AND specificity, so a positive exam can help confirm a diagnosis, and a normal exam can help confirm the absence of the pathology.

Question 2B

If you selected "Unlikely to be useful," please indicate why. You may select multiple answers.

Comments are welcome if you would like to explain on your decision, but not required.

Survey

Ocular POCUS for the evaluation of increased intracranial pressure

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Ocular POCUS for the evaluation of vitreous hemorrhage

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Ocular POCUS for the evaluation of lens dislocation

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Ocular POCUS for the evaluation of retinal detachment

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Transcranial doppler to evaluate for ischemic cerebrovascular accident secondary to large vessel occlusion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Temporal artery POCUS for the evaluation of temporal arteritis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Sinus POCUS for the evaluation of rhinosinusitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Peritonsillar POCUS for the evaluation of peritonsillar abscess

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Thyroid POCUS for the evaluation of thyroid nodule/mass

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Carotid POCUS for the evaluation of intima-media thickness for cardiac risk evaluation

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Cardiac POCUS for the evaluation of pericardial effusion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Cardiac POCUS for the evaluation of gross LV function

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Cardiac POCUS for the evaluation of right heart strain

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Cardiac POCUS for the evaluation of McConnell's sign for pulmonary embolism

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Cardiac POCUS for the evaluation of severe cardiac valvular pathology

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Internal jugular vein POCUS for the evaluation of central venous pressure

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Inferior vena cava POCUS for the evaluation of central venous pressure

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Lung POCUS for the evaluation of pneumonia

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Lung POCUS for the evaluation of pulmonary edema

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Lung POCUS for the evaluation of pleural effusion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Lung POCUS for the evaluation of pneumothorax

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Lung POCUS for the evaluation of interstitial lung disease (screening and/or monitoring)

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Diaphragm POCUS for the evaluation of diaphragm paralysis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Breast POCUS for the evaluation of breast mass

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Gastric POCUS for the evaluation of gastropathy

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Liver POCUS for the evaluation of hepatomegaly

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Liver POCUS for the evaluation of nodular/cirrhotic features

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Liver POCUS for the evaluation of fatty liver disease

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Gallbladder POCUS for the evaluation of cholecystitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Spleen POCUS for the evaluation of splenomegaly

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Abdominal POCUS for the evaluation of intra-abdominal free fluid

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Abdominal POCUS for the evaluation of abdominal aortic aneurysm

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Abdominal POCUS for the evaluation of small bowel obstruction

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Abdominal POCUS for the evaluation of inflammatory bowel disease (monitoring)

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Abdominal POCUS for the evaluation of diverticulitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Kidney POCUS for the evaluation of hydronephrosis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Kidney POCUS for the evaluation of nephrolithiasis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Kidney POCUS for the evaluation of chronic kidney disease

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Bladder POCUS for the evaluation of post-void urinary retention

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Bladder POCUS for the evaluation of bladder mass

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Scrotum POCUS for the evaluation of testicular torsion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Scrotum POCUS for the evaluation of epididymitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Trans-abdominal uterine POCUS for the evaluation of ovarian mass

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Trans-abdominal uterine POCUS for the evaluation of ovarian torsion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Trans-abdominal uterine POCUS for the evaluation of uterine mass

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Trans-abdominal uterine POCUS for the evaluation of intrauterine device displacement

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Knee POCUS for the evaluation of knee effusion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Knee POCUS for the evaluation of synovitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Knee POCUS for the evaluation of Baker's cyst

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Shoulder POCUS for the evaluation of effusion

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Shoulder POCUS for the evaluation of rotator cuff injury

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Shoulder POCUS for the evaluation of bursitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Shoulder POCUS for the evaluation of bicep tendinitis/tendinopathy

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Median nerve POCUS for the evaluation of carpal tunnel syndrome

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Achilles tendon POCUS for the evaluation of tendinopathy/rupture

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Plantar fascia POCUS for the evaluation of plantar fasciitis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Long bone POCUS for the evaluation of long bone fracture

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Muscle POCUS for the evaluation of sarcopenia

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Vascular POCUS for the evaluation of deep vein thrombosis

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Skin/soft tissue POCUS for the evaluation of cellulitis vs abscess

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Skin/soft tissue POCUS for the evaluation of foreign body

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

Skin/soft tissue POCUS for the evaluation of lymphadenopathy

- ☐ Likely to be useful for all PCPs
- ☐ Useful for some PCPs
- ☐ Unlikely to be useful
- ☐ Cannot comment (outside my scope of practice)

Please specify:

- ☐ Useful to rule in diagnosis
- ☐ Useful to rule out diagnosis
- ☐ Both

Please explain why this POCUS exam would be unlikely to be useful.

(Multiple answers may be selected.)

- ☐ This pathology is rare.
- ☐ This pathology can be easily assessed via physical exam without POCUS.
- ☐ This pathology should require radiology evaluation.
- ☐ This pathology should be evaluated only the in the emergency room or inpatient setting.
- ☐ This POCUS exam should only be performed by a specialist.
- ☐ This POCUS exam will not change management.
- ☐ This POCUS exam is technically too difficult to perform.
- ☐ This POCUS exam is too time consuming to perform.
- ☐ This POCUS exam requires equipment/presents that may not be available.
- ☐ The sensitivity of this POCUS exam is too low.
- ☐ The specificity of this POCUS exam is too low.
- ☐ This POCUS exam has too many pitfalls.
- ☐ Other: _____

Comments (optional):

If you would like to add an additional POCUS exam relevant for Primary Care that is not listed above, please list here:

* If listing any additional POCUS exams, please provide the clinical utility and rationale. Providing references is encouraged.

Thank You!

Thank you for your time and thoughtful input!

You will receive an email with the link for the second survey on September 8th.

Thank you for notifying us that you do NOT consent to participate in this study. You will not be able to continue with this survey or other subsequent surveys as part of this study.

If you have further questions about this study, please feel free to contact Principle Investigator Sudipta Mohanty (smohant1@bidmc.harvard.edu).

Thank you!