

Supporting Information

Charge Localization and Intrinsic Self-Trapped Exciton Photophysics in Undoped Cs₂NaScCl₆ Elpasolite Single Crystals

Mohamed Bouzidi ¹, Abdullah A. Alatawi ², Turki Alkathiri ³, Sultan Albarakati ⁴, Norah Alwadai ⁵,
Ahmed F. Almutairi ⁶, Refka Ghodhbani ⁷, Mohamed Ben Bechir ^{8,9,*}

¹ *Department of Physics, College of Science, University of Ha'il, Ha'il P.O. Box 2440, Saudi Arabia*

² *King Abdulaziz City for Science and Technology, P.O. Box 6086, Riyadh 11442, Saudi Arabia*

³ *Department of Electrical Engineering, College of Engineering, Al-Baha University, Albaha, P.O. Box 65799, Saudi Arabia*

⁴ *Department of Physics, College of Science, University of Jeddah, Jeddah, Saudi Arabia*

⁵ *Department of Physics, College of Science, Princess Nourah bint Abdulrahman University, P.O. Box 84428, Riyadh 11671, Saudi Arabia*

⁶ *Department of Mechanical Engineering, College of Engineering at Yanbu, Taibah University, Yanbu Al-Bahr 41911, Saudi Arabia*

⁷ *Center for Scientific Research and Entrepreneurship, Northern Border University, Arar 73213, Saudi Arabia*

⁸ *Laboratory of Spectroscopic and Optical Characterization of Materials (LaSCOM), Faculty of Sciences, University of Sfax, Sfax, Tunisia*

⁹ *Department of Physics, Faculty of Sciences of Gafsa, University of Gafsa, 2112, Tunisia.*

* Corresponding author. E-mail address: mohamedbenbechir@hotmail.com

Supplementary Figures




Fig. S1. Full-pattern XRD refinement of $\text{Cs}_2\text{NaScCl}_6$ using CELREF.






Fig. S2. Equivalent-circuit fitting of the Nyquist plot ($R_1 \parallel CPE_1$ model).