

Title: Pretransplant predictors of one-year bone mineral density change after allogeneic stem cell transplantation in Colombian adults

Journal: Supportive Care in Cancer

Gustavo Adolfo Parra-Serrano¹, Claudia Sossa-Melo^{1,2}, Paula Teresa Mantilla-Mantilla⁵, María Luna-González^{1,3}, Karen Julieth Moreno-Medina⁴, Adriana Reyes-Gonzalez¹, Angelica Plata-Duran².

1. Universidad Autónoma de Bucaramanga-UNAB
2. Fundación Oftalmológica de Santander-FOSCAL
3. Programa para el Tratamiento de Enfermedades Hemato-Oncológicas de Santander – PROTEHOS
4. Fundación Cardio-Infantil, Bogotá
5. Sanidad Militar, Bucaramanga

Corresponding author:

Claudia Lucía Sossa Melo, PhD Medicine, Hematologist.

Director of Internal Medicine Residency Program, Universidad Autónoma de Bucaramanga

Address: Street 157 # 19-55| Floridablanca, Colombia.

Phone number: +57 3138699673

E- mail: csossa@unab.edu.co

Online Resource 1. Densitometric findings and complications pre- and post-transplant

Place	Pre-Transplant n=48 (100%)	Post-Transplant n=48 (100%)	p-value
Proportion of composite outcomes^a			
L1-L4	11 (22.9)	15 (31.3)	0.18
Femoral neck	2 (4.1)	14 (29.2)	<0.005
Mixt	11 (22.9)	18 (37.5)	0.11
Osteoporosis/low mass			
L1-L4		8 (16.7)	
Femoral neck		13 (27.1)	
Fracture			
			p
Lumbar spine	0	2 (4.2)	NS
Femoral neck	0	1 (2.1)	NS

^aT-score < -2.5 (osteoporosis) / Z-score < -2.0 at the femoral neck.