Figure S1


A
Prenormalization
Postnormalization
Log2 Signal Intensities
Control
Peritumor
Tumor
Cell line


B
T01A−T01B
Cor = 0.99 Pval = 0
T02A−T02B
Cor = 0.98 Pval = 0
T03A−T03B
Cor = 0.91 Pval = 0
T04A−T04B
Cor = 0.96 Pval = 0
T05A−T05B
Cor = 0.94 Pval = 0
T06A−T06B
Cor = 0.97 Pval = 0
T07A−T07B
Cor = 0.97 Pval = 0
T08A−T08B
Cor = 0.89 Pval = 0
T09A−T09B
Cor = 0.93 Pval = 0
T10A−T10B
Cor = 0.84 Pval = 0
T11A−T11B
Cor = 0.95 Pval = 0
T12A−T12B
Cor = 0.96 Pval = 0
T15A−T15B
Cor = 0.96 Pval = 0
T16A−T16B
Cor = 0.94 Pval = 0
T17A−T17B
Cor = 0.97 Pval = 0
T19A−T19B
Cor = 0.94 Pval = 0
T21A−T21B
Cor = 0.94 Pval = 0
T22A−T22B
Cor = 0.87 Pval = 0
T23A−T23B
Cor = 0.67 Pval = 0
PTM ratios T01A
PTM ratios T01B
PTM ratios T02A
PTM ratios T02B
PTM ratios T03A
PTM ratios T03B
PTM ratios T04A
PTM ratios T04B
PTM ratios T05A
PTM ratios T05B
PTM ratios T06A
PTM ratios T06B
PTM ratios T07A
PTM ratios T07B
PTM ratios T08A
PTM ratios T08B
PTM ratios T09A
PTM ratios T09B
PTM ratios T10A
PTM ratios T10B
PTM ratios T11A
PTM ratios T11B
PTM ratios T12A
PTM ratios T12B
PTM ratios T15A
PTM ratios T15B
PTM ratios T16A
PTM ratios T16B
PTM ratios T17A
PTM ratios T17B
PTM ratios T19A
PTM ratios T19B
PTM ratios T21A
PTM ratios T21B
PTM ratios T22A
PTM ratios T22B
PTM ratios T23A
PTM ratios T23B