

Beyond post-incarceration syndrome: a construct-validity appraisal and an integrated, measurable framework for reentry science

Manuel Gomez

Manuel.Gomez@calbaptist.edu

California Baptist University

Research Article

Keywords: Post-incarceration syndrome, Construct validity, Complex PTSD, Moral injury, Prisonization, Desistance, Social determinants of health, Reentry

Posted Date: October 6th, 2026

DOI: <https://doi.org/10.21203/rs.3.rs-9879669/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Additional Declarations: No competing interests reported.

Abstract

Background.

Post-incarceration syndrome (PICS) has become a common vocabulary for the lasting psychological imprint of confinement. Its diffusion into clinical, legal, educational, and funding contexts has outpaced any test of whether it meets the standards expected of a clinical construct. This article appraises PICS against established criteria of construct validity and specifies a validated, measurable framework for reentry science, clinical care, and policy.

Methods.

A critical scoping review was conducted using the Arksey and O'Malley framework and reported with reference to the PRISMA extension for scoping reviews. Construct-validity theory served as the appraisal lens. Because the review employed purposive sampling of foundational and high-impact literature rather than a systematic search with a maintained screening log, no flow diagram was generated. Thirty-nine sources of evidence were synthesized and are listed by domain.

Results.

PICS originated in non-peer-reviewed practitioner literature, and to the author's knowledge only one identified empirical study has examined it as a named construct; that study concluded the observed cluster is most plausibly a subtype of post-traumatic stress disorder rather than a distinct syndrome. PICS has no validated operationalization, no demonstrated discriminant validity, and is not recognized in ICD-11 or DSM-5-TR. Its descriptive content is more precisely captured by complex PTSD, moral injury, the institutionalization literature, narrative-identity and desistance theory, and fundamental-cause models of population health.

Conclusions.

Current evidence supports treating PICS as a heuristic framework rather than a validated independent construct. Reentry science and policy are better served by measurable, validated constructs, with caution in applying syndrome language to entities that do not meet nosological standards. A validation agenda is specified for any program wishing to retain PICS.

Background

Each year, more than half a million people are released from U.S. state and federal prisons, and many more cycle through local jails (Bureau of Justice Statistics, 2023). Reentry is a population-level phenomenon, and the period after release is acutely dangerous. In the first two weeks, mortality among

former prisoners is roughly 13 times that of the general population, led by overdose, cardiovascular disease, homicide, and suicide (Binswanger et al., 2007). Formerly incarcerated people carry elevated burdens of chronic illness, psychiatric morbidity, and premature death (Massoglia & Pridemore, 2015), and they return to labor markets that penalize a criminal record and to communities shaped by concentrated disadvantage (Pager, 2003; Western, 2006).

To name the lasting psychological imprint of this experience, practitioners and advocates increasingly invoke Post-Incarceration Syndrome (PICS). The label is intuitive and clinically resonant, and it has migrated from advocacy into curricula, court narratives, and funding applications. Migration of that kind imposes an obligation: a term used as if it were a diagnosis should meet the standards of one. The issue is not whether PICS was originally proposed as a formal diagnosis, but whether its contemporary use in clinical, legal, educational, and funding contexts increasingly treats it as though it were one. This article asks whether PICS does.

The argument appraises PICS against the criteria of construct validity, the framework by which the field decides whether a proposed entity measures something real and distinct (American Educational Research Association et al., 2014; Cronbach & Meehl, 1955). It advances three claims. First, current evidence does not support PICS as a validated independent construct. Second, its descriptive content is more precisely and more responsibly captured by validated constructs. Third, reentry science and policy are better served by an integrated, measurable framework that situates those constructs within the social determinants of health. The aim is not to deny the suffering PICS describes, which is real and well evidenced, but to give that suffering language that can be measured, treated, and defended.

A construct is a theoretical entity inferred from observable indicators and supported through empirical validation. Construct validity refers to the degree to which evidence and theory support the interpretation of a construct as representing a distinct phenomenon rather than a relabeling of existing concepts (American Educational Research Association et al., 2014; Cronbach & Meehl, 1955). Because PICS is increasingly invoked as though it represents a discrete clinical entity, it warrants evaluation against these standards.

Method

This review followed the scoping framework of Arksey and O'Malley (2005). Reporting was informed by the principles of transparency in the PRISMA extension for scoping reviews (PRISMA-ScR; Tricco et al., 2018) and the PRISMA 2020 statement (Page et al., 2021), although, as detailed below, this was a conceptual construct-validity appraisal rather than a systematic search, and the full PRISMA screening apparatus does not apply. The approach was selected because the governing question, whether PICS is a valid construct, calls for conceptual and evidentiary mapping rather than effect estimation. A conventional meta-analysis was not feasible because no primary study has measured PICS with a validated instrument, leaving no effect sizes to pool. That absence is treated here as a finding rather than a limitation.

Searches spanned PsycINFO, MEDLINE/PubMed, Criminal Justice Abstracts, and Web of Science, supplemented by gray literature, reference-list hand-searching, and foundational texts. Searches were conducted between January 1, 2026, and May 30, 2026. The 1940 starting point was selected to capture foundational prisonization literature beginning with Clemmer's (1940) work on prison adaptation, with no upper date limit. Search terms included combinations of post-incarceration syndrome, incarceration trauma, reentry trauma, prisonization, institutionalization, posttraumatic stress disorder, complex PTSD, moral injury, solitary confinement, prison victimization, psychological distress, desistance, and social determinants of health. An example search strategy was: ("post-incarceration syndrome" OR incarceration trauma OR prisonization OR institutionalization) AND (PTSD OR complex PTSD OR trauma OR mental health OR reentry). Search terms were adapted as appropriate for individual databases. Inclusion and exclusion criteria are summarized in Table 1; in brief, English-language peer-reviewed empirical and theoretical work, foundational texts, and the originating practitioner literature bearing on construct definition, measurement, or validity were eligible, and sources lacking any identifiable construct or measurement claim were excluded.

Because this was a construct-validity scoping review employing purposive sampling of foundational and high-impact literature, a formal PRISMA flow diagram was not generated. Thirty-nine sources of evidence met the inclusion criteria and were synthesized; an additional six methodological, classification, and reporting-guideline references were cited (Arksey & O'Malley, 2005; Cronbach & Meehl, 1955; American Educational Research Association et al., 2014; Page et al., 2021; Tricco et al., 2018; World Health Organization, 2019), for 45 references in total. To the author's knowledge, only one identified empirical study directly examined PICS as a named construct (Liem & Kunst, 2013, N = 25 released lifers). The included sources of evidence are listed by domain in Table 2. Screening and selection were conducted by a single reviewer. Evidence was charted against the components of construct validity: content coverage and provenance, criterion and empirical support, structural and measurement adequacy, convergent and discriminant validity against neighboring constructs, and consequential and nosological standing (American Educational Research Association et al., 2014; Cronbach & Meehl, 1955). A large language model (Claude, Anthropic) was used to assist with drafting, literature organization, and copy-editing; the author verified all sources and analytic claims against primary records and takes full responsibility for the content.

Table 1
Eligibility Criteria for the Scoping Review

Parameter	Inclusion	Exclusion
Topic	Psychological, behavioral, or health sequelae of incarceration and reentry	Sources unrelated to incarceration or postrelease adjustment
Construct focus	Post-incarceration syndrome and candidate alternative constructs (e.g., PTSD, complex PTSD, moral injury, prisonization, desistance)	Sources with no identifiable construct or measurement claim
Source type	Peer-reviewed empirical and theoretical work; foundational texts; originating practitioner literature	Opinion pieces and promotional materials lacking conceptual or empirical content
Language	English	Non-English without available translation
Date range	1940 to present, to capture foundational and contemporary literature	None on the basis of date alone
Outcome	Evidence bearing on construct definition, measurement, or validity	Sources bearing on none of these
<i>Note.</i> Criteria reflect a scoping rather than an exhaustive systematic search; emphasis was placed on foundational and high-impact sources.		

Table 2
Included Sources of Evidence by Domain

Domain	Included sources of evidence	n
Post-incarceration syndrome (direct)	Gorski (2001); Liem & Kunst (2013)	2
PTSD and complex PTSD	Baranyi et al. (2018); Brewin et al. (2017); Cloitre et al. (2018); Facer-Irwin et al. (2021); Goff et al. (2007); Herman (1992); Karatzias et al. (2017); Maercker et al. (2013); Young et al. (2025)	9
Moral injury	DeCaro et al. (2024); Litz et al. (2009); Shay (1994); Williamson et al. (2025)	4
Institutionalization and prisonization	Clemmer (1940); Goffman (1961); Haney (2002); Haney (2006); Haney (2018); Listwan et al. (2010); Luigi et al. (2020)	7
Narrative identity and desistance	Maruna (2001); Sampson & Laub (1993)	2
Structural and social determinants	Binswanger et al. (2007); Link & Phelan (1995); Massoglia & Pridemore (2015); Pager (2003); Schnittker et al. (2012); Wacquant (2009); Western (2006)	7
Trauma and reentry	DeVeaux (2013); Jäggi et al. (2016); Kim et al. (2019); Liu et al. (2021); Pettus (2023); Pettus-Davis et al. (2019); Pettus-Davis (2020)	7
Emerging PICS inquiry (gray literature)	Nolan & Robinson (2024)	1
Total		39
<i>Note.</i> PICS = post-incarceration syndrome; PTSD = post-traumatic stress disorder. The 39 sources of evidence listed here exclude 6 methodological, classification, and reporting-guideline references (Arksey & O'Malley, 2005; Cronbach & Meehl, 1955; American Educational Research Association et al., 2014; Page et al., 2021; Tricco et al., 2018; World Health Organization, 2019), for 45 references in total.		

The Post-Incarceration Syndrome Construct

Post-Incarceration Syndrome was introduced by Gorski (2001) in *Addiction Exchange*, a practitioner newsletter rather than a peer-reviewed journal. Gorski proposed a cluster of institutionalized personality traits, post-traumatic stress, antisocial personality features, social-sensory deprivation effects, and substance use disorder. The formulation was clinically observant and synthesized phenomena that clinicians recognize. It was not accompanied by a measurement model, a validation sample, or tests of discriminant validity, and it has not been developed as such in the intervening years. A construct of practitioner origin has since acquired a quasi-diagnostic role without passing through the steps that role requires. Recent community-engaged efforts have begun to investigate PICS and to advocate its

recognition as a disorder (Nolan & Robinson, 2024); however, these efforts remain preliminary and have not yet produced psychometric validation studies, which is precisely the gap this review identifies.

Although empirical validation remains limited, PICS has achieved substantial diffusion into reentry practice. Practitioner education materials, community-based organizations, and public-facing advocacy increasingly employ the term as a framework for understanding postrelease adjustment (Nolan & Robinson, 2024). This diffusion appears to have occurred more rapidly than empirical validation, creating a notable gap between practice adoption and scientific evidence. Notably, even these emerging efforts focus primarily on recognition and awareness rather than psychometric validation. That gap is the central concern of this review: a construct can be useful to practitioners and meaningful to those it describes while still lacking the measurement and nosological credentials that would justify its use as a diagnosis.

The Strongest Case for the Construct

Intellectual honesty requires stating the construct at its best before appraising it. The case for PICS is threefold. Clinically, it captures a recognizable presentation that practitioners encounter repeatedly, lending it face validity. Pragmatically, it offers a single accessible term that helps clients name their experience and helps systems organize services, which has real value for engagement and destigmatization. Conceptually, it gestures at something the single-event trauma model can miss: that confinement is a sustained, environmentally imposed condition whose effects are cumulative. These are genuine strengths, and they explain the term's appeal. The question is whether face validity and utility are sufficient. Under the standards the field applies to any clinical construct, they are not.

The appeal of PICS may stem from its attempt to integrate multiple consequences of incarceration into a single explanatory framework. However, the existence of a recognizable clinical presentation does not establish the existence of a distinct clinical construct. Many phenomena initially identified through practitioner observation were later absorbed into broader validated frameworks once empirical testing clarified their underlying structure. The relevant question is therefore not whether incarceration causes lasting psychological harm, which is well established and documented even in first-person accounts (DeVeaux, 2013), but whether that harm represents a unique syndrome distinguishable from existing validated constructs. The question is complicated further by directionality: in a representative sample of 5,189 adults, trauma exposure and PTSD were strongly associated with both arrest and incarceration histories, indicating that trauma frequently precedes confinement as well as following it (Jäggi et al., 2016). A construct framed as a consequence of incarceration must therefore be distinguished from preexisting trauma, a separation PICS has never attempted.

Construct-Validity Appraisal

Content and Provenance

PICS entered the literature through gray, non-peer-reviewed channels (Gorski, 2001). Gray-literature origin is not disqualifying; many durable constructs begin as clinical observation. It does raise the bar for subsequent confirmation, which here has been minimal, and it means the content domain was never specified with the rigor validation requires.

Criterion and Empirical Support

To the author's knowledge, Liem and Kunst (2013) remains the only direct empirical study identified in this review that examined PICS as a named construct. They conducted in-depth interviews with 25 released lifers who had served an average of 19 years. Alongside chronic PTSD, they identified institutionalized personality traits, social-sensory disorientation, and alienation. Crucially, the authors concluded that this cluster most plausibly constitutes a discrete subtype of PTSD arising from long-term imprisonment, not a separate syndrome. The study was small, qualitative, drawn entirely from homicide offenders serving life terms, and explicitly exploratory. It cannot support generalization to the broader reentry population, and its own conclusion points away from PICS as an independent entity.

Although PICS itself has received little direct empirical testing, adjacent evidence strongly supports the underlying phenomena. Systematic reviews and meta-analyses document elevated PTSD among prisoners, with one pooling 56 samples comprising 21,099 incarcerated people across 20 countries (Baranyi et al., 2018; Goff et al., 2007; Young et al., 2025), and a recent meta-analysis confirms a robust association between trauma exposure and mental disorder across prisoners and ex-prisoners (Liu et al., 2021). Complex PTSD is common in custodial samples (Facer-Irwin et al., 2021); prison victimization and coercion predict posttraumatic cognitions and trauma symptoms (Listwan et al., 2010); solitary confinement is linked to severe psychological harm, self-harm, and elevated mortality (Haney, 2018; Luigi et al., 2020); and trauma continues to accumulate after release, with 47% of one postrelease cohort experiencing at least one traumatic event within eight months (Pettus-Davis, 2020). This pattern supports the reality of post-incarceration harm while weakening the case for PICS as a distinct nosological entity, because the documented harm is already captured by validated constructs.

Structural and Measurement Adequacy

There is no psychometrically validated instrument that operationalizes PICS. Absent a measure, the construct cannot be reliably identified, its prevalence cannot be estimated, its structure cannot be tested, change cannot be tracked, and rival claims cannot be adjudicated. In the language of validity theory, a construct without a measurement model has no testable structure (Cronbach & Meehl, 1955). This is the decisive deficiency, and it is what precludes meta-analysis.

Convergent and Discriminant Validity

A construct earns its place by predicting and cohering where it should and by separating from neighbors where it should (Cronbach & Meehl, 1955). PICS has never been subjected to such tests. Its listed features map onto existing constructs: hypervigilance, intrusive recollection, and avoidance are PTSD; affect dysregulation, negative self-concept, and relational disturbance are the disturbances in self-organization that define complex PTSD (Brewin et al., 2017; Karatzias et al., 2017). Without evidence that PICS captures variance beyond these, it has not demonstrated discriminant validity and risks being a relabeling of better-specified entities.

Consequential and Nosological Standing

PICS is not recognized in ICD-11 or DSM-5-TR and lacks the reliability, validity, and clinical utility evidence typically required for nosological inclusion. The consequential aspect of validity concerns the effects of using a label (American Educational Research Association et al., 2014). Diagnostic-sounding syndrome language applied to an entity outside both classification systems can mislead clinicians, courts, and funders, and can shift attention toward individual pathology and away from the structural conditions that drive reentry harm.

Validated and Measurable Alternatives

The phenomena PICS gestures at are real. They are also already well theorized and, in most cases, measurable. Five complementary constructs cover the territory with greater precision, as summarized in Table 3.

Complex PTSD

Complex PTSD, articulated by Herman (1992) and formalized in ICD-11 (Maercker et al., 2013; World Health Organization, 2019), is the most direct alternative. It comprises the three PTSD clusters, re-experiencing, avoidance, and a sense of current threat, plus three disturbances in self-organization: affect dysregulation, negative self-concept, and disturbed relationships (Brewin et al., 2017). Its etiology is prolonged, repeated trauma from which escape is difficult, conditions that describe long-term incarceration with precision (Herman, 1992). The PTSD and complex PTSD distinction is supported across epidemiological, clinical, refugee, prisoner-of-war, and forensic samples; complex PTSD carries greater functional impairment; and a validated self-report measure exists in the International Trauma Questionnaire (Brewin et al., 2017; Cloitre et al., 2018; Karatzias et al., 2017). Complex PTSD supplies what PICS does not: a defined structure, demonstrated discriminant validity, a validated measure, and nosological standing. Facer-Irwin et al. (2021) found complex PTSD to be common among sentenced male prisoners, with 16.7% meeting criteria, supporting the claim that prolonged confinement-related trauma is better captured by ICD-11 PTSD and complex PTSD frameworks than by an unvalidated PICS label.

Long-term incarceration may involve chronic exposure to threat, deprivation, institutional control, uncertainty, social isolation, and loss of autonomy. These conditions resemble the prolonged and often inescapable forms of adversity commonly associated with complex PTSD. Haney (2002) argued that many adaptations required for survival in prison, including emotional withdrawal, hypervigilance, social distrust, and institutional dependence, mirror trauma-related responses that persist after release. Viewed through this lens, many experiences attributed to PICS may be more parsimoniously understood within existing complex PTSD frameworks than as evidence of a novel syndrome.

Moral Injury

Distress organized around shame, self-condemnation, loss of meaning, and ruptured trust is better understood as moral injury: the lasting psychological, social, and spiritual harm that follows perpetrating, failing to prevent, or witnessing acts that transgress deeply held moral beliefs (Litz et al., 2009; Shay, 1994). Moral injury is conceptually distinct from fear-based PTSD and is especially salient for justice-involved populations, including justice-involved veterans, whose distress often centers on guilt and identity rather than threat. It points intervention toward repair, meaning-making, and restoration rather than symptom suppression alone.

Emerging scholarship suggests that justice-involved populations may experience guilt, shame, betrayal, moral conflict, and identity disruption resembling moral injury processes described in military and trauma literature. Although moral injury was first articulated in military contexts, recent work documents it directly in carceral settings: qualitative research describes moral injury among both prison staff and detainees (Williamson et al., 2025), and an empirical study of former life-sentenced prisoners found substantial exposure to morally injurious events (DeCaro et al., 2024). For some individuals, distress following incarceration may be organized less around fear and threat than around perceived violations of personal values, family obligations, or moral identity. This distinction has implications for treatment, because interventions emphasizing meaning-making, accountability, forgiveness, and restoration may be more appropriate than approaches focused solely on fear-based trauma symptoms.

Moral injury may be particularly salient among justice-involved veterans, whose incarceration experiences can intersect with combat trauma, guilt, shame, and identity disruption, and whose reentry requires coordination across correctional, community, and Veterans Affairs systems (Kim et al., 2019). For this population, a framework that distinguishes morally injurious distress from fear-based PTSD is not merely academic; it determines whether care addresses the actual structure of the distress.

Institutionalization and Prisonization

The behavioral adaptations PICS describes were mapped long before the term existed. Clemmer (1940) named prisonization, the assimilation of prison norms and habits. Goffman (1961) described the total institution and its systematic restructuring of the self. Haney (2006) synthesized contemporary evidence

on prisonization and postprison adjustment, showing how adaptations functional inside become disabling outside. This literature is observational rather than diagnostic, but it is rich, durable, and directly applicable, and it locates reentry difficulty in environment rather than individual defect. Listwan et al.'s (2010) study of 1,616 recently released men provides empirical support for the link between coercive prison environments, victimization, perceived threat, posttraumatic cognitions, and psychological symptoms. The most extreme form of that environment, solitary confinement, has been tied through systematic review and meta-analysis to severe psychological distress, self-harm, and elevated mortality (Haney, 2018; Luigi et al., 2020).

Haney (2002) further observed that adaptations developed during incarceration often remain functional within prison yet become maladaptive following release. Emotional constriction, interpersonal distrust, social withdrawal, and dependence on institutional structure may complicate reintegration even in the absence of a discrete psychiatric disorder. These findings support understanding prisonization as a process of environmental adaptation rather than evidence of a distinct syndrome.

Narrative Identity and Desistance

What PICS calls identity disruption is addressed with greater theoretical depth by the desistance literature. Maruna (2001) showed that lasting change depends on the reconstruction of a coherent personal narrative, a redemptive self-story that reframes the past and projects a usable future. This reframes the so-called loss of self not as a symptom to be managed but as an identity process to be supported, with clear implications for the design of reentry programming. The desistance process is itself age-graded and shaped by life-course turning points such as stable employment and relationships (Sampson & Laub, 1993), which reframes reentry difficulty as a developmental and relational process rather than a fixed syndrome.

Structural and Fundamental-Cause Determinants

Much of what is attributed to a syndrome is better explained by structure. The postrelease mortality spike (Binswanger et al., 2007), the labor-market penalty of a criminal record (Pager, 2003), and the concentration of incarceration among the already disadvantaged (Western, 2006) are determinants of health. Fundamental-cause theory explains why such disadvantage tracks poor health across changing mechanisms: it embodies access to money, knowledge, power, and beneficial social ties (Link & Phelan, 1995). A structural frame locates part of the problem outside the person, which is both more accurate and less stigmatizing. Postrelease harm is not merely psychological. Reentry also involves acute loss of housing, employment, income, transportation, insurance, social support, and community stability, all of which interact with trauma symptoms and constrain recovery. Incarceration itself operates as a determinant of downstream health, associated with later mood disorders (Schnittker et al., 2012) and with chronic disease, psychiatric morbidity, and elevated mortality (Massoglia & Pridemore, 2015).

Wacquant (2009) argued that mass incarceration functions as a mechanism of social stratification that concentrates disadvantage among already marginalized populations. From this perspective, many harms attributed to PICS may reflect the cumulative effects of structural inequality, criminal-record stigma, housing exclusion, labor-market barriers, and disrupted social networks rather than the emergence of a novel clinical syndrome. Such factors operate alongside trauma-related mechanisms and are essential to understanding postrelease functioning.

Table 3
Mapping PICS Features Onto Validated Constructs

Feature attributed to PICS	Better-validated construct	Operationalization and standing
Hypervigilance, intrusive re-experiencing, avoidance	PTSD	ITQ; recognized in ICD-11 and DSM-5-TR
Affect dysregulation, negative self-concept, relational disturbance	Complex PTSD	ITQ (validated); recognized in ICD-11
Chronic trauma exposure	Complex PTSD	ITQ; recognized in ICD-11
Shame, guilt, loss of meaning, moral rupture	Moral injury	Developing measurement tradition; active research program
Institutional dependence, social-sensory disorientation	Institutionalization / prisonization	Observational literature (Goffman; Clemmer; Haney)
Identity disruption, loss of self, foreclosed future	Narrative identity / desistance	Established criminological theory (Maruna)
Elevated mortality, unemployment, instability	Social determinants / fundamental causes	Epidemiological and sociological evidence (Binswanger; Pager; Western; Link & Phelan)
<i>Note.</i> PICS = post-incarceration syndrome; ITQ = International Trauma Questionnaire; PTSD = post-traumatic stress disorder.		

Toward an Integrated, Measurable Framework

These constructs are complementary, not rival. A defensible framework for reentry science would use complex PTSD, assessed with a validated instrument, as the primary clinical construct for the trauma sequelae of confinement; incorporate moral injury where distress is organized around guilt and moral rupture rather than threat; draw on the institutionalization literature to explain behavioral adaptation without pathologizing it; use narrative-identity and desistance theory to guide identity reconstruction; and situate all of this within fundamental-cause and social-determinants models. The result, summarized in Fig. 1, is measurable, falsifiable, and actionable. It supports prevalence estimation, treatment matching, outcome tracking, and policy evaluation, none of which an unvalidated syndrome can support. This is not a rejection of the clinical insight that gave rise to PICS but a conversion of that insight into constructs

that meet scientific standards. Such an integration is consistent with calls for trauma-responsive reentry as the emerging standard for the field (Pettus, 2023).

A Validation Agenda for PICS

If a research program wishes to retain PICS as a formal construct rather than a heuristic, the path is well marked. It would specify the content domain explicitly; develop and pilot a measure with tests of internal structure and reliability; recruit a representative reentry sample rather than a single offense category. Exploratory and confirmatory factor analyses would be necessary to establish dimensional structure prior to tests of convergent, discriminant, and incremental validity against complex PTSD and moral injury, the last establishing whether PICS predicts outcomes beyond what those constructs already explain. Only if PICS survived such tests, capturing reliable variance not accounted for by existing entities, would syndrome language be warranted. Until then, the burden of proof rests with the construct, not its critics.

Implications for Practice, Policy, and Research

For practice, screening should rely on validated trauma measures rather than an undefined label, and care should distinguish fear-based from morally injurious distress, because the indicated interventions differ. For policy, syndrome language should be used cautiously in courts, parole decisions, and funding, where a diagnostic veneer can carry consequences the evidence does not warrant, and structural drivers of reentry harm should be addressed directly. For research, the priority is operationalization along the agenda above. Precision here is not pedantry; it determines who is identified, what is funded, and how the harms of incarceration are understood. Overpathologizing reentry may unintentionally convert structural abandonment into individual disorder, locating in the person what in fact resides in the conditions of release.

Limitations

As a scoping review, this article maps and appraises evidence rather than pooling effect sizes, and scoping methodologies do not formally assess study quality. Consistent with scoping-review methodology, formal risk-of-bias and quality assessments were not performed. Screening and extraction were conducted by a single reviewer, introducing the possibility of selection bias. The review was limited to English-language sources and incorporated selected gray literature, which may increase susceptibility to publication and reporting biases. Searches emphasized foundational and high-impact literature rather than exhaustive enumeration. The argument is conceptual and would necessarily be revised if future psychometric validation studies of PICS emerged. None of these limitations alters the central observation that PICS presently lacks a validated measurement framework and recognized nosological standing.

Conclusion

Future research should determine whether a distinct post-incarceration construct emerges through rigorous psychometric testing or whether the phenomena currently attributed to PICS are more parsimoniously explained through existing validated frameworks. Until such evidence exists, caution is warranted when employing syndrome language in clinical, legal, and policy settings.

Post-Incarceration Syndrome names something true. People leave confinement altered, and many carry that alteration for years. But naming is not validating. Judged by the standards the field applies to any clinical construct, PICS rests on practitioner-origin literature, the only directly identified empirical study pointing toward PTSD rather than a new syndrome, no validated measure, and no place in formal nosology. Much of its descriptive content overlaps with complex PTSD, moral injury, prisonization, desistance theory, and the social determinants of health, each better defined and, in most cases, measurable. Reentry science advances not by multiplying syndromes but by measuring what it claims to know. The suffering is real. The framework should be too.

Abbreviations

PICS: post-incarceration syndrome; PTSD: post-traumatic stress disorder; CPTSD: complex post-traumatic stress disorder; ICD-11: International Classification of Diseases, 11th revision; DSM-5-TR: Diagnostic and Statistical Manual of Mental Disorders, fifth edition, text revision; ITQ: International Trauma Questionnaire; PRISMA-ScR: Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews; SDOH: social determinants of health.

Declarations

Use of large language models

A large language model was used to assist with drafting, literature organization, and copy-editing. The author verified all cited sources and analytic claims against primary records, and is fully accountable for the final content.

Funding

This work received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author Contribution

M.G. conceived and designed the review, conducted the construct-validity appraisal and scoping synthesis, prepared Figure 1 and Tables 1–3, and wrote the manuscript. M.G. reviewed and approved the final manuscript.

References

1. American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (2014). Standards for educational and psychological testing. American Educational Research Association.
2. Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
3. Baranyi, G., Cassidy, M., Fazel, S., Priebe, S., & Mundt, A. P. (2018). Prevalence of posttraumatic stress disorder in prisoners. *Epidemiologic Reviews*, 40(1), 134–145. <https://doi.org/10.1093/epirev/mxx015>
4. Binswanger, I. A., Stern, M. F., Deyo, R. A., Heagerty, P. J., Cheadle, A., Elmore, J. G., & Koepsell, T. D. (2007). Release from prison—A high risk of death for former inmates. *New England Journal of Medicine*, 356(2), 157–165. <https://doi.org/10.1056/NEJMsa064115>
5. Brewin, C. R., Cloitre, M., Hyland, P., Shevlin, M., Maercker, A., Bryant, R. A., Humayun, A., Jones, L. M., Kagee, A., Rousseau, C., Somasundaram, D., Suzuki, Y., Wessely, S., van Ommeren, M., & Reed, G. M. (2017). A review of current evidence regarding the ICD-11 proposals for diagnosing PTSD and complex PTSD. *Clinical Psychology Review*, 58, 1–15. <https://doi.org/10.1016/j.cpr.2017.09.001>
6. Clemmer, D. (1940). *The prison community*. Christopher Publishing House.
7. Cloitre, M., Shevlin, M., Brewin, C. R., Bisson, J. I., Roberts, N. P., Maercker, A., Karatzias, T., & Hyland, P. (2018). The International Trauma Questionnaire: Development of a self-report measure of ICD-11 PTSD and complex PTSD. *Acta Psychiatrica Scandinavica*, 138(6), 536–546. <https://doi.org/10.1111/acps.12956>
8. Cronbach, L. J., & Meehl, P. E. (1955). Construct validity in psychological tests. *Psychological Bulletin*, 52(4), 281–302. <https://doi.org/10.1037/h0040957>
9. DeCaro, J. B., Straka, K., Malek, N., & Zalta, A. K. (2024). Sentenced to shame: Moral injury exposure in former lifers. *Psychological Trauma: Theory, Research, Practice, and Policy*, 16(5), 722–730. <https://doi.org/10.1037/tra0001400>
10. DeVeaux, M. I. (2013). The trauma of the incarceration experience. *Harvard Civil Rights-Civil Liberties Law Review*, 48(1), 257–277.
11. Facer-Irwin, E., Karatzias, T., Bird, A., Blackwood, N., & MacManus, D. (2021). PTSD and complex PTSD in sentenced male prisoners in the UK: Prevalence, trauma antecedents, and psychiatric comorbidities. *Psychological Medicine*. Advance online publication. <https://doi.org/10.1017/S0033291720004936>

12. Goff, A., Rose, E., Rose, S., & Purves, D. (2007). Does PTSD occur in sentenced prison populations? A systematic literature review. *Criminal Behaviour and Mental Health*, 17(3), 152–162. <https://doi.org/10.1002/cbm.653>
13. Goffman, E. (1961). *Asylums: Essays on the social situation of mental patients and other inmates*. Anchor Books.
14. Gorski, T. T. (2001). Post incarceration syndrome. *Addiction Exchange*, 3(4).
15. Haney, C. (2002). The psychological impact of incarceration: Implications for post-prison adjustment [Conference paper]. From Prison to Home Conference, U.S. Department of Health and Human Services, Washington, DC, United States.
16. Haney, C. (2006). Reforming punishment: Psychological limits to the pains of imprisonment. American Psychological Association. <https://doi.org/10.1037/11382-000>
17. Haney, C. (2018). The psychological effects of solitary confinement: A systematic critique. *Crime and Justice*, 47(1), 365–416. <https://doi.org/10.1086/696041>
18. Herman, J. L. (1992). Complex PTSD: A syndrome in survivors of prolonged and repeated trauma. *Journal of Traumatic Stress*, 5(3), 377–391. <https://doi.org/10.1002/jts.2490050305>
19. Jäggi, L. J., Mezuk, B., Watkins, D. C., & Jackson, J. S. (2016). The relationship between trauma, arrest, and incarceration history among Black Americans: Findings from the National Survey of American Life. *Society and Mental Health*, 6(3), 187–206. <https://doi.org/10.1177/2156869316641730>
20. Karatzias, T., Shevlin, M., Fyvie, C., Hyland, P., Efthymiadou, E., Wilson, D., Roberts, N., Bisson, J. I., Brewin, C. R., & Cloitre, M. (2017). Evidence of distinct profiles of posttraumatic stress disorder (PTSD) and complex posttraumatic stress disorder (CPTSD) based on the new ICD-11 Trauma Questionnaire (ICD-TQ). *Journal of Affective Disorders*, 207, 181–187. <https://doi.org/10.1016/j.jad.2016.09.032>
21. Kim, B., Bolton, R. E., Hyde, J., Fincke, B. G., Drainoni, M.-L., Petrakis, B. A., Simmons, M. M., & McInnes, D. K. (2019). Coordinating across correctional, community, and VA systems: Applying the Collaborative Chronic Care Model to post-incarceration healthcare and reentry support for veterans with mental health and substance use disorders. *Health & Justice*, 7, Article 18. <https://doi.org/10.1186/s40352-019-0099-4>
22. Liem, M., & Kunst, M. (2013). Is there a recognizable post-incarceration syndrome among released “lifers”? *International Journal of Law and Psychiatry*, 36(3–4), 333–337. <https://doi.org/10.1016/j.ijlp.2013.04.012>
23. Link, B. G., & Phelan, J. (1995). Social conditions as fundamental causes of disease. *Journal of Health and Social Behavior*, 35(Extra Issue), 80–94. <https://doi.org/10.2307/2626958>
24. Listwan, S. J., Colvin, M., Hanley, D., & Flannery, D. (2010). Victimization, social support, and psychological well-being: A study of recently released prisoners. *Criminal Justice and Behavior*, 37(10), 1140–1159. <https://doi.org/10.1177/0093854810376338>

25. Litz, B. T., Stein, N., Delaney, E., Lebowitz, L., Nash, W. P., Silva, C., & Maguen, S. (2009). Moral injury and moral repair in war veterans: A preliminary model and intervention strategy. *Clinical Psychology Review*, 29(8), 695–706. <https://doi.org/10.1016/j.cpr.2009.07.003>
26. Liu, H., Li, T. W., Liang, L., & Hou, W. K. (2021). Trauma exposure and mental health of prisoners and ex-prisoners: A systematic review and meta-analysis. *Clinical Psychology Review*, 89, Article 102069. <https://doi.org/10.1016/j.cpr.2021.102069>
27. Luigi, M., Dellazizzo, L., Giguère, C.-É., Goulet, M.-H., & Dumais, A. (2020). Shedding light on “the hole”: A systematic review and meta-analysis on adverse psychological effects and mortality following solitary confinement in correctional settings. *Frontiers in Psychiatry*, 11, Article 840. <https://doi.org/10.3389/fpsy.2020.00840>
28. Maercker, A., Brewin, C. R., Bryant, R. A., Cloitre, M., van Ommeren, M., Jones, L. M., Humayan, A., Kagee, A., Llosa, A. E., Rousseau, C., Somasundaram, D. J., Souza, R., Suzuki, Y., Weissbecker, I., Wessely, S. C., First, M. B., & Reed, G. M. (2013). Diagnosis and classification of disorders specifically associated with stress: Proposals for ICD-11. *World Psychiatry*, 12(3), 198–206. <https://doi.org/10.1002/wps.20057>
29. Maruna, S. (2001). Making good: How ex-convicts reform and rebuild their lives. American Psychological Association. <https://doi.org/10.1037/10430-000>
30. Massoglia, M., & Pridemore, W. A. (2015). Incarceration and health. *Annual Review of Sociology*, 41, 291–310. <https://doi.org/10.1146/annurev-soc-073014-112326>
31. Nolan, R., & Robinson, C. (2024, July 12). UC researcher, community advocate partner to advance research, care for formerly incarcerated people [News article]. University of Cincinnati. <https://www.uc.edu/news/articles/2024/07/uc-researcher-community-advocate-partner-to-advance-research-care-for-formerly-incarcerated-people.html>
32. Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., ... Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372, n71. <https://doi.org/10.1136/bmj.n71>
33. Pager, D. (2003). The mark of a criminal record. *American Journal of Sociology*, 108(5), 937–975. <https://doi.org/10.1086/374403>
34. Pettus, C. A. (2023). Trauma and prospects for reentry. *Annual Review of Criminology*, 6, 423–446. <https://doi.org/10.1146/annurev-criminol-041122-111300>
35. Pettus-Davis, C., Renn, T., Lacasse, J. R., & Motley, R. (2019). Proposing a population-specific intervention approach to treat trauma among men during and after incarceration. *Psychology of Men & Masculinities*, 20(3), 379–393. <https://doi.org/10.1037/men0000171>
36. Pettus-Davis, C. (2020). Trauma and loss during reentry. Institute for Justice Research and Development, Florida State University. https://ijrd.csw.fsu.edu/sites/g/files/upcbnu1766/files/Publications/Trauma_During_Reentry.pdf

37. Sampson, R. J., & Laub, J. H. (1993). *Crime in the making: Pathways and turning points through life*. Harvard University Press.
38. Schnittker, J., Massoglia, M., & Uggen, C. (2012). Out and down: Incarceration and psychiatric disorders. *Journal of Health and Social Behavior*, 53(4), 448–464.
<https://doi.org/10.1177/0022146512453928>
39. Shay, J. (1994). *Achilles in Vietnam: Combat trauma and the undoing of character*. Atheneum.
40. Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E. A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M. G., Garritty, C., ... Straus, S. E. (2018). PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and explanation. *Annals of Internal Medicine*, 169(7), 467–473.
<https://doi.org/10.7326/M18-0850>
41. Wacquant, L. (2009). *Punishing the poor: The neoliberal government of social insecurity*. Duke University Press.
42. Western, B. (2006). *Punishment and inequality in America*. Russell Sage Foundation.
43. Williamson, V., Murphy, D., Bonson, A., Hutchinson, A., Aldridge, V., Greenberg, N., & Stevelink, S. A. M. (2025). Experiences and impact of moral injury in prisons. *European Journal of Psychotraumatology*, 16(1), Article 2445899. <https://doi.org/10.1080/20008066.2024.2445899>
44. World Health Organization. (2019). *International statistical classification of diseases and related health problems (11th ed.)*. <https://icd.who.int/>
45. Young, L., Trinidad, A., & Azabal-Gallego, M. (2025). PTSD prevalence in US prisons: A systematic review and meta-analysis. *European Journal of Psychology Applied to Legal Context*, 17(2), 73–87.
<https://doi.org/10.5093/ejpalc2025a7>

Figures




Figure 1

A Proposed Integrated, Measurable Framework for Post-Incarceration Adjustment

Note. All constructs are understood as embedded within the social determinants of health. Solid arrows denote developmental or causal pathways; double-headed gray arrows denote reciprocal influence. Complex PTSD is the proposed primary clinical construct and is assessed with a validated instrument (the International Trauma Questionnaire).