



Time-Series Modeling for Financial Forecasting and Sales Variability Analysis

Ahmed Erfan Nahian

ahmednahian1994@gmail.com

Lamar University <https://orcid.org/0009-0005-6532-4617>

Research Article

Keywords: Time-Series Forecasting, Financial Forecasting, Sales Variability Analysis, Hybrid Forecasting Model, Predictive Analytics, Machine Learning, Time-Series Analysis, Business Analytics

Posted Date: June 5th, 2026

DOI: <https://doi.org/10.21203/rs.3.rs-9916445/v1>

License: This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Additional Declarations: The authors declare no competing interests.

Abstract

This study presents a unified time-series modeling framework for financial forecasting and sales variability analysis. Financial and sales datasets often contain nonlinear relationships, seasonal patterns, and irregular fluctuations, which limit the effectiveness of single-model approaches. The proposed framework integrates statistical methods with machine learning techniques to capture both structured and complex temporal patterns. The methodology includes data preprocessing, feature engineering, and a hybrid forecasting model that combines linear trend representation with nonlinear pattern learning. The model is evaluated using financial and sales datasets with varying temporal characteristics. Performance is assessed through standard error metrics, including mean absolute error, root mean square error, and mean absolute percentage error. The results show lower prediction errors and more consistent forecasts compared with standalone statistical and machine learning models. The framework maintains stable performance across different forecasting horizons, including short-term and long-term predictions. The proposed system supports integrated analysis of financial and sales data within a single structure. This capability provides a consistent basis for planning, resource allocation, and performance evaluation. The findings indicate that a combined modeling approach offers a reliable solution for time-series forecasting tasks in business environments.

I. Introduction

Time-series modeling plays an important role in financial forecasting and sales variability analysis. Organizations rely on historical data to predict future outcomes, manage uncertainty, and support planning activities. The growth of digital systems has increased the volume and complexity of financial and operational data. Traditional statistical approaches often face limitations when handling nonlinear relationships, seasonal effects, and sudden fluctuations in real-world datasets. Recent developments in artificial intelligence and data analytics have introduced new methods for forecasting tasks. Machine learning and deep learning models can process large datasets and identify patterns across time. At the same time, improvements in enterprise data systems have increased data availability and consistency for financial analysis [2], [8]. These changes highlight the need for integrated approaches that combine time-series modeling with modern analytical techniques. This study focuses on financial forecasting and sales variability analysis within a unified framework. The following subsections describe the background, problem statement, proposed solution, contributions, and structure of the paper.

A. Background and Motivation

Financial forecasting and sales analysis support decision-making in business environments. Organizations use predictive models to estimate revenue, manage inventory, and plan operations. Research in managerial accounting shows that data-driven insights contribute to strategic planning and financial evaluation [4]. Predictive analytics has also been applied across multiple industries to improve forecasting accuracy and operational outcomes [5]. Time-series forecasting has evolved with the introduction of advanced machine learning models. The Temporal Fusion Transformer provides multi-horizon forecasting with interpretability, which is useful for complex financial datasets [3]. Statistical models continue to play a role in forecasting applications such as energy pricing, where temporal dependencies influence results [13]. The expansion of enterprise systems has increased the need for efficient data processing. Scalable data management frameworks support financial analytics and forecasting tasks [2], [15]. Applications in supply chain systems and sustainability research further demonstrate the role of predictive models in dynamic environments [9], [10], [18]. These developments

indicate the need for integrated forecasting models that address both financial and sales data within a single analytical structure.

B. Problem Statement

Existing research presents several limitations in forecasting methods. Many studies address financial forecasting or business analytics separately. Financial risk models often focus on market behavior and fraud detection [11], [14], while operational studies concentrate on workforce analytics and performance metrics [7], [20]. This separation restricts the ability to capture interactions between financial outcomes and sales variability. Another issue relates to the complexity of time-series data. Seasonal patterns, volatility, and irregular fluctuations present challenges for both statistical and machine learning models. Traditional approaches may not capture nonlinear relationships effectively, while some advanced models lack interpretability in practical applications. Data integration and consistency also affect forecasting performance in enterprise environments [2], [15]. In addition, many studies focus on domain-specific problems such as energy systems, IoT applications, or supply chain optimization [1], [17], [19]. These approaches do not provide general solutions applicable across different business contexts. A gap therefore exists in developing a unified framework that integrates financial forecasting with sales variability analysis while addressing data complexity and model transparency.

C. Proposed Solution

This study presents a unified time-series modeling framework for financial forecasting and sales variability analysis. The proposed approach combines statistical techniques with machine learning models to represent both linear and nonlinear patterns in data. Historical financial and sales data are used to identify trends, seasonal effects, and irregular changes. Machine learning models support the analysis of complex temporal relationships. Research shows that predictive analytics improves decision-making in financial and operational systems [8], [12]. Integrated management information systems also provide structured data for forecasting and analysis [18]. The framework includes data processing methods designed for large datasets. Scalable architectures support efficient data handling in enterprise environments [2], [15]. Applications such as digital twin models demonstrate how predictive techniques can support planning and resource management in dynamic systems [19]. The proposed model aims to provide a comprehensive solution that combines financial forecasting with sales variability analysis within a single structure.

D. Contributions

This study contributes to research in time-series forecasting and business analytics in several ways. First, it introduces a unified framework that integrates financial forecasting with sales variability analysis. This approach addresses the separation found in existing studies. Second, the study combines statistical and machine learning methods to improve forecasting performance across different data conditions. Third, it applies data-driven techniques to manage large-scale financial and operational datasets. Previous work highlights the role of predictive analytics and KPI-based models in forecasting tasks [12], [20], and this study extends those ideas into a combined framework. Fourth, the proposed approach supports practical applications such as financial risk assessment, sales planning, and operational analysis. Research on financial intelligence systems demonstrates the importance of real-time monitoring and analysis [14]. Finally, the study presents a model that supports interpretability and scalability across different business environments.

E. Paper Organization

The remainder of this paper is organized as follows. Section II presents related work on time-series forecasting and predictive analytics. Section III describes the proposed methodology and model design. Section IV outlines the experimental setup and evaluation process. Section V discusses the results and findings. Section VI concludes the paper and suggests future research directions.

The objective of this study is to develop a unified time-series modeling framework for financial forecasting and sales variability analysis. The approach focuses on improving prediction accuracy through the integration of statistical methods and machine learning models. It also addresses challenges related to seasonality, volatility, and changing data patterns. In addition, the study aims to provide a scalable and interpretable solution that supports decision-making in financial and business contexts.

II. Related Work

Time-series modeling and predictive analytics have become essential tools in financial forecasting and sales variability analysis. With the growing availability of large-scale transactional and operational data, modern research increasingly integrates statistical techniques, machine learning, and AI-driven frameworks to improve forecasting accuracy and business decision-making. Prior studies have explored various dimensions, including financial data management, predictive analytics frameworks, and AI-based forecasting models. This section reviews relevant literature to establish the foundation for the proposed study.

A. Time-Series Forecasting and AI-Based Models

Recent advancements in time-series forecasting emphasize the integration of deep learning and interpretable AI models. The Temporal Fusion Transformer proposed by Lim et al. demonstrates strong performance in multi-horizon forecasting tasks, offering both accuracy and interpretability for complex financial datasets [3]. Similarly, statistical approaches combined with advanced modeling techniques have been applied to energy price forecasting and financial trend analysis, highlighting the importance of hybrid forecasting frameworks [13]. In addition, research on KPI forecasting and operational analytics shows that machine learning models can effectively capture temporal dependencies in financial and business data streams [12]. These developments indicate a shift from traditional models toward AI-driven forecasting techniques capable of handling nonlinear and dynamic patterns.

B. Financial Analytics and Risk Management Systems

Financial forecasting is closely linked with risk management and decision-support systems. Rahman [11] proposed a data-driven financial risk management framework that integrates federated learning and privacy-preserving techniques, demonstrating improved forecasting reliability in SME environments. Furthermore, real-time financial intelligence systems have been developed to detect fraud and monitor financial risks dynamically [14]. Data management also plays a critical role in financial analytics. Hasan [2] introduced scalable data management architectures to support digital transformation in financial systems, ensuring efficient processing of large-scale time-series data. Additionally, optimization of financial workloads in enterprise systems enhances forecasting accuracy and operational efficiency [15]. These studies highlight the importance of integrating forecasting models with robust financial data infrastructures.

C. Business Analytics, Sales Forecasting, and Decision Support

Predictive analytics has been widely applied to sales performance and business decision-making. Studies on managerial accounting emphasize the role of data-driven insights in strategic planning and financial forecasting [4]. Similarly, big data analytics frameworks have been used to enhance decision-making processes by extracting patterns from historical business data [8]. Sales and operational forecasting are further supported by KPI-based models and workforce analytics systems, which enable organizations to predict performance trends and optimize resource allocation [7], [20]. Research on budget optimization and financial efficiency also demonstrates how data analytics contributes to improved sales forecasting and cost management in startups and enterprises [16].

D. Data-Driven Systems, Supply Chain, and Industrial Forecasting

Beyond financial applications, forecasting models are increasingly applied in supply chain and industrial systems. AI-driven digital twin frameworks enable accurate demand forecasting and inventory optimization in multi-stage manufacturing environments [19]. Similarly, AI-integrated management information systems support risk mitigation and forecasting in supply chains [18]. Studies on predictive maintenance and IoT-based analytics highlight the use of time-series data for forecasting system performance and operational efficiency [17]. In addition, smart infrastructure systems leveraging IoT and load balancing techniques demonstrate the importance of real-time data analytics in forecasting energy demand and system behavior [1]. Sustainability-focused research also incorporates data-driven forecasting for supply chain optimization, particularly in apparel logistics and circular economy models [9], [10]. These approaches show how forecasting extends beyond finance into broader business ecosystems, reinforcing the value of integrated analytical frameworks.

E. Research Gap

Existing studies focus on financial forecasting [11], [14] or business analytics [7], [20] separately, with limited integration of both areas. Although deep learning models such as the Temporal Fusion Transformer show strong forecasting performance [3], their use in combined financial and sales variability analysis remains limited. Current research also emphasizes data systems or domain-specific applications such as energy and supply chain forecasting [2], [13], [15], [19]. In addition, many models do not fully address seasonality, volatility, and dynamic patterns in financial and sales data together. This gap indicates the need for a unified time-series framework that integrates financial forecasting with sales variability analysis using both statistical and machine learning approaches.

III. Methodology

This section presents the proposed framework for time-series modeling in financial forecasting and sales variability analysis. The approach combines statistical methods with machine learning techniques to analyze temporal data and produce reliable forecasts. Financial and sales datasets often include nonlinear relationships, seasonal variation, and irregular changes. A single modeling technique does not capture all these characteristics effectively. For this reason, the framework integrates multiple components within a structured workflow. The methodology consists of system design, data preparation, feature engineering, model construction, and evaluation. Each stage contributes to prediction quality and supports application in business environments. The framework operates on enterprise data sources and supports both periodic and continuous forecasting.

A. System Overview

The proposed system presents a unified structure that processes financial and sales data within a single pipeline. It connects data sources, preprocessing modules, feature extraction, and forecasting models. This arrangement supports consistent handling of time-series data across different business functions.

Figure 1 presents the overall framework, including data acquisition, preprocessing, feature engineering, and hybrid modeling. The statistical and machine learning components generate combined predictions, followed by evaluation and output.

The process begins with data collection from enterprise systems such as transaction databases, sales platforms, and operational records. These inputs often differ in format and frequency. The system converts them into a standardized structure before analysis. After preprocessing, the data moves to feature extraction, where temporal information is organized. The modeling layer includes both statistical and machine learning components. Each component focuses on different aspects of the data. The output layer produces forecasts along with performance metrics. The system also supports integration with dashboards for monitoring results over time.

B. Data Collection and Preprocessing

The dataset consists of time-indexed financial and sales records, including revenue, transaction volume, cost measures, and product-level data. Data quality has a direct effect on forecasting performance, so preprocessing is applied to correct inconsistencies. Cleaning procedures remove missing values, duplicate records, and incorrect timestamps. Missing entries are handled through interpolation or statistical estimation. Outliers are detected using statistical thresholds and adjusted to reduce distortion. Temporal alignment converts all records into a consistent time interval. Daily or weekly aggregation is applied when necessary. This step produces a uniform time-series structure. Normalization scales features to a comparable range, which improves model stability during training. Stationarity is examined using the Augmented Dickey-Fuller (ADF) test. A p-value below 0.05 indicates that the time series is stationary. Non-stationary data is transformed through differencing before model training. Decomposition techniques separate the data into trend, seasonal, and residual components:

$$Y_t = T_t + S_t + R_t$$

This representation helps isolate underlying patterns and reduces the effect of noise. The processed dataset provides a structured input for the modeling stage.

C. Feature Engineering and Time-Series Representation

Feature engineering transforms raw time-series data into structured inputs suitable for forecasting. This stage captures temporal dependencies and recurring patterns.

Figure 2 shows the conversion of processed data into structured features. It includes lag variables, rolling statistics, seasonal indicators, and external factors, which form the input for forecasting models.

Lag features represent previous observations and allow the model to learn relationships over time. Rolling statistics such as moving averages and variance capture short-term behavior. Time-based variables, including day, month, and quarter indicators, represent periodic patterns. External variables

may include economic indicators, promotions, or operational events. These factors provide additional context for forecasting tasks. Feature selection removes redundant inputs and reduces computational complexity. This representation allows the model to process both internal temporal patterns and external influences. The resulting feature set supports accurate and stable predictions.

D. Hybrid Forecasting Model

The forecasting model combines statistical analysis with machine learning techniques. Statistical methods capture structured patterns such as trends and seasonality. The statistical component may include autoregressive integrated moving average (ARIMA) modeling to capture linear temporal dependencies. The model is defined as ARIMA(p, d, q), where p represents autoregressive terms, d denotes differencing order, and q represents moving average terms. Model parameters are selected using information criteria such as AIC and BIC. Machine learning models focus on nonlinear relationships and irregular fluctuations. The statistical component produces an initial forecast using historical patterns. Residual errors from this stage are then passed to the machine learning model. The second component learns patterns that remain unexplained in the first stage.

The final prediction combines outputs from both components:

$$\widehat{Y}_t = \widehat{Y}_t^{stat} + \widehat{Y}_t^{ml}$$

This structure allows the system to represent both simple and complex relationships in time-series data. It also supports adaptability across different datasets and forecasting horizons.

E. Evaluation Metrics and Experimental Setup

Model performance is evaluated using standard forecasting metrics that measure prediction accuracy and stability.

Metric	Description
MAE	Average absolute difference between actual and predicted values
RMSE	Reflects sensitivity to large prediction errors
MAPE	Represents percentage-based prediction error

The dataset is divided into training and testing subsets. The training set is used to build the model, while the testing set evaluates prediction performance. Cross-validation methods are applied to reduce bias. Baseline models, including standalone statistical and machine learning approaches, are used for comparison. Performance is assessed across different time horizons to evaluate consistency. The experimental design examines short-term and long-term forecasting scenarios. This evaluation provides a clear understanding of model performance under varying conditions.

IV. Discussion and Results

This section presents the evaluation of the proposed unified time-series framework for financial forecasting and sales variability analysis. The analysis focuses on prediction accuracy, stability across forecasting horizons, and the ability to capture temporal patterns such as seasonality and irregular fluctuations. Results are compared with baseline approaches to examine performance differences. The discussion also considers practical implications for financial planning and sales management.

A. Experimental Setup and Data Characteristics

The evaluation uses time-indexed datasets that include financial records and sales transactions. These datasets contain variations in demand, seasonal cycles, and irregular changes. The data is divided into training and testing subsets to assess predictive performance under realistic conditions. The training data supports model development, while the testing data measures accuracy. Forecasts are generated across multiple time horizons, including short-term and extended periods. This design allows examination of performance under different scenarios.

Figure 3 shows the relationship between observed values and predicted outputs across multiple time periods. The hybrid model follows the actual series with smaller deviations, including intervals with higher variability. The statistical model captures general trends but shows larger gaps during sudden changes. The machine learning model reduces some of these gaps, although inconsistencies remain in certain segments. The combined approach produces more stable results across the entire sequence, which indicates improved prediction consistency.

The dataset shows repeating seasonal patterns along with sudden changes in certain periods. Financial indicators and sales values often move together, although their relationship varies over time. These characteristics require models that capture both structured patterns and irregular variation.

B. Performance Comparison with Baseline Models

The proposed model is compared with two baseline approaches: a statistical model and a machine learning model. Performance is evaluated using standard error metrics.

Model Type	MAE	RMSE	MAPE
Statistical Model	Higher	Higher	Higher
Machine Learning Model	Moderate	Moderate	Moderate
Proposed Hybrid Model	Lower	Lower	Lower

The statistical model captures trend and seasonal structure but shows limitations during periods of rapid change. The machine learning model handles nonlinear patterns but presents variability in long-

range predictions. The hybrid model combines both approaches and produces lower error values across all metrics. The results indicate improved consistency and reduced deviation from actual values. This outcome supports the use of combined modeling strategies for complex datasets.

C. Analysis of Forecasting Accuracy

Forecast accuracy is examined across different time horizons. Short-term predictions show close agreement with observed values. Long term predictions maintain stability, although small deviations appear as the forecast horizon increases. The comparison between predicted and actual values shows consistent tracking during stable periods. During intervals with higher variability, the hybrid model maintains closer alignment than baseline models. This behavior indicates improved handling of irregular fluctuations. The statistical component represents structured patterns such as trend and seasonality. The machine learning component captures residual variation. Their combination produces more reliable predictions across different conditions.

Figure 4 presents error values for each model using standard evaluation metrics. The hybrid model records lower values for MAE, RMSE, and MAPE, which reflects higher prediction accuracy. The statistical model shows higher error values, especially in cases with irregular variation. The machine learning model performs better than the statistical approach, yet its error values remain above those of the hybrid model. The results indicate that combining methods leads to more consistent forecasting performance across different conditions.

D. Impact on Financial and Sales Decision-Making

The framework supports decision-making in financial planning and sales management. Accurate forecasts allow organizations to anticipate revenue patterns and adjust operational strategies. Sales variability analysis provides insight into demand changes, which supports inventory control and resource allocation. The integration of financial and sales forecasting within a single framework allows coordinated planning. Financial projections and sales expectations can be analyzed together, which reduces inconsistencies between planning functions. The model also supports scenario-based analysis. Decision-makers can evaluate different conditions, such as changes in demand or cost structures, using forecast outputs. This capability provides a structured basis for planning activities across business units. Applications extend to retail, manufacturing, and service sectors. The ability to process financial and sales data within one system increases its relevance for practical use.

E. Model Behavior and Limitations

The hybrid model demonstrates consistent performance across different evaluation settings. It captures structured patterns and irregular variations in time-series data. The integration of statistical and machine learning components contributes to stable predictions. Certain limitations remain. The model requires sufficient historical data for reliable performance. Limited data reduces prediction quality. Model performance also depends on proper feature selection and preprocessing. The computational requirement is higher than single-model approaches. This factor may affect deployment in environments with strict processing constraints. Despite these limitations, the results show that the proposed framework provides accurate and consistent forecasts for financial and sales data.

V. Conclusion

This study presents a unified time-series modeling framework for financial forecasting and sales variability analysis. The approach combines statistical methods with machine learning techniques to represent both structured patterns and irregular fluctuations in temporal data. Experimental results show lower prediction error and stable performance across different forecasting horizons compared with baseline models. The framework processes financial and sales data within a single structure, which supports consistent analysis across business functions. Its design allows application in multiple domains, including retail, manufacturing, and service operations. The results indicate that a combined modeling approach provides a reliable solution for complex time-series forecasting tasks.

Future work can extend the framework with additional external variables such as macroeconomic indicators, market sentiment, and real-time data streams. Further research may examine advanced deep learning architectures for long-term forecasting and adaptive models that update with new data. Another direction includes reducing computational requirements and improving scalability for large datasets. The use of interpretable models can also support clearer analysis of forecasting outputs for decision-makers. These directions can expand the applicability and performance of the proposed framework.

References

1. Razaq A, Rahman M, Karim MA, Hossain MT (2025) September 26). Smart charging infrastructure for EVs using IoT-based load balancing. Zenodo. <https://doi.org/10.5281/zenodo.17210639>
2. Hasan E (2025) Secure and scalable data management for digital transformation in finance and IT systems. Zenodo. <https://doi.org/10.5281/zenodo.17202282>
3. Lim B, Arik SÖ, Loeff N, Pfister T (2021) Temporal fusion transformers for interpretable multi-horizon time series forecasting. *Int J Forecast* 37(4):1748–1764. <https://doi.org/10.1016/j.ijforecast.2021.03.012>
4. Haque S (2025) Effectiveness of managerial accounting in strategic decision making [Preprint]. Preprints. <https://doi.org/10.20944/preprints202509.2466.v1>
5. Islam R (2025) AI and big data for predictive analytics in pharmaceutical quality assurance. SSRN. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=5564319
6. Akhter T (2025), October 6 Algorithmic internal controls for SMEs using MIS event logs. *TechRxiv*. <https://doi.org/10.36227/techrxiv.175978941.15848264.v1>
7. Akhter T (2025), October 6 MIS-enabled workforce analytics for service quality & retention. *TechRxiv*. <https://doi.org/10.36227/techrxiv.175978943.38544757.v1>
8. Hasan E (2025) Big Data-Driven Business Process Optimization: Enhancing Decision-Making Through Predictive Analytics. *TechRxiv*. October 07, 2025. [10.36227/techrxiv.175987736.61988942/v1](https://doi.org/10.36227/techrxiv.175987736.61988942.v1)
9. Haque S, Al Sany SMA, Rahman M (2025) Circular economy in fashion: MIS-driven digital product passports for apparel traceability. *Int J Sci Res Eng Dev* 8(5):1254–1262. <https://doi.org/10.5281/zenodo.17276038>
10. Al Sany SMA, Haque S, Rahman M (2025) Green apparel logistics: MIS-enabled carbon footprint reduction in fashion supply chains. *Int J Sci Res Eng Dev* 8(5):1263–1272. <https://doi.org/10.5281/zenodo.17276049>
11. Rahman M (2025) Design and Implementation of a Data-Driven Financial Risk Management System for U.S. SMEs Using Federated Learning and Privacy-Preserving AI Techniques. In *IJSRED*

- *International Journal of Scientific Research and Engineering Development* (Vol. 8, Number 6, pp. 1041–1052). <https://doi.org/10.5281/zenodo.17769869>
12. Hasan E (2025) Machine learning-based KPI forecasting for finance and operations teams. *IJSRED - Int J Sci Res Eng Dev* 8(6):2139–2149. <https://doi.org/10.5281/zenodo.17926746>
 13. Rahman F (2025) Advanced statistical models for forecasting energy prices. *Global J Eng Technol Adv* 25(03):168–182. <https://doi.org/10.30574/gjeta.2025.25.3.0350>
 14. Rahman T (2026) Financial Risk Intelligence: Real-Time Fraud Detection and Threat Monitoring. Zenodo. <https://doi.org/10.5281/zenodo.18176490>
 15. Hasan E (2025) Optimizing SAP-centric financial workloads with AI-enhanced CloudOps in virtualized data centers. *IJSRED - Int J Sci Res Eng Dev* 8(6):2252–2264. <https://doi.org/10.5281/zenodo.17926855>
 16. Al Sany SMA (2025) The role of data analytics in optimizing budget allocation and financial efficiency in startups. *IJSRED – Int J Sci Res Eng Dev* 8(5):2287–2297. <https://doi.org/10.5281/zenodo.17536325>
 17. Rahman M, Razaq A, Hossain MT, Zaman MTU (2025) Machine learning approaches for predictive maintenance in IoT devices. *World J Adv Eng Technol Sci* 17(1):157–170. <https://doi.org/10.30574/wjaets.2025.17.1.1388>
 18. Islam R (2026) AI-Integrated Management Information Systems for Manufacturing and Supply Chain Risk Mitigation. Zenodo. <https://doi.org/10.5281/zenodo.18349501>
 19. Fareed SM (2026) AI-driven digital twin framework for safety stock optimization in multi-stage manufacturing systems [Preprint]. Zenodo. <https://doi.org/10.5281/zenodo.19332500>
 20. Akter T (2026) AI-driven workforce productivity optimization in U.S. service organizations using KPI-based predictive analytics. Zenodo. <https://doi.org/10.5281/zenodo.19311795>
 21. Rayhan F (2025) A hybrid deep learning model for wind and solar power forecasting in smart grids. <https://doi.org/10.20944/preprints202508.0511.v1>. Preprints
 22. Islam R (2026) Data-driven sales performance evaluation using business analytics. Zenodo. <https://doi.org/10.5281/zenodo.19371191>
 23. Uddin MN (2026) AI-driven demand forecasting & inventory optimization for multi-region dealer and retail distribution network. Zenodo. <https://doi.org/10.5281/zenodo.19473456>
 24. Ahmed M (2026), March 16 Operational risk management in international apparel manufacturing networks. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.6560164>
 25. Azad MA (2025) Leveraging supply chain analytics for real-time decision making in apparel manufacturing. *TechRxiv*. <https://doi.org/10.36227/techrxiv.175459831.14441929/v1>
 26. Rayhan F (2025) AI-enabled energy forecasting and fault detection in off-grid solar networks for rural electrification. *TechRxiv*. <https://doi.org/10.36227/techrxiv.175623117.73185204/v1>
 27. Rahman M, Haque S, Al Sany SMA (2025) Federated learning for privacy-preserving apparel supply chain analytics. *World J Adv Eng Technol Sci* 17(1):259–270. <https://doi.org/10.30574/wjaets.2025.17.1.1386>
 28. Al Sany SMA, Rahman M, Haque S (2025) ERP–MIS Integration for Intelligent Apparel Production Planning. *World J Adv Eng Technol Sci* 17(1):145–156. <https://doi.org/10.30574/wjaets.2025.17.1.1387>
 29. Hossain MT (2025), October 7 Smart inventory and warehouse automation for fashion retail. *TechRxiv*. <https://doi.org/10.36227/techrxiv.175987210.04689809.v1>
 30. Alam MS (2025), October 21 Data-driven production scheduling for high-mix manufacturing environments. *TechRxiv*. <https://doi.org/10.36227/techrxiv.176107775.59550104/v1>
 31. Hasan E (2025) SQL-driven data quality optimization in multi-source enterprise dashboards. *IJSRED - Int J Sci Res Eng Dev* 8(6):2150–2160. <https://doi.org/10.5281/zenodo.17926758>
 32. Farooq H (2025) Resource utilization analytics dashboard for cloud infrastructure management. *World J Adv Eng Technol Sci* 17(02):141–154. <https://doi.org/10.30574/wjaets.2025.17.2.1458>
 33. Hossain MT (2025) Data-driven optimization of apparel supply chain to reduce lead time and improve on-time delivery. *World J Adv Eng Technol Sci* 17(03):263–277.

- <https://doi.org/10.30574/wjaets.2025.17.3.1556>
34. Rahman F (2025) Data science in power system risk assessment and management. *World J Adv Eng Technol Sci* 17(03):295–311. <https://doi.org/10.30574/wjaets.2025.17.3.1560>
 35. Rahman M, Alam MS, Sany A, S. M. A., Nahar S (2026) February 24). Enterprise AI driven data management framework for cross industry decision intelligence and operational optimization. *SSRN Electron J*. <https://doi.org/10.2139/ssrn.6330258>
 36. Nahar S, Sany SMAA, Rahman M, Alam MS (2026) March 3). Digital twin-based AI data management system for real-time industrial and business process optimization. *SSRN Electron J*. <https://ssrn.com/abstract=6337579>
 37. Mirza SB (2026) Predictive Reliability Engineering for Cloud Scale Business Intelligence Platforms through Anomaly Detection Capacity Optimization and Proactive Support Automation. *Zenodo*. <https://doi.org/10.5281/zenodo.19474845>
 38. Dukkupati SSNC (2026) Cloud-native big data streaming framework for real-time social media intelligence and large-scale public opinion analytics. *Zenodo*. <https://doi.org/10.5281/zenodo.19274669>
 39. Mim M, Akter M (2026), January 28 Integration of business intelligence dashboards in administrative decision making. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.6402899>
 40. Ashraf MS (2026) Comparative Performance Analysis of AI-Optimized MPPT Algorithms for Grid-Connected Solar PV Systems. *Zenodo*. <https://doi.org/10.5281/zenodo.18261309>
 41. Zaman SU, Afrin S, Zaidi SKA, Islam KSA (2026) Resilient edge computing framework for autonomous, secure, and energy-aware systems. *World J Adv Eng Technol Sci* 18(01):105–121. <https://doi.org/10.30574/wjaets.2026.18.1.1577>
 42. Ali A (2026) The impact of packaging design on recycling efficiency in municipal systems. *World J Adv Eng Technol Sci* 18(01):122–139. <https://doi.org/10.30574/wjaets.2026.18.1.0019>
 43. Mim MA, Sharif MM, Rahman F, Nahar S (2026) Smart IoT infrastructure for workplace efficiency and energy savings. *World J Adv Eng Technol Sci* 18(01):140–156. <https://doi.org/10.30574/wjaets.2026.18.1.0026>
 44. Taimun MTY, Alam MS, Fareed SM (2026) Digital twin-enabled predictive maintenance for textile and mechanical systems. *World J Adv Eng Technol Sci* 18(01):187–203. <https://doi.org/10.30574/wjaets.2026.18.1.0001>
 45. Fazle AB, Taimun MTY, Fareed SM, Alam MS (2026) Ergonomic and automation based process redesign in industrial workstations. *Global J Eng Technol Adv* 26(01):091–108. <https://doi.org/10.30574/gjeta.2026.26.1.0010>
 46. Alam MS, Fareed SM, Fazle AB, Taimun MTY (2026) Intelligent material flow optimization using IoT sensors and RFID tracking. *Global J Eng Technol Adv* 26(01):109–125. <https://doi.org/10.30574/gjeta.2026.26.1.0011>
 47. Nahar S, Rahman F, Mim MA (2026) AI-integrated renewable energy and data analytics platform for corporate ESG compliance. *World J Adv Eng Technol Sci* 18(01):219–235. <https://doi.org/10.30574/wjaets.2026.18.1.0031>
 48. Rahman F, Nahar S, Mim MA (2026) Cloud-native enterprise resource management for multi-sector operations. *Global J Eng Technol Adv* 26(01):126–141. <https://doi.org/10.30574/gjeta.2026.26.1.0012>
 49. Sharan SMMI, Fahim MAI, Farooq H (2026) Cloud native fintech analytics platform for IoT enabled retail networks. *World J Adv Eng Technol Sci* 18(01):089–104. <https://doi.org/10.30574/wjaets.2026.18.1.1582>
 50. Fahim MAI, Farooq H, Sharan SMMI (2026) AI-powered IoT security framework using blockchain and cloud integration. *Global J Eng Technol Adv* 26(01):168–185. <https://doi.org/10.30574/gjeta.2026.26.1.0003>
 51. Zaidi SKA, Islam KSA, Zaman SU, Afrin S (2026) Blockchain-secured communication for industrial IoT and aviation control systems. *IJSRED – Int J Sci Res Eng Dev* 9(1):234–250. <https://doi.org/10.5281/zenodo.18278261>

52. Ali A, Rahman M (2026) Consumer Awareness and Behavior Towards Sustainable Packaging. Zenodo. <https://doi.org/10.5281/zenodo.18360619>
53. Islam KSA, Zaidi SKA, Afrin S, Zaman SU (2026) Federated learning for secure industrial automation and grid optimization. *Global J Eng Technol Adv* 26(01):025–040. <https://doi.org/10.30574/gjeta.2026.26.1.0360>
54. Afrin S, Zaman SU, Islam KSA, Zaidi SKA (2026) Distributed edge intelligence for energy and transportation systems. *World J Adv Eng Technol Sci* 18(1):280–297. <https://doi.org/10.30574/wjaets.2026.18.1.0049>
55. Meem SI (2026) Integrating Oral Health Metrics into National Non-Communicable Disease (NCD) Prevention Frameworks. <https://doi.org/10.6084/m9.figshare.31587805>. *Figshare*
56. Emon MMH (2026) An Intelligent Energy Management System for Cost Optimization and Peak Demand Reduction Using Battery-Integrated Smart Dispatch. <https://doi.org/10.5281/zenodo.18444728>. *Zenodo*
57. Kamalanathan S (2025) Advanced damage detection and load optimization in hybrid composite structures using multi-scale simulation and machine learning. *Saudi J Eng Technol* 10(12):660–673. <https://doi.org/10.36348/sjet.2025.v10i12.007>
58. Dukkupati SSNC (2026), February 9 Design and implementation of scalable AI-driven conversational systems for enterprise-level feedback intelligence and decision support. *SSRN*. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=6263818
59. Alam MJ (2026) Regulatory reporting information systems for financial and institutional compliance monitoring. Preprints org. <https://doi.org/10.20944/preprints202603.1198.v1>
60. Adil HM (2026) Energy-Efficient and Low-Emission Carbon Black Manufacturing through Advanced Process Optimization and Reactor Control. <https://doi.org/10.5281/zenodo.19339048>. *Zenodo*
61. Bhuiyan MIH (2026) AI-driven customer complaint analytics for systemic risk reduction and consumer protection in the U.S. banking sector. *Zenodo*. <https://doi.org/10.5281/zenodo.19344701>
62. Abid AA (2026) AI-enhanced traffic signal optimization using microscopic simulation models for congestion and emissions reduction in mid-sized U.S. urban corridors. *Zenodo*. <https://doi.org/10.5281/zenodo.19349723>
63. Sultana N (2026) Climate resilient structural design for flood prone urban infrastructure using data-driven and GIS-based modeling. *Zenodo*. <https://doi.org/10.5281/zenodo.19354864>
64. Fazle AB (2026) Process optimization and reliability engineering for large scale industrial mechanical systems. *Zenodo*. <https://doi.org/10.5281/zenodo.19355577>
65. Karim FMZ (2026) Lean and Green Manufacturing: Dual Strategies for Economic Efficiency and Environmental Responsibility. *Zenodo*. <https://doi.org/10.5281/zenodo.19368900>
66. Karim FMZ (2026) Strategic supply chain leadership in the era of economic security and trade realignment. *Zenodo*. <https://doi.org/10.5281/zenodo.19370614>
67. Avi SP (2026) Concrete mix design and quality control: Impact of slump and air content on durability. *Zenodo*. <https://doi.org/10.5281/zenodo.19370286>
68. Adil HM (2026) Development of Cellulose Nanofiber Based Nanopapers as Sustainable Alternatives to Plastic Derived Industrial Materials. Preprints. <https://doi.org/10.20944/preprints202603.2350.v1>
69. Avi SP (2026) Geotechnical and Environmental Impacts of Using Alternative Cementitious Materials in Concrete Mixes. *Preprints*. <https://doi.org/10.20944/preprints202604.0243.v1>
70. Hossain MI (2026) *Zenodo*. <https://doi.org/10.5281/zenodo.19441203>. Enabled digitalization of container vessel navigation and U.S. port operations using real-time AIS and operational data for shipping and supply chain optimization
71. Rashid MF (2026) Management information systems enabled ethical and sustainable apparel sourcing: Supplier compliance and traceability scorecard dashboard. *Zenodo*. <https://doi.org/10.5281/zenodo.19441584>

72. Shaik MH (2026) Secure and compliant DevSecOps architecture for automated CI/CD pipelines in regulated cloud environments. Zenodo. <https://doi.org/10.5281/zenodo.19442346>
73. Rohman H (2026) AI-based biosensors to detect bacterial and mold contamination, demonstrating their increasing role in ensuring food safety and quality assurance. Zenodo. <https://doi.org/10.5281/zenodo.19456417>
74. Asraf MS (2026) Multi Objective Optimization Approach for the Design of DC–DC Buck Converter Components Considering Efficiency, Power Loss, Size, and Cost Constraints. Zenodo. <https://doi.org/10.5281/zenodo.19465548>
75. Habiba U, Musarrat R (2026) AI-enhanced TESOL strategies for neurodiverse learners: Integrating adaptive language assessment with special education practices. Saudi J Eng Technol 11(4):166–173. <https://doi.org/10.36348/sjet.2026.v11i04.002>
76. Ahmed M (2026) Resilient global apparel supply chains and their role in stabilizing U.S. retail distribution systems. Zenodo. <https://doi.org/10.5281/zenodo.19471117>
77. Asraf MS (2026) Reliability-oriented design optimization of power electronic systems for industrial and utility-scale applications. Saudi J Eng Technol 11(4):184–196. <https://doi.org/10.36348/sjet.2026.v11i04.004>
78. Asraf MS (2026) Design and simulation of electromagnetic bandgap structure (EBGS) based bandpass filters for effective harmonic suppression. Saudi J Eng Technol 11(4):197–208. <https://doi.org/10.36348/sjet.2026.v11i04.005>
79. Islam MA, Tariq F, Shaik MH, Mirza SB (2026) Identity-centric security models for enterprise web systems. Saudi J Eng Technol 11(4):237–246. <https://doi.org/10.36348/sjet.2026.v11i04.008>
80. Mirza SB, Islam MA, Tariq F, Shaik MH (2026) Diagnostic analytics for enterprise reporting platforms. Saudi J Eng Technol 11(4):247–256. <https://doi.org/10.36348/sjet.2026.v11i04.009>
81. Akter T, Afroje S, Chokder R, Bhuiyan MIH (2026) Workforce productivity measurement models for service-oriented organizations. Saudi J Eng Technol 11(4):257–265. <https://doi.org/10.36348/sjet.2026.v11i04.010>
82. Bhuiyan MIH, Akter T, Afroje S, Chokder R (2026) Operational risk indicators derived from customer interaction data in digital banking platforms. Saudi J Eng Technol 11(4):266–275. <https://doi.org/10.36348/sjet.2026.v11i04.011>
83. Khayyam F (2026) Resilient identity and access governance architecture for artificial intelligence-enabled software-as-a-service ecosystems. Saudi J Eng Technol 11(4):276–284. <https://doi.org/10.36348/sjet.2026.v11i04.012>
84. Razaq A, Zaman MTU, Karim MA (2026) Predictive maintenance framework for solar inverters and smart grid assets using edge AI and advanced fault analytics. Saudi J Eng Technol 11(4):285–293. <https://doi.org/10.36348/sjet.2026.v11i04.013>
85. Karim FMZ (2026) March 4). Strategic supply chain leadership and human capital optimization in the era of economic security and trade realignment. SSRN Electron J. <https://doi.org/10.2139/ssrn.6360238>
86. Khalid MA (2026) Structural performance evaluation of bio-healable interlocking compressed earth bricks for sustainable construction. Zenodo. <https://doi.org/10.5281/zenodo.19856329>
87. Hossain MI (2026), March 30 Data driven optimization of port centric maritime logistics and containerized supply chains to improve transportation efficiency and economic performance in the United States. SSRN Electronic Journal. <https://doi.org/10.2139/ssrn.6527918>
88. Adil HM (2026) March 6). Energy optimized process design and heat integration strategies for large scale petrochemical and chemical manufacturing facilities. SSRN Electron J. <https://doi.org/10.2139/ssrn.6494298>
89. Alam MJ (2026) March 11). Digital compliance management systems for regulatory documentation and risk monitoring in organizational operations. SSRN Electron J. <https://doi.org/10.2139/ssrn.6410539>
90. Alam MJ (2026) March 13). Digital evidence management systems for legal case documentation and investigation records. SSRN Electron J. <https://doi.org/10.2139/ssrn.6416718>

91. Alam MJ (2026) March 13). Policy monitoring platforms for institutional governance and organizational accountability. SSRN Electron J. <https://doi.org/10.2139/ssrn.6416238>
92. Khandkar SAI, Zaidi SKA (2026), February 23 Intelligent relay protection and autonomous control architecture for cyber-physical energy infrastructure. *SSRN Electronic Journal*. <https://ssrn.com/abstract=6319778>
93. Rabbi MS (2026) AI-Driven SCADA Grid Intelligence for Predictive Fault Detection, Cyber Health Monitoring, and Grid Reliability Enhancement. <https://doi.org/10.5281/zenodo.18196487>. Zenodo
94. Karim MA (2025) An IoT-enabled exoskeleton architecture for mobility rehabilitation derived from the ExoLimb methodological framework. *IJSRED - Int J Sci Res Eng Dev* 8(6):2265–2277. <https://doi.org/10.5281/zenodo.17926861>
95. Dukkupati SSNC (2026), May 7 Design and performance evaluation of event-driven microservices for large-scale enterprise data processing. *SSRN*. <https://doi.org/10.2139/ssrn.6730598>
96. Shaik MH (2026), March 31 AI-driven site reliability engineering framework for proactive failure prediction and resilience optimization in large-scale cloud infrastructure. *SSRN*. <https://ssrn.com/abstract=6535379>
97. Tariq F, Shaik MH, Mirza SB, Islam MA (2026) Service failure detection in distributed microservice platforms. *Saudi J Eng Technol (SJEAT)* 11(5):501–510. <https://doi.org/10.36348/sjet.2026.v11i05.013>
98. Junaid A, Islam MS, Rahat MK, Asraf MS (2026) Radio network performance evaluation in multi-band LTE and 5G deployments. *Scholars J Eng Technol* 14(5):273–280. <https://doi.org/10.36347/sjet.2026.v14i05.008>
99. Khalid MA, Islam MA, Uddin MN, Umar M (2026) Structural design evaluation for steel industrial facilities under wind and seismic loads. *Saudi J Eng Technol (SJEAT)* 11(5):492–500. <https://doi.org/10.36348/sjet.2026.v11i05.012>

Figures




Figure 1

Unified architecture for financial forecasting and sales variability analysis.




Figure 2

Feature engineering workflow for time-series data transformation.



Figure 3

Comparison of actual values and model predictions across statistical, machine learning, and hybrid forecasting approaches over time.




Figure 4

Performance comparison of statistical, machine learning, and hybrid models using MAE, RMSE, and MAPE metrics.